

# 20-0-4

## *Extended Run*

Blend # 16157

**A 14% SLOW RELEASE NITROGEN FERTILIZER FROM XCU and XRT.**  
**20-0-4 Extended Run:**

- An effective ratio of Nitrogen, Potash, Calcium and Iron.
- 14% of the Nitrogen is slow release to provide up to 12 weeks of release
- An excellent choice for schools, golf courses, homes (Professional lawn care), etc.,

**APPLICATION RATES:**

	Pounds of Actual Nitrogen desired per 1,000 sq.ft.	Pounds of 20-0-4 to apply per 1,000 sq.ft.	Pounds of 20-0-4 to apply per Acre
<b>Turfgrass:</b>	0.75.....	3.75 .....	163
<i>*Recommended Rate</i>	1.00.....	5.00.....	218
	1.50*.....	7.50* .....	327*



**PREPLANT:** Broadcast 7½ lbs. per 1,000 sq. ft. (327 lbs. per acre)  
**GROUND COVER:** Broadcast at 5 lbs. per 1,000 sq. ft. (½ lb. per 100 sq. ft.)  
**SHRUBS & EVERGREENS:** Sprinkle ¼ cup evenly around dripline of plant and work into top 1 inch of soil.  
**TREES:** Apply ½ lb. per 1 inch of trunk diameter. Distribute evenly under branches out to dripline.  
**NOTE:** Liquid measuring cups are very close in estimating the weight of dry granular fertilizer.  
 Example: An 8 oz. (1 cup) measuring cup holds approximately 8 oz. of dry granular fertilizer.



**PRODUCT COVERAGE: ONE-50 LB. BAG COVERS 6,666 SQ. FT.**  
**6.5 x 50 LB. BAGS COVER 1 ACRE.**

**SPREADER SETTINGS:** Scotts R-8A..... O1/2  
*Listed Settings Will* Earthway..... 17  
*Approximately Apply the* Lesco..... 18  
*Recommended Rate.* **NOTE:** Spreader settings are guidelines only. Spreaders should be checked for accuracy.

**APPLICATION PRECAUTIONS:**

- Plant nutrients can cause staining of sidewalks. Sweep walkways prior to irrigation. Walkways should be dry at time of application.
- Keep away from pools, ponds, etc. Do not contaminate potable water.
- Do not apply with a drop-type spreader. The grinding action of these spreaders can damage the coating of the polymer coated sulfur-coated urea and will increase the burn potential.

**GUARANTEED ANALYSIS:**

TOTAL NITROGEN (N).....	20.00%
19.60% Urea Nitrogen*	
0.40% Water Insoluble Nitrogen	
SOLUBLE POTASH (K <sub>2</sub> O).....	4.00%
Calcium (Ca) .....	1.50%
Iron (Fe).....	2.00%

Derived from Polymer Coated Sulfur Coated Urea, Polymer Coated Urea, Urea, Biosolids, Iron Oxide and Muriate of Potash.

\*4.00% Slow Release Urea Nitrogen from Polymer Coated Sulfur Coated Urea (XCU)  
 \*10.00% Slow Release Urea Nitrogen from Polymer Coated Urea (XRT)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

**PACKAGE SIZE: 50-LB. (22.68-Kg.)BAGS**  
**HANDLING PRECAUTIONS: CAUTION: KEEP OUT OF REACH OF CHILDREN**