

173 Stamped Return Air Grille

Face Velocity			300	400	500	600	700
Sizes	Free area(sq.in)						
06X04 Ak 0.111	17	CFM Ps	34 0.010	46 0.018	56 0.029	67 0.041	72 0.056
06X06 Ak 0.167	24	CFM Ps	51 0.010	68 0.018	87 0.029	102 0.041	119 0.056
08x04 Ak 0.148	22	CFM Ps	45 0.010	60 0.018	75 0.029	90 0.041	105 0.056
08x06 Ak 0.223	33	CFM Ps	68 0.010	89 0.018	113 0.029	135 0.041	157 0.056
08x08 Ak 0.299	45	CFM Ps	91 0.010	121 0.018	152 0.029	180 0.041	210 0.056
10x04 Ak 0.185	28	CFM Ps	57 0.010	75 0.018	94 0.029	112 0.041	132 0.056
10x06 Ak 0.28	44.000	CFM Ps	86 0.010	114 0.018	142 0.029	170 0.041	198 0.056
10x08 Ak 0.375	58	CFM Ps	114 0.010	155 0.018	189 0.029	227 0.041	264 0.056
10x10 Ak 0.470	74	CFM Ps	143 0.010	190 0.018	238 0.029	284 0.041	332 0.056
12x06 0.337	52	CFM Ps	103 0.010	138 0.018	171 0.029	205 0.041	239 0.056
12x08 Ak 0.451	70	CFM Ps	137 0.010	182 0.018	228 0.029	273 0.041	318 0.056
12x10 Ak 0.566	90	CFM Ps	172 0.010	228 0.018	285 0.029	342 0.041	398 0.056
12x12 Ak 0.681	108	CFM Ps	206 0.010	274 0.018	342 0.029	410 0.041	478 0.056
14x06 Ak 0.394	62	CFM Ps	120 0.010	160 0.018	200 0.029	238 0.041	278 0.056
14x08 Ak 0.527	84	CFM Ps	160 0.010	213 0.018	268 0.029	318 0.041	361 0.056
14x10 Ak 0.661	106	CFM Ps	200 0.010	268 0.018	333 0.029	400 0.041	465 0.056
14x14 Ak 0.93	148	CFM Ps	282 0.010	374 0.018	468 0.029	560 0.041	654 0.056
16x06 Ak 0.451	72	CFM Ps	138 0.010	184 0.018	230 0.029	275 0.041	318 0.056
16x08 Ak 0.604	98	CFM Ps	184 0.010	245 0.018	305 0.029	365 0.041	425 0.056
16x10 Ak 0.757	122	CFM Ps	230 0.010	306 0.018	382 0.029	458 0.041	534 0.056
16x12 Ak 0.911	146	CFM Ps	275 0.010	370 0.018	458 0.029	550 0.041	641 0.056
16x16 Ak 1.219	196	CFM Ps	368 0.010	490 0.018	612 0.029	734 0.041	856 0.056
18x06 Ak 0.508	78	CFM Ps	155 0.010	205 0.018	256 0.029	308 0.041	358 0.056
18x18 Ak 1.548	244	CFM Ps	470 0.010	623 0.018	778 0.029	932 0.041	1086 0.057

20x06 Ak 0.566	86	CFM Ps	174 0.010	230 0.018	294 0.029	342 0.041	400 0.056
20x10 Ak 0.949	146	CFM Ps	289 0.010	384 0.018	479 0.029	574 0.041	669 0.056
20x12 Ak 1.142	176	CFM Ps	345 0.010	460 0.018	574 0.029	670 0.041	804 0.056
20x14 Ak 1.335	206	CFM Ps	404 0.010	538 0.018	672 0.029	805 0.041	940 0.056
20x20 Ak 1.917	296	CFM Ps	579 0.010	771 0.018	964 0.029	1154 0.041	1648 0.057
20x24 Ak 2.307	356	CFM Ps	694 0.010	925 0.018	1157 0.029	1386 0.041	1618 0.057
20x25 Ak 2.404	372	CFM Ps	725 0.010	968 0.018	1206 0.029	1442 0.041	1688 0.057
24x04 Ak .451	68	CFM Ps	139 0.010	184 0.018	230 0.029	275 0.041	320 0.057
24x06 Ak .681	104	CFM Ps	206 0.010	274 0.018	344 0.029	412 0.041	480 0.056
24x08 Ak .911	142	CFM Ps	275 0.010	370 0.018	459 0.029	551 0.041	642 0.056
24x10 Ak 1.142	178	CFM Ps	345 0.010	460 0.018	574 0.029	689 0.041	804 0.056
24x12 Ak 1.374	214	CFM Ps	416 0.010	554 0.018	691 0.029	829 0.041	966 0.056
24x14 Ak 1.607	252	CFM Ps	484 0.010	646 0.018	805 0.029	970 0.041	1129 0.056
24x24 Ak 2.775	434	CFM Ps	834 0.010	1114 0.018	1391 0.029	1670 0.041	1946 0.056
30x04 Ak 0.566	84	CFM Ps	174 0.010	230 0.018	291 0.029	341 0.041	400 0.056
30x06 Ak 0.853	130	CFM Ps	260 0.010	345 0.018	431 0.029	516 0.041	601 0.057
30x08 Ak 1.142	176	CFM Ps	345 0.010	461 0.018	576 0.029	689 0.041	804 0.056
30x10 Ak 1.432	224	CFM Ps	434 0.010	581 0.018	720 0.029	864 0.041	1008 0.056
30x12 Ak 1.723	268	CFM Ps	522 0.010	693 0.018	866 0.029	1038 0.041	1210 0.056
30x14 Ak 2.015	314	CFM Ps	610 0.010	810 0.018	1012 0.029	1212 0.041	1414 0.056
30x20 Ak 2.892	452	CFM Ps	870 0.010	1162 0.018	1450 0.029	1740 0.041	2029 0.057
30x24 Ak 3.479	544	CFM Ps	1050 0.010	1398 0.018	1746 0.029	2092 0.041	2440 0.057
30x30 Ak 4.363	680	CFM Ps	1314 0.010	1749 0.018	2185 0.029	2622 0.041	3060 0.057
36x06 Ak 1.1027	156	CFM Ps	312 0.010	414 0.018	517 0.029	620 0.041	722 0.057
30x08 Ak 1.374	212	CFM Ps	414 0.010	554 0.018	694 0.029	829 0.041	968 0.056