

CHUNJIAN GONGXUE

纯碱工学

第二版

大连化工研究设计院 主编

清华大学图书馆



C19088125



化学工业出版社

本书第一版获得：  
1992年全国优秀科技图书奖  
1997年化学工业部科技进步奖

# SODA TECHNOLOGY

2nd Edition

ISBN 7-5025-5088-7



9 787502 550882 >

ISBN 7-5025-5088-7/TQ · 1889 定价：143.00元

销售分类建议：化工/无机化工

第 950 字卷首 (京)

# 纯 碱 工 学

第二版

大连化工研究设计院 主编



C19088125

化学工业出版社

· 北京 ·

(京) 新登字 039 号

图书在版编目 (CIP) 数据  
纯碱工学/大连化工研究设计院主编. —2 版. —北  
京: 化学工业出版社, 2003.12  
ISBN 7-5025-5088-7  
I. 纯… II. 大… III. 纯碱生产-概况 IV. TQ114.1  
中国版本图书馆 CIP 数据核字 (2003) 第 125424 号

纯 碱 工 学

第二版

大连化工研究设计院 主编  
责任编辑: 叶铁林 麻雪丽  
文字编辑: 颜克俭 翁景岩  
责任校对: 顾淑云  
封面设计: 潘 峰  
封面题字: 叶铁林

\*

化学工业出版社出版发行  
(北京市朝阳区惠新里 3 号 邮政编码 100029)  
发行电话: (010) 64982530  
<http://www.cip.com.cn>

\*

新华书店北京发行所经销  
聚鑫印刷有限责任公司印刷  
三河市东柳装订厂装订

开本 787 毫米×1092 毫米 1/16 印张 57 $\frac{1}{4}$  字数 1607 千字  
2004 年 4 月第 2 版 2004 年 4 月北京第 1 次印刷  
ISBN 7-5025-5088-7/TQ·1889

定 价: 143.00 元

版权所有 违者必究

该书如有缺页、倒页、脱页者, 本社发行部负责退换

# 目 录

## 第一篇 绪 论

第一章 纯碱工业概述 .....	3	二、干法 .....	42
第一节 纯碱工业的发展和现状 .....	3	三、循环制碱法 (НИУИФ法) .....	44
一、世界纯碱工业发展史 .....	3	四、芒硝有机胺制碱 .....	46
二、中国纯碱工业发展史 .....	5	第四节 其他制碱方法 .....	46
三、世界纯碱工业现状 .....	9	一、钾钠矿盐生产纯碱及氮钾混肥 .....	46
第二节 纯碱工业产品 .....	16	二、有机胺制纯碱 .....	48
一、纯碱 .....	16	三、阿克苏法制纯碱 .....	51
二、氯化铵 .....	21	四、烧碱碳酸化法制纯碱 .....	52
三、烧碱 .....	22	五、日本新旭法制纯碱 .....	52
四、小苏打 .....	24	参考文献 .....	55
五、氯化钙 .....	26	第三章 制碱原料 .....	57
六、碳酸氢铵 .....	28	第一节 食盐 .....	57
七、一水碳酸钠 .....	29	一、食盐的性质 .....	57
八、十水碳酸钠 .....	29	二、资源 .....	58
九、水玻璃 .....	30	三、中国工业用盐标准 .....	63
十、复混肥料 .....	31	第二节 石灰石和二氧化碳 .....	63
十一、过氧碳酸钠 .....	32	一、石灰石 .....	63
第三节 纯碱工业设备名称、符号及 专用单位 .....	33	二、二氧化碳 .....	64
一、纯碱工业设备名称及国际符号 .....	33	第三节 氨 .....	65
二、中国纯碱工业规模的划分 .....	35	第四节 天然碱 .....	65
三、纯碱工业专用单位及换算 .....	35	一、天然碱的基本概念 .....	65
参考文献 .....	36	二、天然碱矿物及矿石 .....	66
第二章 纯碱生产方法 .....	37	三、中国常见的几种天然碱矿石及产品 的俗称 .....	68
第一节 概述 .....	37	四、天然碱的伴生矿物 .....	69
第二节 霞石制碱 .....	37	五、天然碱矿物性质 .....	69
一、霞石和霞石制碱过程 .....	37	六、天然碱矿物资源分布 .....	71
二、霞石加工产品 .....	39	第五节 其他制碱原料 .....	74
三、霞石制碱与氨碱法比较 .....	40	一、芒硝 .....	74
第三节 芒硝制碱 .....	41	二、霞石 .....	75
一、湿法 (ТИПХА法) .....	41	参考文献 .....	76

## 第二篇 氨碱法制碱

第四章 氨碱法制纯碱的理论基础 .....	79	第二节 $\text{Na}^+ \text{, } \text{NH}_4^+ // \text{HCO}_3^- \text{, } \text{Cl}^- \text{, } \text{H}_2\text{O}$ 体系相图分析 .....	81
第一节 氨碱法生产纯碱的主要过程 .....	79		

一、П. П. Федотьев等人的工作	81	参考文献	120
二、 $\text{NaHCO}_3\text{-NH}_4\text{HCO}_3\text{-NH}_4\text{Cl}$ 三固相点的数据	85	<b>第六章 盐水精制</b>	121
三、 $\text{NaHCO}_3\text{-NH}_4\text{HCO}_3$ 二固相线的数据	86	第一节 盐水精制的目的及方法	121
四、 $\text{NaHCO}_3$ 结晶区的数据	87	一、盐水精制的目的	121
<b>第三节 生产过程条件的相图分析</b>	87	二、精制盐水纯度的要求	121
一、不同温度的 $P_1$ 母液对氨盐水浓度的要求	87	三、盐水精制方法	121
二、工业上所能达到的氨盐水浓度对碳酸化母液温度的要求	88	<b>第二节 粗盐水的制备</b>	122
三、冷却不足时，可提高 $\text{TNH}_3/\text{TCI}^-$ 比来提高钠利用率 $U_{\text{Na}}$	90	一、粗盐水的制备方法	122
四、氨盐水的最佳氯盐比	92	二、制备粗盐水的设备	122
五、盐水精制时生成的结合氯对钠利用率的影响	94	<b>第三节 石灰-纯碱法精制盐水</b>	123
<b>参考文献</b>	95	一、精制过程的原理	123
<b>第五章 石灰石的煅烧和石灰的消化</b>	96	二、工艺流程	124
第一节 石灰石煅烧和石灰消化的工艺过程原理	96	三、工艺控制条件	125
一、石灰石煅烧过程中的化学反应	96	四、石灰-纯碱法的优点	125
二、竖式石灰窑煅烧过程中区段的划分	98	<b>第四节 石灰-碳酸铵法精制盐水</b>	126
三、影响石灰窑生产能力的因素	99	一、精制原理	126
<b>第二节 工艺流程及控制条件</b>	102	二、工艺流程	127
一、工艺流程	102	三、工艺控制条件	128
二、控制条件	103	<b>第五节 沉降原理及影响沉降的因素</b>	128
<b>第三节 石灰窑的工作指标及其计算</b>	104	一、沉降原理	128
一、碳酸钙的分解率	104	二、影响沉降速度的因素	129
二、石灰窑的生产能力	105	<b>第六节 盐水澄清设备和盐泥处理</b>	130
三、窑气中二氧化碳含量	106	一、道尔式澄清桶	130
四、石灰窑热效率	106	二、斜板式澄清桶	130
五、石灰窑物料和热量衡算	106	三、斯堡丁式澄清桶	132
<b>第四节 石灰窑</b>	108	四、蜂窝式澄清桶	133
一、混烧竖窑构造的主要要求	108	五、其他澄清设备	133
二、石灰窑的主要结构	109	六、盐泥处理	133
<b>第五节 石灰乳的制备</b>	112	<b>第七节 除钙塔</b>	135
一、石灰的消化	112	一、除钙塔的作用	135
二、化灰机	114	二、除钙塔的主要结构	136
<b>第六节 窑气的净化与冷却</b>	116	三、除钙塔内吸收 $\text{NH}_3$ 和 $\text{CO}_2$ 情况	137
一、窑气成分及含尘量	116	四、除钙塔工艺计算举例	138
二、窑气的冷却与净化	116	五、除钙塔除钙热量衡算计算举例	142
三、填料式窑气洗涤塔	117	<b>第八节 盐水精制过程中的结疤及处理</b>	144
四、筛板式泡沫除尘器	117	一、结疤产生的原因	144
五、复合筛板洗涤塔	119	二、预防及消除结疤的措施	144
六、电除尘器	119	<b>参考文献</b>	145

一、吸氨流程的特点	150	一、转鼓(滤鼓)式真空过滤机	198
二、工艺流程	151	二、重碱离心分离与真空过滤的比较	206
三、工艺控制条件	153	三、真空装置及吹风装置	209
<b>第三节 精制盐水氯化的设备</b>	<b>153</b>	<b>参考文献</b>	<b>215</b>
一、概述	153	<b>第十章 重碱的煅烧</b>	<b>216</b>
二、吸氯塔结构的设计原则	154	第一节 重碱煅烧的物化基础	216
三、吸氯塔的结构	155	第二节 重碱煅烧的工艺流程	217
四、吸氯净氯器	156	一、炉气母液洗涤流程	219
五、吸氯冷却设备	156	二、返碱预混流程	219
六、氯盐水澄清桶及钛泵	158	三、热碱回收流程	219
<b>第四节 精制盐水氯化过程的物热衡算</b>	<b>159</b>	<b>第三节 煅烧设备的演变及其结构</b>	<b>220</b>
一、查定数据	159	一、煅烧设备的演变	220
二、物料衡算	160	二、外热式回转煅烧炉	220
三、热量和换热面积衡算(以1t碱计)	161	三、无返碱煅烧炉	223
<b>参考文献</b>	<b>162</b>	四、蒸汽煅烧炉	225
<b>第八章 氨盐水碳酸化</b>	<b>163</b>	五、自身返碱蒸汽煅烧炉	227
第一节 氨盐水碳酸化工艺过程原理	163	六、其他辅助设备	230
一、 $\text{NH}_3\text{-CO}_2\text{-H}_2\text{O}$ 体系的汽液平衡和 液相中各种组分的浓度分配	163	<b>第四节 煅烧炉的操作控制</b>	<b>233</b>
二、氨盐水的碳酸化动力学	166	一、出碱温度	233
三、 $\text{NaHCO}_3$ 的结晶动力学	168	二、返碱量控制	233
<b>第二节 氨盐水碳酸化的工艺流程、工艺 条件及操作控制</b>	<b>169</b>	三、炉伸涨度	234
一、工艺流程	169	四、炉头压力	234
二、工艺条件	171	<b>第五节 蒸汽煅烧炉物料和热量衡算</b>	<b>234</b>
三、操作控制要点	172	实例	234
<b>第三节 碳酸化塔的工作状况和操作 条件</b>	<b>174</b>	一、物料衡算	234
一、各种参数的变化	174	二、热量衡算	236
二、结疤及清洗	176	<b>第六节 工艺设计</b>	<b>240</b>
三、硫化物在碳酸化过程中的作用 和变化	178	<b>第七节 重碱沸腾煅烧</b>	<b>240</b>
<b>第四节 碳酸化塔</b>	<b>181</b>	一、重碱沸腾煅烧工艺流程	241
一、索尔维碳酸化塔	181	二、重碱沸腾煅烧炉	241
二、筛板式碳酸化塔	188	三、重碱沸腾煅烧工艺控制	242
三、复合筛板式碳酸化塔	189	四、沸腾煅烧炉的特点、存在问题和 改进方向	242
<b>第五节 物料衡算和热量衡算</b>	<b>189</b>	<b>第八节 凉碱装置</b>	<b>243</b>
一、物料衡算	189	一、回转凉碱炉	244
二、热量衡算和冷却面积计算	192	二、流化床凉碱	245
<b>参考文献</b>	<b>194</b>	<b>第九节 重碱湿分解</b>	<b>246</b>
<b>第九章 重碱(粗碳酸氢钠)的过滤</b>	<b>195</b>	一、反应原理	246
第一节 过滤工艺过程原理和流程	195	二、重碱湿分解工艺流程	247
一、概述	195	三、分解塔	248
二、过滤过程的理论基础	195	四、湿分解操作控制	249
三、过滤工序的工艺流程	197	<b>第十节 重质纯碱的制造</b>	<b>249</b>
<b>第二节 过滤机与真空装置</b>	<b>198</b>	一、固相水合法	250
		二、液相水合法	253
		三、水溶法	254
		四、挤压法	254

98	参考文献 .....	266	第十二章 二二氧化碳气的压缩 .....	319
06	第十一章 母液和淡液蒸馏 .....	268	第一节 二二氧化碳气压缩过程原理 .....	319
09	第一节 蒸氨过程的汽液平衡 .....	268	一、等温压缩功的计算 .....	319
15	一、NH <sub>3</sub> -H <sub>2</sub> O 系统 .....	269	二、绝热压缩功的计算 .....	319
16	二、NH <sub>3</sub> -CO <sub>2</sub> -H <sub>2</sub> O 系统 .....	269	第二节 压缩机的选择 .....	320
16	第二节 母液蒸氨工艺流程 .....	273	第三节 CO <sub>2</sub> 离心式压缩机 .....	321
17	一、典型的正压蒸馏流程 .....	275	一、离心式压缩机的基本原理 .....	321
19	二、真空蒸馏流程 .....	275	二、离心式压缩机用于碱工业的 优越性 .....	321
19	三、干石灰蒸馏流程 .....	276	三、中国 CO <sub>2</sub> 气离心压缩机 .....	323
19	四、固体氯化铵蒸馏流程 .....	279	四、60 万吨/年氨碱压缩流程及 压缩机选型 .....	327
20	五、工艺技术评述 .....	279	第四节 CO <sub>2</sub> 螺杆压缩机 .....	328
20	第三节 蒸氨设备 .....	282	第五节 CO <sub>2</sub> 活塞式压缩机 .....	330
220	一、典型综合蒸氨塔 .....	283	一、浓 CO <sub>2</sub> 气制碱 .....	330
223	二、不带冷凝器的蒸氨塔 .....	285	二、变换气制碱增压机流程 .....	332
225	三、改良型蒸氨塔 .....	287	三、石灰窑 CO <sub>2</sub> 气加压制碱流程 .....	332
227	四、带机械搅拌装置的蒸氨塔 .....	289	四、小型氨碱厂 CO <sub>2</sub> 气压缩流程 .....	332
230	五、筛板型蒸氨塔 .....	290	五、活塞式压缩机的结构及选择 .....	335
233	六、预灰桶 .....	293	参考文献 .....	335
233	第四节 蒸氨塔工艺计算 .....	295	第十三章 纯碱生产过程的物料平衡 和能量平衡汇总 .....	336
234	一、理论塔板 .....	295	第一节 反应和反应热 .....	336
234	二、塔体设计 .....	298	第二节 氨碱法物料平衡与能量平衡汇 总表 .....	337
234	三、泡罩设计 .....	298	第三节 联碱法物料平衡图 .....	344
234	四、溢流管设计 .....	300	第四节 热力学考察 .....	347
234	五、流体阻力计算 .....	301	参考文献 .....	348
234	第五节 母液蒸馏的操作控制 .....	302	第十四章 苛化法制烧碱 .....	349
236	一、蒸馏温度 .....	302	第一节 苛化碱液的制备及固液分离 .....	349
240	二、废液含 NH <sub>3</sub> 和过剩灰 .....	302	一、基本原理 .....	349
240	三、操作负荷 .....	303	二、苛化液的液固分离 .....	351
241	四、停、开塔方法 .....	303	三、工艺流程 .....	352
241	五、扫塔方法 .....	303	四、苛化过程的调节与控制 .....	353
242	第六节 蒸氨塔物料和热量衡算 .....	303	五、主要设备 .....	354
242	一、物料衡算 .....	303	第二节 烧碱液的蒸发及析出盐的分离 .....	356
243	二、热量衡算 .....	305	一、烧碱液的蒸发 .....	356
244	第七节 蒸馏废液热量闪发回收 .....	307	二、析出盐的分离 .....	357
245	一、喷射法闪发回收流程 .....	308	三、工艺流程 .....	358
246	二、闪发器工艺计算 .....	309	四、蒸发过程的调节与控制 .....	359
246	三、蒸馏废液热量闪发回收操作 .....	311	五、主要设备 .....	360
247	第八节 淡液蒸馏 .....	311	第三节 固体烧碱的生产 .....	363
248	一、淡液蒸馏工艺流程 .....	312	一、熔碱的精制 .....	363
249	二、淡液蒸馏操作控制 .....	313	二、工艺流程 .....	366
249	三、淡液蒸氨塔设备 .....	313	三、熔碱工艺指标和产品规格 .....	367
250	第九节 蒸氨塔的结垢及其处理 .....	316	四、熔碱锅 .....	367
253	一、操作温度的影响 .....	317		
254	二、晶态的影响 .....	317		
254	三、过饱和度的影响 .....	317		
	参考文献 .....	318		

五、安全、储存及运输	368	二、碳酸化塔	393
第四节 烧碱设备用材	368	三、分离、干燥设备	394
第五节 热量平衡	370	参考文献	394
一、苛化桶的热量平衡	371	<b>第十六章 氨碱法生产过程的三废及其治理和综合利用</b>	395
二、三效逆流蒸发装置的热量平衡	373	第一节 生产废弃物	395
三、升膜蒸发器的热量平衡	376	一、废液废渣	395
参考文献	377	二、废气和粉尘	395
<b>第十五章 小苏打生产</b>	378	第二节 氨碱厂生产过程的环境保护	396
第一节 小苏打生产原理	378	一、国外废液废渣排放概况	396
一、 $\text{Na}_2\text{CO}_3$ - $\text{NaHCO}_3$ - $\text{H}_2\text{O}$ 体系的相平衡	378	二、国内碱厂废液废渣的合理排放	397
二、碳酸钠溶液碳酸化反应的研究	380	三、纯碱厂粉尘治理	399
第二节 小苏打生产工艺流程和工艺条件	382	第三节 废物综合利用生产化工产品	402
一、碳酸钠溶液的制备	382	一、废液制氯化钙和再制盐	402
二、碳酸化及其他工序的流程	384	二、废液晒盐	408
三、主要工艺条件	385	三、废液制淡盐水	409
第三节 小苏打生产的物料衡算与热	387	四、盐水一次泥制轻质碳酸镁	409
量衡算	387	第四节 废物综合利用制建筑材料及其他制品	411
一、碳酸化塔的物料衡算和热量衡算	387	一、废渣制水泥	412
二、分离及化碱过程的物料衡算	389	二、废渣制胶凝材料及低温水泥	415
三、干燥过程物料和热量衡算	390	三、废渣制碳酸化砖	416
第四节 小苏打生产过程的主要设备	391	四、废渣制钙镁肥	419
一、碳酸钠溶液制备设备	391	参考文献	422

### 第三篇 联合法生产纯碱和氯化铵

<b>第十七章 联合法制纯碱的理论基础</b>	427	参考文献	446
第一节 联合法制纯碱发展史	427	<b>第十八章 原盐精制</b>	447
第二节 联合法制纯碱相图分析	428	第一节 原盐精制方法	447
一、相图表示法	428	一、洗涤盐法	448
二、 $\text{Na}^+$ 、 $\text{NH}_4^+$ // $\text{HCO}_3^-$ 、 $\text{Cl}^-$ 、 $\text{NH}_3$ 、 $\text{H}_2\text{O}$ 体系的溶解度数据及相图	429	二、再制盐法	452
第三节 生产流程	430	第二节 原盐精制主要设备	453
一、原则性生产流程	430	一、螺旋洗盐机	453
二、联合法流程的简化和各种流程的比较	433	二、球磨机	454
第四节 生产条件	437	三、分级器	455
一、制碱过程的生产条件	437	四、立洗桶	455
二、制氯化铵过程的生产条件	438	五、蒸发器	456
第五节 相图计算	439	第三节 原盐精制诸问题探讨	457
一、相图组成的计算	440	一、洗涤盐质量与产品质量关系	457
二、氨母液 I 冷析过程的计算	442	二、球磨机的转速	457
三、盐析过程的计算	443	三、球磨机钢球数量与级配	458
四、二次吸氨的计算	444	四、球磨机的生产率	459
五、碳酸化和重碱过滤的计算	445	五、球磨机的噪声	459

393	一、依据 .....	460	第一节 概述 .....	523
394	二、平衡计算 .....	461	第二节 工艺过程原理 .....	525
394	参考文献 .....	462	一、滤过母液脱氨 .....	526
395	<b>第十九章 联合制碱 I 过程——制碱</b>		二、氯化钠与氯化铵的分离过程 .....	528
395	<b>过程</b> .....	463	第三节 工艺流程和操作条件 .....	538
395	第一节 I 过程原理 .....	463	一、国外生产流程和操作条件 .....	538
395	一、联合制碱循环过程概述 .....	463	二、中国中间试验流程和操作条件 .....	538
396	二、循环过程的机理 .....	467	第四节 主要设备 .....	542
396	第二节 I 过程的流程及工艺条件 .....	470	一、脱氨塔 .....	542
397	一、国内主要流程及其操作原理 .....	470	二、蒸发器 .....	543
399	二、联碱 I 过程的工艺条件 .....	474	三、结晶器及外冷器、轴流泵 .....	545
402	第三节 联碱 I 过程的主要设备 .....	482	参考文献 .....	546
402	一、吸氨设备 .....	482	<b>第二十二章 变换气制碱</b> .....	548
408	二、碳酸化设备 .....	486	第一节 变换气制碱原理 .....	548
409	第四节 联碱 I 过程的综合工艺流程 .....	490	一、引言 .....	548
409	参考文献 .....	492	二、变换气制碱原理 .....	548
411	<b>第二十章 联合制碱 II 过程——制铵</b> .....	493	三、变换气制碱的特点 .....	549
412	第一节 II 过程原理及工艺条件 .....	493	第二节 变换气制碱流程和工艺条件 .....	550
415	一、循环过程中氯化铵结晶原理 .....	493	一、变换气制碱工艺流程 .....	550
416	二、循环母液的冷再生与热交换 .....	506	二、变换气制碱的工艺条件 .....	551
419	三、稠厚、分离及晶浆洗涤 .....	508	三、尾气净化流程及讨论 .....	551
422	第二节 II 过程的主要设备 .....	515	第三节 主要设备 .....	552
446	一、结晶器 .....	515	一、碳酸化塔 .....	552
447	二、外冷器 .....	519	二、尾气净化塔 .....	553
447	三、母液换热器 .....	519	第四节 变换气制碱技术的发展 .....	553
448	四、推料式连续离心分离机 .....	520	一、影响变换气制碱技术发展的因素 .....	553
452	五、湿铵沸腾干燥设备 .....	520	二、变换气制碱技术的发展 .....	554
453	第三节 联碱 II 过程的工艺流程 .....	522	三、变换气制碱节能分析 .....	554
454	参考文献 .....	522	四、变换气制碱的展望 .....	556
455	<b>第二十一章 热法生产氯化铵</b> .....	523	参考文献 .....	557
455				
456				
457				
457				
458				
459				
459				
460				
460				
453	<b>第四篇 天然碱的开采和加工</b>			
454	<b>第二十三章 天然碱矿床的开采</b> .....	561	<b>第二十四章 天然碱加工</b> .....	588
455	第一节 旱采 .....	561	第一节 概述 .....	588
455	一、露天开采 .....	561	一、天然碱加工历史沿革 .....	588
456	二、井巷开采 .....	565	二、天然碱加工技术 .....	589
457	第二节 溶解开采法原理 .....	570	第二节 天然碱开采与碱液的制备 .....	590
457	一、溶解开采法简介 .....	570	一、天然碱开采 .....	590
458	二、天然碱溶解开采的原理 .....	571	二、溶碱 .....	592
459	第三节 天然碱溶解开采工艺 .....	578	三、碱液澄清 .....	600
459	一、建井 .....	578	四、碱液精制 .....	604
459	二、建槽 .....	581	第三节 天然碱加工制纯碱 .....	606
460	三、采卤 .....	581	一、倍半碱工艺 .....	606
460	参考文献 .....	587	二、一水碱工艺 .....	613

三、碳酸化工艺	626	第五节 天然碱加工制烧碱	656
四、碳酸化-蒸发-苛化法联产纯碱、元明粉（芒硝碱）和烧碱工艺	644	一、基本原理	656
五、天然碱制纯碱的其他加工方法	652	二、工艺流程	659
第四节 天然碱加工制小苏打	653	第六节 天然碱制泡花碱	660
一、以固体天然碱为原料碳酸化法制小苏打	653	一、硅酸钠的性质和用途	660
二、溶采苏打石制小苏打	655	二、硅酸钠的生产方法和质量标准	661
		三、天然碱熔融法制硅酸钠	664
		参考文献	667

## 第五篇 公用设施与碱厂设计

第二十五章 纯碱厂的总图设计	671	第二节 冷却水	732
第一节 厂址选择	671	一、水量	732
一、引言	671	二、水源和净化	732
二、碱厂对厂址的要求	671	三、循环水	734
三、碱厂厂址的选择	671	四、冷冻水	737
第二节 碱厂的总体布置	672	五、循环水的化学处理	737
一、总平面布置的原则	672	第三节 锅炉给水	738
二、碱厂的组成	672	一、锅炉给水的水质	738
三、碱厂的总体布置	672	二、软化水和脱盐水系统的选	739
第三节 纯碱厂总图布置实例	673	参考文献	741
参考文献	677	第二十八章 供能	742
第二十六章 粉体物料的储运	678	第一节 碱厂的能耗及节能	742
第一节 粉体物料	678	一、碱厂能耗	742
一、概述	678	二、碱厂能量的综合利用和节能	743
二、粉体原料的消耗定额	678	第二节 供热	743
三、纯碱物性	679	一、碱厂用汽的特点	743
四、粉体工学在纯碱生产中的地位	681	二、用汽负荷	744
第二节 原料的储运	683	三、蒸汽的多级利用	744
一、原料盐的储运系统	683	第三节 供电	744
二、石灰石储运系统	698	一、碱厂的用电特点	744
三、焦炭（白煤）储运系统	706	二、用电负荷	746
四、在制品的输送	706	第四节 碱厂热电站	746
第三节 成品的储运	708	一、碱厂对自备热电站的要求	746
一、纯碱的输送	708	二、碱厂蒸汽平衡	747
二、纯碱的筛分与粉碎	714	三、碱厂自备热电站规模的确定	747
三、纯碱的储存	715	参考文献	752
四、纯碱的包装	720	第二十九章 生产检验	753
五、纯碱的散运	728	第一节 生产检验控制指标	753
六、纯碱的装卸	729	一、氨碱生产控制指标	753
七、氯化铵的储运	730	二、联碱生产控制指标	760
参考文献	730	三、苛化法烧碱生产控制指标	764
第二十七章 供水	731	第二节 生产控制指标的分析与测定	766
第一节 工艺用水	731	一、氨碱生产的分析与测定	766
一、工艺用水的要求和来源	731	二、纯碱产品质量控制分析	774
二、工艺用水的需要量	732	附 食品添加剂用碳酸钠	780

56	三、联碱生产的分析与测定 .....	781
56	四、联碱(氯化铵)成品质量控制	
59	分析 .....	782
60	五、苛化法烧碱生产控制指标分析 .....	789
60	六、烧碱成品质量控制分析 .....	790
61	附 食品添加剂用氢氧化钠 .....	794
64	参考文献 .....	796
67	<b>第三十章 生产过程检测与控制</b> .....	797
732	第一节 概述 .....	797
732	一、纯碱生产过程的特点 .....	797
732	二、控制水平及仪表选型 .....	797
734	第二节 检测与计量 .....	798
737	一、温度检测 .....	798
737	二、压力检测 .....	798
738	三、流量计量检测 .....	798
738	四、液面测量 .....	800
739	五、物料计量检测 .....	801
741	六、在线分析测量 .....	801
742	七、控制(调节)阀 .....	801
742	八、集散控制系统 .....	802
742	第三节 生产过程控制与调节 .....	804
743	一、盐水精制过程的自动控制 .....	804
743	二、盐水氯化过程的自动控制 .....	805
743	三、碳酸化过程的自动控制 .....	805
744	四、重碱煅烧过程的自动控制 .....	809
744	五、蒸馏过程的自动控制 .....	810
744	六、石灰石煅烧工序的自动控制 .....	811
744	七、滤过工序的自动控制 .....	812
744	第四节 生产过程控制优化 .....	813
744	参考文献 .....	814
746	<b>第三十一章 纯碱工业设备及厂房建筑</b>	
746	的腐蚀与防护 .....	816
746	第一节 概述 .....	816
746	第二节 铸铁、碳素钢在碱厂各种溶液	
747	中的腐蚀及影响因素 .....	816
747	一、铸铁自身存在的腐蚀潜在因素 .....	816
752	二、纯碱厂各种溶液的腐蚀性 .....	817
753	三、各种溶液组分的腐蚀作用 .....	817
753	四、氧的去极化腐蚀 .....	820
753	五、流速对溶液腐蚀性的影响 .....	822
760	第三节 纯碱厂腐蚀破坏类型 .....	822
764	一、均匀腐蚀 .....	822
766	二、石墨化腐蚀 .....	822
766	三、磨损腐蚀 .....	823
774	四、孔蚀 .....	824
780	五、缝隙腐蚀 .....	826
6	六、电偶腐蚀 .....	826
6	第四节 纯碱厂对腐蚀的防护 .....	827
6	一、耐蚀材料的试验与应用 .....	827
6	二、涂料防腐 .....	838
6	三、防腐蚀覆盖层 .....	843
6	四、缓蚀剂及水处理 .....	844
6	五、电化学保护 .....	847
6	六、纯碱工业厂房建筑防腐蚀 .....	849
6	七、防腐保温 .....	852
6	第五节 纯碱工业防腐蚀工作展望 .....	852
6	参考文献 .....	853
6	<b>第三十二章 碱厂生产安全技术</b> .....	855
6	第一节 碱厂安全卫生工作任务 .....	855
6	第二节 碱厂安全卫生和劳动保护 .....	857
6	一、有毒、有害物质 .....	857
6	二、粉尘污染 .....	858
6	三、噪声危害 .....	858
6	四、放射性危害 .....	859
6	五、火灾与爆炸危险 .....	859
6	六、触电 .....	861
6	七、机械伤人 .....	861
6	第三节 化学工业基本安全生产禁令 .....	861
6	一、生产区内十四个不准 .....	862
6	二、进入容器、设备的八个必须 .....	862
6	三、防止违章动火六大禁令 .....	862
6	四、操作工的六个严格 .....	862
6	五、机动车辆七大禁令 .....	863
6	第四节 生产工序安全操作要点 .....	863
6	一、石灰工序 .....	863
6	二、盐水精制工序 .....	863
6	三、盐水氯化工序 .....	864
6	四、氨盐水碳酸化工序 .....	864
6	五、重碱过滤工序 .....	864
6	六、重碱煅烧工序 .....	864
6	七、氨的回收工序 .....	865
6	八、压缩工序 .....	865
6	九、洗盐工序 .....	865
6	十、制冷工序 .....	865
6	十一、氯化铵结晶工序 .....	866
6	十二、氯化铵干燥工序 .....	866
6	十三、包装工序 .....	866
6	十四、苛化烧碱工序 .....	867
6	第五节 检修安全技术 .....	867
6	一、设备检修管理制度 .....	867
6	二、动火安全 .....	868
6	三、化工设备施工安全 .....	869

四、起吊安全	869	附录 3 饱和水蒸气的蒸汽压	878
五、高空作业安全	870	附录 4 饱和湿空气的性质	878
六、滑轮与卷扬机操作安全	870	附录 5 18℃时 NaOH 在水中的溶解热	879
七、电气检修安全	870	附录 6 NaOH 水溶液的沸点	879
八、溶解乙炔气瓶使用安全	870	附录 7 NaOH 和 $\text{Na}_2\text{CO}_3$ 的共同 溶解度	880
第六节 危险物品管理	871	附录 8 NaOH 和 $\text{Na}_2\text{CO}_3$ 的共同 溶解度	880
一、范围与分类	871	附录 9 NaOH 溶液脱水时所得到的 蒸汽热焓	880
二、装卸运输	872	附录 10 中华人民共和国法定计量单位	881
三、储存保管	872	附录 11 常用国际单位制 (SI) 单位 量纲和俄文代号	883
四、使用	872	附录 12 中国部分纯碱工业企业介绍	885
五、报废处理	873	索引	891
参考文献	873		
附录	874		
附录 1 NaCl 在 $\text{NH}_3\text{-H}_2\text{O}$ 中的溶解度	874		
附录 2 $\text{Na}^+$ 、 $\text{NH}_4^+$ // $\text{HCO}_3^-$ 、 $\text{Cl}^-$ 、 $\text{NH}_3$ 、 $\text{H}_2\text{O}$ 体系的溶解度数据	875		

力使带电尘粒捕集在集尘板上。目前多使用管式或管式-板式相结合的集尘器。

(1) 用管式高压静电除尘器治理石灰粉尘和碱尘 青岛碱厂在煅烧车间采用 GZD 100kV/20mA 单管式静电除尘器，安装在碱筛之上，尾气经除尘后进入小屋，进一步除去碱尘后，由屋顶排入大气。石灰车间采用 CGB 100kV/0.02A 静电除尘器，安装在石灰吊灰机顶端。

使用后，煅烧碱筛尾气碱尘由  $6000\text{mg}/\text{m}^3$ ，降至  $300\text{mg}/\text{m}^3$ ；石灰吊灰机灰尘由  $3097\text{mg}/\text{m}^3$  降至  $150\text{mg}/\text{m}^3$ ，回收率 95%。

(2) 用卧式除尘器治理石灰窑顶排放的石灰粉尘 大连化学工业公司碱厂使用 BG-30m<sup>3</sup> 卧式除尘器处理放空窑气，除下的粉尘由摇臂锤振荡清灰、海水增湿、汽车外运出厂、除尘后窑气由风机抽吸经烟囱排入大气。使用后粉尘含量由  $500\sim 5000\text{mg}/\text{m}^3$  降至  $10\text{mg}/\text{m}^3$ ，除尘效率 99.5%。

### 第三节 废物综合利用生产化工产品

氨碱厂废液废渣的处理，在投入资金采取有效措施，固然可以解决环境污染问题。但未解决资源流失问题，而且程度不同地增加产品成本，降低了企业的经济效益。如上节所述，大化公司碱厂等氨碱厂治理废液废渣增加产品成本达 6.3~13.2 元/吨纯碱。因此它并非治本之道。治理废液废渣的根本出路，在于开展废物的综合利用，变废为宝、造福人民。现将中国一些氨碱厂的综合利用的情况，分述于下。

#### 一、废液制氯化钙和再制盐

从蒸馏废液制取氯化钙，可以同时副产再制盐。

##### 1. 氯化钙的物理化学性质和用途

氯化钙的一般性质和用途见第一章第一节。氯化钙在空气中强烈吸湿而潮解。 $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$  上方空气平衡相对湿度，在 20℃ 时为 22%，50℃ 时为 17%； $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$  上方空气平衡相对湿度，在 20℃ 时为 32.3%，在 24.5℃ 时为 31%。用颗粒状氯化钙在 25℃ 干燥气体时，可使气体中水分降到 0.14~0.25g/m<sup>3</sup>。氯化钙在 25℃ 时实际持水量（表面层）为

气体相对湿度/%	36	60	70	80	85	90	95
持水量/(kg/kg)	1.0	1.6	2.2	2.8	3.5	5.0	8.4

氯化钙有无水物和四种水合物形态，它们的性质列于表 16-2。

$\text{CaCl}_2$  溶于水中可形成浓度很高的溶液，在一定温度下析出水合物。 $\text{CaCl}_2$  浓度与温度关系列于表 16-3 并示于图 16-3。

表 16-2 纯氯化钙及其水合物的性质

性 质	$\text{CaCl}_2$	$\text{CaCl}_2 \cdot \text{H}_2\text{O}$	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$	$\text{CaCl}_2 \cdot 4\text{H}_2\text{O}$	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$
$\omega\text{CaCl}_2/\%$	100.00	86.03	75.49	60.63	50.66
相对分子质量, $M_r$	110.99	129.01	147.02	183.05	219.08
熔点 mp/℃	772	260	176	45	30
沸点 bp/℃	1670	—	—	—	—
$p(25^\circ\text{C})/(g/\text{cm}^3)$	2.22	2.24	1.85	1.83	1.72
生成热( $18^\circ\text{C}$ )/(kJ/kg)	-7190	-8610	-9490	-10980	-11911
熔化热/(kJ/kg)	256(772℃)	—	—	—	170(30℃)
水合热(无水盐)/(kJ/kg)	—	-240	-295	-600	-840
溶解热 <sup>①</sup> /(kJ/kg)	-680	-380	-290	-50	80
比热容/[J/(kg·K)]	670	840	1170	1340	1420

① 除一水物是用 300mol 水之外，其余都是 1mol 溶质用 400 mol 水。

表 16-3  $\text{CaCl}_2$  在水中的溶解度

温度/°C	$\omega\text{CaCl}_2/\%$	固相	温度/°C	$\omega\text{CaCl}_2/\%$	固相
-49.8	30.5	冰 + $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$	50	56.9	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
-25	33.4	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$	75	59.1	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
0	37.3	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$	100	61.3	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
20	42.7	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$	125	63.7	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
30	50.0	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O} + \alpha\text{-CaCl}_2 \cdot 4\text{H}_2\text{O}$	150	67.2	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
29.5	52.4	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O} + \beta\text{-CaCl}_2 \cdot 4\text{H}_2\text{O}$ (介稳)	175.5	74.9	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O} + \text{CaCl}_2 \cdot \text{H}_2\text{O}$
29.2	53.0	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O} + \gamma\text{-CaCl}_2 \cdot 4\text{H}_2\text{O}$ (介稳)	200	75.7	$\text{CaCl}_2 \cdot \text{H}_2\text{O}$
40	53.6	$\alpha\text{-CaCl}_2 \cdot 4\text{H}_2\text{O}$	260	77.7	$\text{CaCl}_2 \cdot \text{H}_2\text{O} + \text{CaCl}_2$
45.3	56.5	$\alpha\text{-CaCl}_2 \cdot 4\text{H}_2\text{O} + \text{CaCl}_2 \cdot 2\text{H}_2\text{O}$	300	80	$\text{CaCl}_2$

表 16-4 商品氯化钙溶液的相对密度(15°C)与冰点

$\text{CaCl}_2/\%$	相对密度(15°C)	冰点/°C	$\text{CaCl}_2/\%$	相对密度(15°C)	冰点/°C
0	1.000	0	16	1.145	-11.56
2	1.018	-0.89	18	1.165	-14.50
4	1.034	-1.89	20	1.186	-18.00
6	1.052	-2.89	25	1.239	-29.44
8	1.069	-4.11	30	1.295	-46.00
10	1.087	-5.39	32	1.317	-28.61
12	1.105	-7.06	33	1.328	-21.61
14	1.125	-9.16	34	1.340	-15.39

高浓度氯化钙溶液有较低的结晶温度, 利用这一性质, 氯化钙浓溶液(卤水)常用做低温冷冻介质。表 16-4 列出氯化钙溶液浓度与相对密度和冰点的数据。

从蒸馏废液回收氯化钙和食盐, 遵循  $\text{CaCl}_2\text{-NaCl}$  两元体系相图。 $\text{NaCl-CaCl}_2\text{-H}_2\text{O}$  体系溶解度列于表 16-5 和示于图 16-3。

### 2. 产品规格及消耗定额


按现行企业标准, 氯化钙(二水)质量指标:  $\text{CaCl}_2 \geq 70\%$ ,  $\text{NaCl} \leq 2.5\%$ 。再制盐质量指标:  $\text{NaCl} \geq 99\%$ ,  $\text{Ca}^{2+} \leq 0.8\%$ ,  $\text{SO}_4^{2-} \leq 0.02\%$ , 水不溶物  $\leq 0.03\%$ 。


消耗定额, 每吨二水氯化钙消耗定额: 废液  $7.5\text{m}^3$ , 蒸汽  $3.2\text{t}$ , 电  $19.3\text{kW}\cdot\text{h}$ , 河水  $120\text{m}^3$ 。每吨再制盐(生产 1t 二水氯化钙生产 1.2t 再制盐)消耗定额: 粗盐  $0.8\sim 0.85\text{t}$ , 蒸汽  $2.7\text{t}$ , 电  $31.1\text{kW}\cdot\text{h}$ , 河水  $56\text{m}^3$ 。

### 3. 生产方法

中国氯化钙产品主要有二水氯化钙和无水氯化钙两种。生产方法可分为氨碱废液回收法、氯酸钾废液回收法和盐酸石粉法三种。这里只论述氨碱废液回收法。

(1) 工艺流程和工艺条件 从氨碱厂蒸馏废液回收氯化钙并副产再制盐(氯化钠), 又称盐钙联产法。工艺流程示于图 16-5 和图 16-6。



图 16-4 NaCl 和  $\text{CaCl}_2$  在水中共溶度表 16-5  $\text{NaCl}-\text{CaCl}_2-\text{H}_2\text{O}$  系统溶解度

$t/\text{°C}$	液 相		固 相	$t/\text{°C}$	液 相		固 相
	$\omega\text{NaCl}/\%$	$\omega\text{CaCl}_2/\%$			$\omega\text{NaCl}/\%$	$\omega\text{CaCl}_2/\%$	
-25	13.8	11.2	$\text{NaCl} \cdot 2\text{H}_2\text{O} + \text{冰}$	75	27.45	0	$\text{NaCl}$
	7.4	20.0	$\text{NaCl} \cdot 2\text{H}_2\text{O}$		1.7	40.0	$\text{NaCl}$
	1.3	32.8	$\text{NaCl} \cdot 2\text{H}_2\text{O} + \text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		1.0	50.0	$\text{NaCl}$
	0	33.5	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		0.9	55.0	$\text{NaCl}$
0	26.3	0	$\text{NaCl}$	100	0.8	58.4	$\text{NaCl} + \text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
	8.4	20.0	$\text{NaCl}$		0	58.8	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
	0.9	35.0	$\text{NaCl}$		28.2	0	$\text{NaCl}$
	0.6	36.9	$\text{NaCl} + \text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		11.4	20.0	$\text{NaCl}$
	0	37.2	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		2.2	40.0	$\text{NaCl}$
25	26.45	0	$\text{NaCl}$	125	1.2	55.0	$\text{NaCl}$
	8.9	20.0	$\text{NaCl}$		1.1	60.2	$\text{NaCl} + \text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
	0.7	40.0	$\text{NaCl}$		0	60.9	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
	0.5	44.65	$\text{NaCl} + \text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		29.0	0	$\text{NaCl}$
	0	44.9	$\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$		12.3	20.0	$\text{NaCl}$
50	26.8	0	$\text{NaCl}$		2.9	40.0	$\text{NaCl}$
	9.6	20.0	$\text{NaCl}$		1.7	55.0	$\text{NaCl}$
	0.6	55.0	$\text{NaCl}$		1.6	60.0	$\text{NaCl}$
	0.6	56.6	$\text{NaCl} + \text{CaCl}_2 \cdot 2\text{H}_2\text{O}$		1.5	62.8	$\text{NaCl} + \text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
	0	56.9	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$		0	63.8	$\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$

工艺流程特点是在制盐时充分除钙 ( $\text{CaCl}_2$ )，在制氯化钙时充分除盐，以保证两种产品质量合格。

利用蒸馏废液在滩地自然蒸发，浓缩至含  $\text{CaCl}_2$  120g/L，送入化盐桶，加入部分原盐，制成含  $\text{CaCl}_2$  90g/L、 $\text{NaCl}$  220g/L 的盐钙卤。盐钙卤经预热器预热后送入双效蒸发器逆流蒸发，以制取再制盐和氯化钙溶液。氯化钙溶液再经升膜器、降膜器制成二水氯化钙产品。

双效蒸发生产再制盐的工艺条件：一效温度为 125°C，蒸发器压力为  $(0.196 \sim 0.392) \times 10^5 \text{ Pa}$ ，加热蒸汽压力为  $(4.9 \sim 5.39) \times 10^5 \text{ Pa}$ 。二效温度为 74°C，蒸发器压力为  $-0.80 \times 10^5 \text{ Pa}$ 。

双效蒸发后，钙卤浓度浓缩至含  $\text{CaCl}_2$  450g/L，同时析出  $\text{NaCl}$  结晶，进入盐浆桶，然后送入离心机分离，并喷入纯碱溶液以防止结块。再进入沸腾炉干燥，获得含  $\text{NaCl}$  99.0%~99.6% 的高质量再制盐。




图 16-5 再制盐生产流程

1—一效蒸发罐；2—二效蒸发罐；3—水喷射器；4—预热器；5—加热器；6—旋风分离器；  
7—盐浆罐；8—离心机；9—沸腾干燥炉；10—预热器；11—鼓风机




图 16-6 氯化钙生产流程

1—钙液罐；2—高卤罐；3—热水罐；4—预热器；5—升膜蒸发器；6—液钙池；  
7—分离器；8—降膜蒸发器；9—储槽；10—水喷射器

用膜式蒸发器生产氯化钙，其工艺条件为：由双效蒸发器浓缩之钙卤，经澄清析盐，析出的盐含  $\text{CaCl}_2$  高，作为原料盐送回化盐桶再次利用。澄清后钙液先经升膜蒸发器浓缩至含  $\text{CaCl}_2$  600g/L，经澄清除  $\text{NaCl}$  后，送入降膜蒸发器，蒸发至含  $\text{CaCl}_2$  70%~72%，然后装桶，冷却后即为固体二水氯化钙产品。

产品品种除桶装的二水氯化钙外，还可生产片状二水氯化钙产品。片状产品生产方法是：将降膜蒸发器蒸发出来的含  $\text{CaCl}_2$  70%~72% 的液体氯化钙放入蒸汽保温的储槽内，自流进入滚筒式制片机，滚筒内表面喷以冷却水，使滚筒外表面的液体氯化钙凝固成 1~2mm 厚度的固体氯化钙，经刮刀刮下即为片状氯化钙，冷却到 60~70℃，用聚乙烯编织袋包装（两层编织袋之间夹一层塑料薄膜）。

在制取高质量  $\text{CaCl}_2$  产品时，要在澄清时进一步除去杂质。其法是将蒸发到浓度为 40% 的

品质量  
，制成  
发，以

$392) \times$   
 $10^5 \text{ Pa}$ 。  
然后送  
99.6%

## **VERIFICATION**

I, Wenli.Zhang of 601, Building B-2, Northern Territory, Dongsheng Technology Park, Haidian District, Beijing 100192, China. hereby declare that I am conversant with the Chinese and English languages and am a competent translator thereof. I declare further that to the best of my knowledge and belief the following 纯碱工学(第二版) Soda Technology (2nd Edition) is a true and correct translation.

All statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true. I further understand that willful false statements and the like are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States Code. I declare under penalty of perjury that the foregoing is true and correct.

Dated this 11 day of Nov. 2022.

Signature:

Name:

WenLi Zhang  
Wenli Zhang

# **CHUNJIAN GONGXUE**

## **Soda Technology**

### **2nd Edition**

**Compiled by Dalian Research & Design Institute of  
Chemical Industry**



**Chemical Industry Press**

**The 1st edition of this book won:**

**National Excellent Science and  
Technology Book Award of 1992**

**Science and Technology Progress  
Award of Ministry of Chemical  
Industry of 1997**

# **Soda Technology**

**2nd Edition**



ISBN 7-5025-5088-7/TQ · 1889 Prize: 143.00 yuan

Suggestion for sale category: Chemical industry/Inorganic chemical industry

# Soda Technology

2nd Edition

Compiled by Dalian Research & Design Institute of Chemical Industry



**Chemical Industry Press**

• Beijing •

(Beijing) XDZ No.039

**Cataloguing In Publication (CIP) Data**

Soda Technology/Compiled by Dalian Research and Design Institute of Chemical Industry.-2nd Edition.-  
Beijing: Chemical Industry Press 12. 2003

ISBN • 7-5025-5088-7

I. Soda... II. Da... III. Soda Production-Overview  
IV.TQ114.1

Archival Library of Chinese Publications CIP Data  
(2003) No.125424

---

**Soda Technology**

2nd Edition

Compiled by Dalian Research & Design Institute of Chemical Industry

Editor in Charge: Ye Tielin • Ma Xueli

Text Editor: Yan Kejian • Jiu Jingyan

Proof Reader: Gu Shuyun

Cover Designer: Pan Feng

Cover Inscription: Ye Tielin

\*

Published by Chemical Industry Press  
(No.3 Huixinli, Chaoyang District, Beijing 100029)

Tel for Distribution: 010-64982530

<http://www.cip.com.cn>

\*

Distributed by Beijing Distribution Agency of Xinhua Bookstore

Printed by Juxin Printing Co., Ltd.

Binded by Sanhe City Dongliu Binding Factory

Format: 787mm × 1092mm 1/16 • Printed sheets: 57 ¼ • Number of words: 1607 thousand

2nd edition in April 2004 • 1st printing in April 2004

ISBN • 7-5025-5088-7/TQ • 1889

Price: 143.00 yuan

---

**All rights reserved. Offenders must be prosecuted.**

In case of any missing page, reversed page or loosing page in a book, the distribution department of this agency is responsible for the book returning and replacing.

# Contents

## Title I General Introduction

<b>Chapter I Soda Technology .....</b>	3
Section I Development and Present Situation of Soda Industry .....	3
I. Development History of the World Soda Industry.....	3
II. Development History of the Chinese Soda Industry.....	5
III. Present Situation of the World Soda Industry.....	9
Section II . Products of Soda Industry .....	16
I. Sodium Carbonate .....	16
II.Ammonium Chloride.....	21
III. Caustic Soda.....	22
IV. Baking Soda .....	24
V. Calcium Chloride.....	26
VI. Ammonium Bicarbonate .....	28
VII. Sodium Carbonate Monohydrate.....	29
VIII. Sodium Carbonate Octahydrate.....	29
IX. Sodium Silicate .....	30
X. Compound Fertilizer .....	31
XI. Sodium Peroxocarbonate .....	32
Section III Names, Symbols and Special Units of Equipment for Soda Industry.....	33
I. Names and International Symbols of Equipment for Soda Industry.....	33
I. Division of Chinese Soda Industry Scale.....	35
III. Special Units and Conversions for Soda Industry.....	35
References.....	36
<b>Chapter II Soda Production Methods.....</b>	37
Section IOverview .....	37
Section IIAlkali Production from Nepheline .....	37
I. Nepheline and Nepheline-based Soda Production Process .....	37
II. Products from Nepheline Processing.....	39
III. Comparison between Nepheline-Based Process and Ammonia-Soda Process .....	40
Section IIIMirabilite-based Soda Production.....	41
I. Wet Process (ТИПХА Process) .....	41
II. Dry Process .....	42
III. Cyclic Process for Soda Production(НИУИФ Process) .....	44
VI. Mirabilite-Organic Amine Process for Soda Production .....	46
Section IVOther Processes for Soda Production....	46
I. Production of Soda and Nitrogen-Potassium Mixed Fertilizer from Potassium- Sodium Mineral Salts .....	46
II. Mirabilite-Organic Amine Process for Soda Production .....	48
III. AKZO Process for Soda Production .....	51
IV Caustic Soda Carbonation Process for Soda Production .....	52
V. Japan's NV (New Sahi) Process for Soda Production .....	52
References .....	55
<b>Chapter III Raw Materials for Soda Production.....</b>	57
Section IEddible Salt .....	57
I. Properties of Edible Salt .....	57
II. Resources .....	58
III. Chinese Standards for Industrial Salts .....	63
Section II Limestone and Carbon Dioxide.....	63
I. Limestone .....	63
II. Carbon Dioxide .....	64
Section III Ammonia.....	65
Section IV Trona.....	65
I. Basic Concept of Trona .....	65
II. Trona Minerals and Ores .....	66
III. Commonly Known Names of Several Trona Ores and Products in China.....	68
IV. Associated Minerals of Trona.....	69
V. Properties of Trona Mineral.....	69
VI. Distribution of Trona Mineral Resources.....	71
Section V Other Materials for Soda Production....	74
I. Mirabilite .....	74
II. Nepheline .....	75
References .....	76

## Chapter II Ammonia-Sod Process for Soda Production

### Chapter IV Theoretical Basis of Ammonia-Soda Process for Soda Production.....

Section I Byproducts of Soda Production by Ammonia-Soda Process.....	79
Section II Phase Diagram Analysis of $\text{Na}^+$ , $\text{NH}_4^+$ / $\text{HCO}_3^-$ , $\text{Cl}^-$ , $\text{H}_2\text{O}$ System .....	81

I. П. П. Федотьев et al.'s Work .....	81
II. Three-Phase Solid Point Data of $\text{NaHCO}_3$ - $\text{NH}_4\text{HCO}_3\text{-NH}_4\text{Cl}$ .....	85
III. Two-Phase Solid Line Data of $\text{NaHCO}_3$ - $\text{NH}_4\text{HCO}_3$ .....	86
IV. Data of $\text{NaHCO}_3$ Crystallization Zone .....	87
<b>Section III Phase Diagram Analysis of Production Process Conditions .....</b>	<b>87</b>
I. Requirements of $P_1$ Mother Liquor at Different Temperatures on Ammonia Brine Concentration.....	87
II. Requirements of Industrially Attainable Ammonia Brine Concentration on the Temperature of Carbonation Mother Liquor .....	88
III. Increase of $\text{TNH}_3/\text{TCI}^-$ Ratio at Insufficient Cooling to Increase the Utilization Rate of Sodium $U_{\text{Na}}$ .....	90
IV. Best Ammonia-Salt Ratio for Ammonia Brine .....	92
V. Effect of Combined Ammonia Generated in Brine Refining on Sodium Utilization Rate.....	94
References.....	95
<b>Chapter V Calcination of Limestone and Slaking of Lime.....</b>	<b>96</b>
<b>Section I Principle of Limestone Calcination and Lime Slaking Process .....</b>	<b>96</b>
I. Chemical Reaction During Limestone Calcination.....	96
II. Division of Sections in the Combustion Process of Vertical Lime Kiln .....	98
III. Factors Affecting the Production Capacity of Lime Kiln .....	99
<b>Section II Process Flow and Control Conditions .....</b>	<b>102</b>
I. Process Flow .....	102
II. Control Conditions .....	103
<b>Section III Working Indexes of Lime Kiln and Their Calculation .....</b>	<b>104</b>
I. Decomposition Rate of Calcium Carbonate...104	
II. Production Capacity of Lime Kiln.....105	
III. Carbon Dioxide Content in Kiln Gas .....	106
IV. Thermal Efficiency of Lime Kiln .....	106
V. Materials and Heat Balance of Lime Kiln ....106	
<b>Section IV Lime Kiln.....108</b>	
I. Main Requirements on the Mixed-Fired Shaft Kiln Structure .....	108
II. Main Structure of Lime Kiln .....	109
<b>Section V Preparation of Lime Milk.....112</b>	
I. Slaking of Lime .....	112
II. Lime Slaking Machine .....	114
<b>Section VI Purification and Cooling of Kiln Gas .....</b>	<b>116</b>
I. Composition and Dust Content of Kiln Gas ..116	
II. Cooling and Purification of Kiln Gas.....116	
III. Packed Washing Tower for Kiln Gas .....	117
IV. Sieve Plate Type Foam Dust Collector.....117	
V. Composite Sieve Plate Washing Tower .....	119
VI. Electric Dust Precipitator.....119	
References .....	120
<b>Chapter VI Brine Refining .....</b>	<b>121</b>
<b>Section I Purpose and Methods of Brine Refining .....</b>	<b>121</b>
I. Purpose of Brine Refining .....	121
II. Purity Requirements of Refined Brine .....	121
III. Methods for Brine Refining .....	121
<b>Section II Preparation of Crude Brine .....</b>	<b>122</b>
I. Preparation Method of Crude Brine.....122	
II. Equipment for Crude Brine Preparation.....122	
<b>Section III Brine Refining by Lime-Soda Process .....</b>	<b>123</b>
I. Principle of Refining .....	123
II. Technological Process Flow .....	124
III. Process Control Conditions.....125	
IV. Advantages of Lime-Soda Process .....	125
<b>Section IV Brine Refining by Lime-Ammonium Carbonate Process.....126</b>	
I. Principle of Refining .....	126
II. Process Flow .....	127
III. Process Control Conditions.....128	
<b>Section V Settlement Principle and Factors Affecting Settlement .....</b>	<b>128</b>
I. Principle of Settlement .....	128
II. Factors Affecting the Settling Velocity.....129	
<b>Section VI Brine Clarification Equipment and Salt Mud Treatment .....</b>	<b>130</b>
I. Dalton Clarifier.....130	
II. Inclined Plate Clarifier .....	130
III. Spalding Clarifier.....132	
IV. Honeycomb clarifier.....133	
V. Other Clarification Equipment .....	133
VI. Salt Mud Treatment .....	133
<b>Section VII Calcium Removal Tower .....</b>	<b>135</b>
I. Role of Calcium Removal Tower .....	135
II. Main Structure of Calcium Removal Tower.....136	
III. Absorption of $\text{NH}_3$ and $\text{CO}_2$ in Calcium Removal Tower .....	137
IV. Examples of Process Calculation of Calcium Removal Tower .....	138
V. Examples of Calculating Calcium Removal Heat Balance in Calcium Removal Tower.....142	

Section VIII Scar Formation and Treatment in Brine Refining Process .....	144
I. Cause of Scarring.....	144
II. Measures for Preventing and Eliminating Scarring .....	144
References.....	145
<b>Chapter VII Ammonification of Refined Brine..</b>	146
Section I Principle of Brine Ammonification Process .....	146
I. Chemical Reaction in Brine Ammonification.....	146
II. Absorption Rate of Refined Brine Ammonification Process.....	147
III.Vapor-Liquid Equilibrium of Ammonification Process of Refined Brine .....	148
IV. Ammonification Effect of Refined Brine ....	149
V. Mass Transfer in Brine Ammonification.....	150
Section II Technological Process Flow and Control Conditions.....	150
I. Characteristics of Ammonia Absorption Process.....	150
II. Technological Process Flow .....	151
III. Process Control Conditions.....	153
Section III Equipment for Refined Brine Ammonification Process .....	153
I. Overview .....	153
II. Design Principle of Ammonia Absorption Tower Structure .....	154
III. Structure of Ammonia Absorption Tower ...	155
IV. Ammonia Absorber and Purifier.....	156
V. Equipment for Ammonia Absorption Cooling .....	156
VI. Ammonia Brine Clarifier and Titanium Pump.....	158
Section IVMaterial and Heat Balance of Ammonification Process of Refined Brine .....	159
I. Data Checking and Determination.....	159
II. Material Balance.....	160
III. Heat and Heat Exchange Area Balance (per ton of soda).....	161
References.....	162
<b>Chapter VIIICarbonation of Ammonia Brine....</b>	163
Section I Principle of Ammonia Brine Carbonation Process.....	163
I. Vapor-Liquid Equilibrium of $\text{NH}_3\text{-CO}_3\text{-H}_2\text{O}$ System and Concentration Distribution Between Various Components in Liquid Phase.....	163
II. Carbonation Kinetics of Ammonia Brine .....	166
III. $\text{NaHCO}_3$ Crystallization Kinetics.....	168
Section II Process Flow, Process Conditions and Operation Control of Ammonia Brine Carbonation.....	169
I. Process Flow.....	169
II. Technological Process Flow .....	171
III. Key Points of Operation Control.....	172
Section III Working State and Operating Conditions of Carbonation Tower.....	174
I. Changes of Various Parameters .....	174
II. Scarring and Cleaning .....	176
III. Role and Change of Sulfides in Carbonation Process .....	178
Section IV ..... Carbonation Tower .....	181
I. Solvay Carbonation Tower .....	181
II. Sieve Plate Type Carbonation Tower .....	188
III. Composite Sieve Plate Type Carbonation Tower.....	189
Section V. Material Balance and Heat Balance....	189
I. Material Balance.....	189
II. Heat Balance and Cooling Area Calculation .....	192
References .....	194
<b>Chapter IX Filtration of Dense Soda (Crude Sodium Bicarbonate) .....</b>	195
Section I Principle and Flow of Filtration Process .....	195
I. Overview .....	195
II. Theoretical Basis of Filtration Process.....	195
III. Process Flow of Filtration .....	197
Section II Filter and Vacuum Device .....	198
I. Rotary Drum (Flitering Drum) Vacuum Filter .....	198
II. Comparison Between Centrifugal Separation and Vacuum Filtration of Dense Soda .....	206
III. Vacuum Device and Blowing Device.....	209
References .....	215
<b>Chapter X Dense Soda Calcination.....</b>	216
Section IPhysicochemical Basis of Dense Soda Calcination.....	216
Section II Process Flow of Dense Soda Calcination.....	217
I. Scrubbing Process of Calciner Gas Mother Liquor.....	219
II. Premixing Process of Returned Alkali .....	219
III. Hot Alkali Recovery Process .....	219
Section IIIEvolution and Structure of Calcination Equipment .....	220
I. Evolution of Calcination Equipment .....	220
II. External Heating Rotary Calciner .....	220
III Calciner Without Alkali Recycling .....	223

IV. Steam Calciner .....	225
V. Self-Alkali Return Steam Calciner .....	227
VI. Other Auxiliary Equipment.....	230
Section IV Operation Control of Calciner.....	233
I. Temperature of Alkali Discharge .....	233
II. Control of Alkali Return Amount.....	233
III. Elongation of Calciner .....	234
IV. Calciner Head Pressure .....	234
Section V Example of Material and Heat Balance Calculation of Steam Calciner.....	234
I. Material Balance Calculation.....	234
II. Heat Balance Calculation .....	236
Section VI .....Process Design .....	240
Section VII Fluidized Calcination of Dense Soda .....	240
I. Process Flow of Fluidized Calcination of Dense Soda .....	241
II. Fluidized Calciner for Dense Soda.....	241
Process Control of Fluidized Calcination of Dense Soda .....	242
IV. Characteristics, Existing Problems and Improvement Direction of Fluidized Calciners.....	242
Section VIII Alkali Cooling Devices .....	243
II. Rotary Furnace for Soda Cooling.....	244
II. Fluidized Bed for Soda Cooling .....	245
Section IX Wet Decomposition of Dense Soda ...	246
I. Principle of Reaction .....	246
II. Technological Process Flow .....	247
III. Decomposition Tower .....	248
IV. Operation Control of Wet Decomposition...249	
Section X Manufacture of Dense Soda .....	249
I. Solid Phase Hydration Method.....	250
II. Liquid Phase Hydration Method.....	253
III. Water Dissolution Method .....	254
IV. Extrusion Method.....	254
References.....	266
<b>Chapter XI Mother Liquor and Dilute Liquid Distillation .....</b>	<b>268</b>
Section IV Vapor-Liquid Balance in Ammonia Distillation Process .....	268
I. NH <sub>3</sub> -H <sub>2</sub> O System .....	269
II. NH <sub>3</sub> -CO <sub>2</sub> -H <sub>2</sub> O System.....	269
Section III. Technological Process of Ammonia Distillation .....	273
I. Typical Positive Pressure Distillation Process.....	275
II. Vacuum Distillation Process.....	275
III. Dry Lime Distillation Process .....	276
IV. Distillation Process of Solid Ammonium Chloride.....	279
V. Review of Process Technology.....	279
Section IIIAmmonia Distillation Equipment.....	282
I. Typical Comprehensive Ammonia Distillation Tower.....	283
II. Ammonia Distillation Tower without Condenser.....	285
III. Improved Ammonia Distillation Tower .....	287
IV. Ammonia Distillation Tower with Mechanical Stirring Device.....	289
V. Sieve Plate Type Ammonia Distillation Tower.....	290
VI. Pre-Ash Bucket.....	293
Section IVIV. Process Calculation of Ammonia Distillation Tower .....	295
II. Theoretical Tower Plates .....	295
II. Tower Body Design.....	298
III. Bubble Cap Design .....	298
IV. Overflow Pipe Design .....	300
V. Calculation of Fluid Resistance .....	301
Section V Operation Control of Mother Liquor Distillation .....	302
I. Temperature of Distillation.....	302
II. Waste Liquor Contains NH <sub>3</sub> and Excess Ash .....	302
III. Operating Load .....	303
IV. Tower Operation Stop and Start Method....303	
V. Tower Sweeping Method .....	303
Section VI Material and Heat Balance Calculation of Ammonia Distillation ..	303
I. Material Balance Calculation .....	303
II. Heat Balance Calculation .....	305
Section VII Heat Flash Recovery of Distillation Waste Liquor.....	307
I. Flash Recovery Process by Jet Method .....	308
II. Flasher Process Calculation.....	309
III. heat flash recovery operation of distillation waste liquid.....	311
Section VIIIDilute Liquid Distillation .....	311
I. Process Flow of Dilute Liquid Distillation ....312	
II. Operation Control of Mother Liquor Distillation .....	313
III. Equipment for Ammonia Distillation of Dilute Liquor .....	313
Section IX Scaling of Ammonia Distillation Tower and Its Treatment .....	316
II. Effect of Operating Temperature.....	317
II. Effect of Crystal State .....	317
III. Effect of Supersaturation Value.....	317
References .....	318

<b>Chapter XII</b>	<b>Compression of Carbon Dioxide Gas</b>	319
Section I	Principle of Carbon Dioxide Gas Compression Process	319
I.	Calculation of Isothermal Compression Work	319
II.	Calculation of Adiabatic Compression Work	319
Section II	Selection of Compressors	320
Section III	CO <sub>2</sub> Centrifugal Compressor	321
I.	Basic Principle of Centrifugal Compressor	321
II.	Advantages of Centrifugal Compressor Used in Soda Industry	321
III.	China CO <sub>2</sub> Gas Centrifugal Compressor	323
IV.	600,000 t/a Ammonia-Alkali Compression Process and Compressor Selection	327
Section IV	CO <sub>2</sub> Screw Compressor	328
Section V	CO <sub>2</sub> Piston Compressor	330
I.	Soda Production from Concentrated CO <sub>2</sub> Gas	330
II.	Supercharger Process for Soda Production from Conversion Gas	332
III.	Pressurization Process for Soda Production from Lime Kiln CO <sub>2</sub> Gas	332
IV.	CO <sub>2</sub> Gas Compression Process for Small-Sized Ammonia-Soda Plants	332
V.	Structure and Selection of Piston Compressors	335
References		335
<b>Chapter XIII</b>	<b>Summary of Material Balance and Energy Balance in Soda Production Process</b>	336
Section I	Reaction and Heat of Reaction	336
Section II	Summary Table of Material Balance and Energy Balance of Ammonia-Soda Process	337
Section III	Material Balance Diagram of Combined-Soda Method	344
Section IV	Thermodynamic Investigation	347
References		348
<b>Chapter XIV</b>	<b>Caustic Soda Production by Causticization Process</b>	349
Section I	Preparation of Causticized Soda Liquid and Solid-Liquid Separation	349
I.	Basic Principle	349
II.	Liquid-Solid Separation of Causticized Liquid	351
III.	Technological Process Flow	352
IV.	Adjustment and Control of Causticization Process	353
V.	Main Equipment	354
Section II	Evaporation of Caustic Soda Solution and Separation of Precipitated Salt	356
I.	Evaporation of Caustic Soda Solution	356
II.	Separation of Precipitated Salt	357
III.	Technological Process	358
IV.	Adjustment and Control of Evaporation Process	359
V.	Main Equipment	360
Section III	Production of Solid Caustic Soda	363
I.	Refining of Molten Alkali	363
II.	Technological Process Flow	366
III.	Process Index and Product Specification of Alkali Melting	367
IV.	Alkali Melting Pot	367
V.	Safety, Storage and Transportation	368
Section IV	Materials for Caustic Soda Equipment	368
Section V	Heat Balance	370
I.	Heat Balance of Causticizing Tank	371
II.	Heat Balance of Triple-Effect Counter-Current Evaporator	373
III.	Heat Balance of Climbing Film Evaporator	376
References		377
<b>Chapter XV</b>	<b>Production of Baking Soda</b>	378
Section I	Principle of Baking Soda Production	378
I.	Phase Equilibrium of Na <sub>2</sub> CO <sub>3</sub> -NaHCO <sub>3</sub> -H <sub>2</sub> O System	378
II.	Study on Carbonation Reaction of Sodium Carbonate Solution	380
Section II	Technological Process Flow and Control Conditions for Baking Soda Production	382
I.	Preparation of Sodium Carbonate Solution	382
II.	Process of Carbonation and Other Work Processes	384
III.	Main Technological Conditions	385
Section III	Material Balance and Heat Balance of Baking Soda Production	387
I.	Material Balance and Heat Balance Calculation of Carbonation Tower	387
II.	Material Balance of Separation and Alkali Melting Process	389
III.	Material and Heat Balance Calculation of Drying Process	390
Section IV	Main Equipment for Production of Baking Soda	391
I.	Equipment for Preparation of Sodium Carbonate Solution	391
II.	Carbonation Tower	393
III.	Separation and Drying Equipment	394

References.....	394
<b>Chapter XVII Three Wastes in Production</b>	
<b>Process Based on Ammonia-Soda Process and Their Treatment and Comprehensive Utilization .....</b>	395
Section I Production Wastes.....	395
I. Waste Liquors and Waste Residues.....	395
II. Waste Gas and Dust.....	395
Section II Environmental Protection in the Production Process of Ammonia Soda Process-Based Plants.....	396
I. Overview of Discharge of Waste Liquors and Waste Residues outside China .....	396
II. Rational Discharge of Waste Liquors and Waste Residues in Domestic Alkali Plants .....	397
III. Dust Control in Soda Plants .....	399
Section III Comprehensive Utilization of Wastes to Produce Chemical Products .....	402
I. Preparation of Calcium Chloride from Waste Liquor of Ammonia Distillation.....	402
II. Salt from Solar Evaporation of Waste Liquor.....	408
III. Preparation of Dilute Brine from Waste Liquor.....	409
IV. Preparation of Light Magnesium Carbonate from Primary Brine Mud.....	409
Section IV Comprehensive Utilization of Wastes to Make Building Materials and Other Products .....	411
I. Making Cement from Waste Residues.....	412
II. Making Cementitious Materials and Low Temperature Cement from Waste Residues .....	415
III. Making Carbonated Bricks from Waste Residues .....	416
IV. Making Calcium-Magnesium Fertilizers from Waste Residues .....	419
References .....	422

## Chapter III Production of Soda and Ammonium Chloride by Combined Process

<b>Chapter XVII Theoretical Basis of Combined Soda Process for Soda Production.....</b>	427
Section I Development History of Combined Soda Process-Based Production.....	427
Section II Phase Diagram Analysis Of Combined Soda Process-Based Soda Producton .....	428
I. Phase Diagram Representation .....	428
Solubility Data and Phase Diagram of $\text{Na}^+$ , $\text{NH}_4^+/\text{HCO}_3^-$ , $\text{Cl}^-$ , $\text{NH}_3$ , $\text{H}_2\text{O}$ System.....	429
Section III Production Process Flow.....	430
I. Principle Production Process Flow .....	430
II. Simplification of Combined Soda Process Flow and Comparison of Various Process Flows .....	433
Section IV ..... Production Conditions.....	437
I. Production Conditions for Soda Making Process.....	437
II. Production Conditions for Ammonium Chloride Making Process.....	438
Section V Phase Diagram Calculation .....	439
I. Calculation of Phase Diagram Composition ..	440
II. Calculation of Cold Precipitation Process of Ammonia Mother Liquor .....	442
III. Calculation of Salt Precipitation Process ....	443
IV. Calculation of Secondary Ammonia Absorption .....	444
V. Calculation of Carbonation and Dense Soda Filtration .....	445
References .....	446
<b>Chapter XVIII Raw Salt Refining.....</b>	447
Section I Methods For Raw Salt Refining .....	447
I. Salt Washing Method.....	448
II. Refined Salt Method.....	452
Section III. Main Equipment .....	453
I. Spiral Salt Scrubber .....	453
II. Ball Mill .....	454
III. Classifier .....	455
IV. Vertical Scrubber .....	455
V. Evaporator .....	456
Section III Discussion on Problems in Raw Salt Refining .....	457
I. Relationship Between Scrubbed Salt Quality and Product Quality .....	457
II. Ball Mill Rotational Speed .....	457
III. Number and Gradation of Steel Balls in Ball Mill .....	458
IV. productivity of ball mill.....	459
V. Noise of ball mill .....	459
VI Determination of flotation speed of classifier .....	459

Section IV	Material balance calculation of salt scrubbing method.....	460	Section I	Overview .....	523
I.	Basis .....	460	Section III.	Principle of technological process ....	525
II.	balance calculation .....	461	I.	Deamination of filtered mother liquor .....	526
References.....		462	II.	separation process of sodium chloride from ammonium chloride.....	528
<b>Chapter XIX</b>	<b>Combined Soda Process I-Soda production process .....</b>	<b>463</b>	Section IIIIII.	Technological Process Flow.....	538
Section II.	Principle of process .....	463	I.	Foreign production processes and operating conditions .....	538
I.	Overview of the cycling process of combined soda process .....	463	II.	Pilot test process and operating conditions in China .....	538
II.	mechanism of cycling process.....	467	Section IVIII.	Main Equipment .....	542
Section III.	flow and technological conditions of process I .....	470	I.	deamination tower .....	542
I.	main domestic process flows and their operating principles .....	470	V.	Evaporator .....	543
II.	Technological Conditions for Subprocess I in Combined Soda Process .....	474	III.	crystallizer, external cooler and axial flow pump.....	545
Section IIII	Main Equipment for Subprocess I of Combined Soda Process.....	482	References .....		546
I.	Equipment for Ammonia Absorption.....	482	<b>Chapter XIII.</b>	<b>Soda Production from Converted Gas .....</b>	548
II.	Carbonation Equipment.....	486	Section I	Principle of soda production from converted gas .....	548
Section IV	Integrated process flow of subprocess I of combined soda process .....	490	I.	Introduction .....	548
References.....		492	II.	Principle of Soda Production from Converted Gas .....	548
<b>Chapter XX</b>	<b>Subprocess II of Combined Soda Process —Ammonium Making .....</b>	<b>493</b>	III.	characteristics of Soda Production from Converted Gas .....	549
Section II.	Principle and technological conditions of subprocess II .....	493	Section II	Process flow and technological conditions of Soda Production from Converted Gas .....	550
I.	crystallization principle of ammonium chloride in the cycling process .....	493	I.	Process Flow of Soda Production from Converted Gas .....	550
II.	cold regeneration and heat exchange of circulating mother liquor .....	506	II.	Technological Conditions for Soda Production from Converted Gas .....	551
III.	thickening, separation and crystal slurry scrubbing .....	508	III.	Discussion on tail gas purification process .....	551
Section IIIMain Equipment for Subprocess II of Combined Soda Process.....		515	Section IIIIII.	Main Equipment .....	552
I.	Crystallizer.....	515	I.	Carbonation Tower .....	552
II.	External cooler .....	519	II.	tail gas purification tower.....	553
III.	heat exchanger of mother liquor.....	519	Section IV	Development of Technology of Soda Production from Converted Gas .....	553
IV.	Push-type continuous centrifugal separator .....	520	I.	Factors Affecting the Development of Technology of Soda Production from Converted Gas .....	553
V.	Wet ammonium fluidized drying equipment .....	520	II.	Development of Technology of Soda Production from Converted Gas .....	554
Section IIII	Integrated process flow of subprocess II of combined soda process.....	522	III.	Analysis of Energy Saving of Soda Production from Converted Gas .....	554
References.....		522	IV.	Outlook of Soda Production from Converted Gas .....	556
<b>Chapter XXI</b>	<b>Production of ammonium chloride by thermal process.....</b>	<b>523</b>	References .....		557

## Title IV Mining and Processing of Trona

<b>Chapter XXIIIMining of Trona Deposits .....</b>	561
Section IDry mining.....	561
I. Opencast mining .....	561
II. Roadway mining.....	561
Section IIPrinciple of dissolution mining method .....	570
I. Brief introduction of dissolution mining method.....	570
II. principle of trona dissolution mining.....	571
Section IIIDissolution mining technology of trona .....	578
I. Shafting.....	578
II. Channeling .....	581
II. Brine extraction .....	581
References.....	587
<b>Chapter XXIVTrona Processing.....</b>	588
Section IOverview .....	588
I. historical evolution of trona processing.....	588
II. trona processing technology .....	589
Section IIExploitation of Trona and Preparation of Alkali Liquor.....	590
I. Mining of Trona.....	590
II. Alkali Dissolution.....	592
III. Alkali liquor clarification .....	600
IV. alkali liquor refining.....	604
Section IIITrona Processing to Make Soda.....	606
I. Sesquisoda Process .....	606
II. Monohydrate Soda Process .....	613
III. Carbonation Tower.....	626
IV. Carbonation-evaporation-causticization process for co-production of soda ash, sodium sulfate (mirabilite alkali) and caustic soda.....	644
V. other processing methods for soda production from trona.....	652
Section IVTrona Processing to Make Baking Soda .....	653
I. Making Baking Soda by Carbonation with Solid Trona as Raw Material .....	653
II. Dissolution Mining of nahcolite for making baking soda.....	655
Section VTrona Processing to Make Caustic Soda .....	656
I. Basic Principle.....	656
Section VIPreparation of silicate of soda from trona .....	659
I. Properties and uses of sodium silicate .....	660
II. production method and quality standard of sodium silicate .....	661
III. Preparation of sodium silicate by trona melting.....	664
References .....	667

## Part V Design of Public Facilities and Soda Plant

<b>Chapter XXVGeneral layout design of soda plant.....</b>	671
Section ISite selection.....	671
I. Introduction .....	671
II. requirements on sites for alkali plants .....	671
III. selection of sites for alkali plants .....	671
Section IIGeneral layout of alkali plants.....	672
I. principle of general layout .....	672
II. composition of an alkali plant .....	672
III. General layout of an alkali plant .....	672
Section IIIExample of general layout of soda plants.....	673
References.....	677
<b>Chapter XXVIStorage and transportation of powder materials .....</b>	678
Section IPowder materials .....	678
I. Overview .....	678
II. consumption quota of powder raw materials .....	678
III. Physical properties of soda .....	679
IV. position of powder technology in soda production.....	681
Section IIStorage and transportation of raw materials.....	683
I. Storage and transportation system for raw salts.....	683
II. limestone storage and transportation system.....	698
III. Coke (White Coal) Storage and Transportation System.....	706
IV. Transportation of In-Process Products.....	706
Section IIIStorage and transportation of finished products.....	708
I. Soda Storage and Transportation .....	708
II. Screening and crushing of soda.....	714

III. Storage of soda.....	715
IV. Packaging of soda.....	720
V. Bulk transportation of soda.....	728
VI. Handling of soda.....	729
VII. Storage and transportation of ammonium chloride.....	730
References.....	730
<b>Chapter XXVII Water supply.....</b>	<b>731</b>
Section I Process water .....	731
I. requirements on and sources of process water .....	731
II. demand for process water .....	732
Section II Cooling water .....	732
I. Water Amount .....	732
II. Water Source and Purification.....	732
III. circulating water.....	734
IV. chilled water .....	737
V. Chemical treatment of circulating water.....	737
Section III Boiler feed water.....	738
I. quality of boiler feed water .....	738
II. selection of softened water and desalinated water system .....	739
References.....	741
<b>Chapter XXVIII Energy supply .....</b>	<b>742</b>
Section I Energy consumption and saving of alkali plants .....	742
I. energy consumption of alkali plants .....	742
II. comprehensive utilization of energy and energy saving in alkali plants .....	743
Section II Heat supply.....	743
I. characteristics of steam used in alkali plants .....	743
II. steam load.....	744
III. multi-stage utilization of steam .....	744
Section III Power supply.....	744
I. characteristics of electricity consumption of alkali plants.....	744
II. electricity load .....	746
Section IV Thermal power stations of alkali plants.....	746
I. requirements of alkali plants for self-provided thermal power stations.....	746
II steam balance of alkali plants.....	747
III. Determination of the scale of self-provided thermal power station in alkali plants .....	747
References.....	752
<b>Chapter XXIX Production inspection.....</b>	<b>753</b>
Section I control indexes for production inspection.....	753
II. Control indexes of ammonia-soda process-based soda production .....	753
III. Control indexes of combined-soda process-based soda production .....	760
III. Control indexes of causticizing process-based production of caustic soda .....	764
Section II Analysis and determination of production inspection control indexes .....	766
I. Analysis and determination of ammonia-soda process-based production .....	766
II. Analysis of soda product quality control .....	774
Annex • Sodium carbonate for food additives ..	780
III. Analysis and determination of combined-soda process-based production .....	781
IV. Quality control analysis of a finished product (ammonium chloride) of combined soda process .....	782
III. Control indexes of causticizing process-based production of caustic soda .....	789
VI. Analysis of caustic soda product quality control.....	790
Annex• Sodium hydroxide for food additives...	794
References .....	796
<b>Chapter XXX Inspection and control of production process .....</b>	<b>797</b>
Section I Overview .....	797
I. Characteristics of Soda Production.....	797
II. Control level and instrument selection .....	797
Section II Detection and measurement .....	798
I. temperature detection .....	798
II. pressure detection .....	798
III. flowrate measurement and detection.....	798
IV. Liquid level measurement .....	800
V. Material measurement and detection .....	801
VI. Online analysis and measurement.....	801
VII. Control (Regulation) Valve.....	801
VIII. distributed control system .....	802
Section III Production process control and regulation .....	804
I. Automatic Control of Brine Refining Process.....	804
II. Automatic Control of Brine Ammonification Process .....	805
III. Automatic Control of Carbonation Process .....	805
IV. Automatic control of Dense Soda calcination process .....	809
V. Automatic control of distillation process .....	810
VI. Automatic control of limestone calcination process .....	811
VII. Automatic control of filtering process .....	812
Section IV Production process control and regulation .....	813

References.....	814
<b>Chapter XXXICorrosion and protection of equipment and factory buildings in soda industry .....</b>	<b>816</b>
Section I OVERVIEW .....	816
Section II Corrosion of cast iron and carbon steel in various solutions of alkali plants and its influencing factors .....	816
I. Potential corrosion factors of cast iron itself .....	816
II.Corrosivity of various solutions in soda plants .....	817
III. Corrosion of various solution components..	817
IV. Depolarization corrosion of oxygen .....	820
V. Effect of flowrate on solution corrosivity.....	822
Section III Types of corrosion damages in soda plants.....	822
I. Uniform corrosion .....	822
II. graphitization corrosion.....	822
III. wear corrosion.....	823
IV. pitting corrosion .....	824
V. Crevice corrosion.....	826
VI. Galvanic corrosion.....	826
Section IV Protection against corrosion in soda plants.....	827
I. test and application of corrosion-resistant materials .....	827
II. Anti-corrosion by coating .....	838
III. anti-corrosion covering layer .....	843
IV. Corrosion Inhibitors and Water Treatment ..	844
V. Electrochemical protection .....	847
VI. Corrosion protection of equipment and factory buildings in soda industry.....	849
VII. Anti-corrosion and Heat Preservation.....	852
Section V Outlook of anti-corrosion work in soda industry .....	852
References.....	853
<b>Chapter XXXIIIProduction safety technology of alkali plants .....</b>	<b>855</b>
Section ISafety and health work tasks in alkali plants.....	855
Section IISafety, Health and Labor Protection of alkali Plants.....	857
I. Toxic and harmful substances.....	857
II. dust pollution.....	858
III. noise hazard .....	858
IV. Radioactive hazard .....	859
V. Fire and Explosion Hazards.....	859
VI. Electric shock.....	861
VII. Mechanical Injury.....	861
<b>Section IIIBan on basic safety production in chemical industry .....</b>	<b>861</b>
I. fourteen don'ts in the production area.....	862
II. eight musts for entering containers and equipment .....	862
III. six bans to prevent illegal hot work .....	862
IV. six strictnesses for operators.....	862
V. Seven Prohibitions on Motor Vehicles.....	863
Section IV Key Points of Safe Operation In Production Processes .....	863
I. Lime Process .....	863
II. Brine Refining Process .....	863
III. Brine Ammoniation Process.....	864
IV. Carbonation of Ammonia Brine .....	864
V. Dense Soda Filtration Process .....	864
VI. Dense Soda Calcination .....	864
VII. Ammonia Recovery Process.....	865
VIII. Compression process.....	865
IX. Salt scrubbing process .....	865
X. Refrigeration process .....	865
XI. Ammonium chloride crystallization process.....	866
XII. Ammonium chloride drying process.....	866
XIII. Packaging Process.....	866
XIV. Causticizing process for caustic soda .....	867
Section V Maintenance safety technology .....	867
I. equipment maintenance management system.....	867
II. hot work safety .....	868
III. construction safety of chemical equipment .....	869
IV. lifting safety .....	869
V. Safety of aerial work.....	870
VI. pulley and hoist operation safety .....	870
VII. Electrical Maintenance safety technology .....	870
VIII. Use Safety of dissolved acetylene cylinder.....	870
Section VI Dangerous goods management .....	871
I. Scope and Classification.....	871
II. Loading-unloading and transportation .....	872
III. storage and custody .....	872
IV. Use .....	872
V. Scrap disposal .....	873
References .....	873
<b>Appendices .....</b>	<b>874</b>
Appendix 1Solubility of NaCl in NH <sub>3</sub> -H <sub>2</sub> O.....	874
Appendix 2Solubility Data and Phase Diagram of Na <sup>+</sup> , NH <sub>4</sub> <sup>+</sup> //HCO <sub>3</sub> <sup>-</sup> , Cl <sup>-</sup> , NH <sub>3</sub> , H <sub>2</sub> O System.....	875
Appendix 3Vapor pressure of saturated water vapor .....	878
Appendix 4Properties of saturated humid air .....	878

Appendix 5Heat of Dissolution of NaOH in Water at 18°C .....	879
Appendix 6Boiling point of NaOH aqueous solution.....	879
Appendix 7Common solubility of NaOH and Na <sub>2</sub> CO <sub>3</sub> .....	880
Appendix 8Common solubility of NaOH and Na <sub>2</sub> CO <sub>3</sub> .....	880
Appendix 9Steam enthalpy obtained during dehydration of NaOH solution .....	880
Appendix 10Legal measurement units of of the People's Republic of China .....	881
Appendix 11Common Unit dimensions and Russian codes of SI (International System of Units).....	883
Appendix 12Introduction of Some Soda Industrial Enterprises in China.....	885
<b>Index .....</b>	<b>891</b>

charged dust particles are trapped on the dust collecting plate. At present, tube-type or tube-plate dust collectors are widely used.

(1) Treatment of lime dust and alkali dust by tube-type high-pressure electrostatic precipitators. A GZD 100 kV/20 mA single-tube electrostatic precipitator is used in the calcination workshop of Qingdao Soda Plant, which is installed above the alkali screen. After dust removal, the exit gas enters the cabin for further removal of alkali dust, and then is discharged into the atmosphere from the roof. A CGB 100 kV/0.02 A electrostatic precipitator is used in the lime workshop, which is installed at the top of the lime hoist.

By using the electrostatic precipitator, the alkali dust in the exit gas of the alkali screen in the calcination workshop is reduced from 6000 mg/m<sup>3</sup> to 300 mg/m<sup>3</sup>; the dust of the lime hoist is reduced from 3097 mg/m<sup>3</sup> to 150 mg/m<sup>3</sup>, with a recovery of 95%.

(2) Treatment of lime dust discharged from the top of the lime kiln by a horizontal dust collector. The soda plant of Dalian Chemical Industry Company uses a BG-30m<sup>2</sup> horizontal electrostatic precipitator to treat the vented kiln gas. The removed dust is subjected to vibration dust cleaning by a rocker hammer, humidified by seawater, and transported out of the factory by truck, and the de-dusted kiln gas is sucked by a draught fan and discharged into the atmosphere through a chimney. By using the collector, the dust content is reduced from 300-5000 mg/m<sup>3</sup> to 10 mg/m<sup>3</sup>, with a dust removal efficiency of 99.5%.

### Section III Comprehensive Utilization of Wastes to Produce Chemical Products

The treatment of waste liquors and residues from ammonia alkali plants at the cost of investments for effective measures can certainly solve the problem of environmental pollution. However, it does not solve the problem of resource loss, and moreover, it increases the costs of products to varying degrees, thereby reducing the economic benefits of enterprises. As mentioned in the forgoing section, the treatment of waste liquors and waste residues in some ammonia alkali plants, such as the alkali plant of Dahua Company, increases the product cost by 6.3 - 13.2 yuan/ton of soda ash (sodium carbonate). Therefore, it is not a fundamental solution. The fundamental way to treat waste liquors and waste residues is to comprehensively utilize the wastes so as to turn the wastes into treasure for benefiting the people. The comprehensive utilization in some ammonia-alkali plants in China is described below.

#### I. II. Preparation of Calcium Chloride and Refined Salt from Waste Liquors

When calcium chloride is prepared from distillation waste liquor, refined salt can be produced as a by-product.

##### 1. Physical and chemical properties and uses of calcium chloride

The general properties and uses of calcium chloride are shown in Section I of Chapter I. Calcium chloride absorbs moisture strongly in the air and deliquesces. The relative humidity of the air above CaCl<sub>2</sub>•2H<sub>2</sub>O is 22% at 20°C and 17% at 50°C. The equilibrium relative humidity of the air above CaCl<sub>2</sub>•6H<sub>2</sub>O is 32.3% at 20°C and 31% at 24.5°C. When the gas is dried with granular calcium chloride at 25°C, the moisture in the gas can be reduced to 0.14 - 0.25 g/m<sup>3</sup>. The actual water holding capacity (surface layer) of calcium chloride at 25°C is:

Relative humidity of gas/% 36 60 70 80 85 90 95

Water holding capacity/(kg/kg) 1.0 1.6 2.2 2.8 3.5 5.0 8.1

Calcium chloride has anhydrate sand four hydrate forms, and their properties are listed in Table 16-2.

CaCl<sub>2</sub> dissolved in water can form a high concentration solution, and hydrate can be precipitated at a certain temperature. The relationship between the concentration and temperature of CaCl<sub>2</sub> is shown in Table 16-3 and Figure 163.

**Table 16-2 Properties of Pure Calcium Chloride and Its Hydrate**

Property	CaCl <sub>2</sub>	CaCl <sub>2</sub> •H <sub>2</sub> O	CaCl <sub>2</sub> •2H <sub>2</sub> O	CaCl <sub>2</sub> •4H <sub>2</sub> O	CaCl <sub>2</sub> •6H <sub>2</sub> O
$\omega\text{CaCl}_2/\%$	100.00	86.03	75.49	60 ± 63	50.66
Relative molecular mass, $M_r$	110.99	129.01	147.02	183.05	219.08
Melting point mp/°C	772	260	176	45	30
Boiling point bp/°C	1670	-	-	-	--
Density (25°C)/g/cm <sup>3</sup>	2.22	2.24	1.85	1.83	1.72
Heat generated (18 °C)/(kJ/kg)	-7190	-8610	-9490	-10980	-11911
Heat of melting/(kJ/kg)	256(772°C)	-	-	-	170(30°C)
Heat of hydration (anhydrous salt)/(kJ/kg)	-	-240	-295	-600	-840
Heat of dissolution <sup>①</sup> /(kJ/kg)	-680	-380	-290	-50	80
Specific heat capacity/[J/(kJ • K)]	670	840	1170	1310	1420

① Except for monohydrate, a case where 300mol of water is used, for other hydrates, 400mol water is used for 1mol solute.

**Table 16-3 CaCl<sub>2</sub>Solubility in Water**

Temperatur °C	$\omega\text{CaCl}_2/\%$	Solid phase	Temperatur °C	$\omega\text{CaCl}_2/\%$	Solid phase
-49.8	30.5	Ice + CaCl <sub>2</sub> • 6H <sub>2</sub> O	50	56.9	CaCl <sub>2</sub> • 2H <sub>2</sub> O
-25	33.4	CaCl <sub>2</sub> • 6H <sub>2</sub> O	75	59.1	CaCl <sub>2</sub> • 2H <sub>2</sub> O
0	37.3	CaCl <sub>2</sub> • 6H <sub>2</sub> O	100	61.3	CaCl <sub>2</sub> • 2H <sub>2</sub> O
20	12.7	CaCl <sub>2</sub> • 6H <sub>2</sub> O	125	63.7	CaCl <sub>2</sub> • 2H <sub>2</sub> O
30	50.0	CaCl <sub>2</sub> • 6H <sub>2</sub> O + $\alpha$ -CaCl <sub>2</sub> • 4H <sub>2</sub> O	150	67.2	CaCl <sub>2</sub> • 2H <sub>2</sub> O
29.5	52.4	CaCl <sub>2</sub> • 6H <sub>2</sub> O + $\beta$ -CaCl <sub>2</sub> • 4H <sub>2</sub> O (metastable)	175.5	74.9	CaCl <sub>2</sub> • 2H <sub>2</sub> O + CaCl <sub>2</sub> • H <sub>2</sub> O
29.2	53.0	CaCl <sub>2</sub> • 6H <sub>2</sub> O + $\gamma$ -CaCl <sub>2</sub> • 4H <sub>2</sub> O (metastable)	200	75.7	CaCl <sub>2</sub> • H <sub>2</sub> O
40	53.6	$\alpha$ -CaCl <sub>2</sub> • 4H <sub>2</sub> O	260	77.7	CaCl <sub>2</sub> • H <sub>2</sub> O + CaCl <sub>2</sub>
45.3	56.5	$\alpha$ -CaCl <sub>2</sub> • 4H <sub>2</sub> O + CaCl <sub>2</sub> • 2H <sub>2</sub> O	300	80	CaCl <sub>2</sub>

**Table 16-4 Relative Density (15°C) and Freezing Point of Commercial Calcium Chloride Solution**

CaCl <sub>2</sub> /%	Relative density (15°C)	Freezing point/°C	CaCl <sub>2</sub> /%	Relative density (15°C)	Freezing point/°C
0	1.000	0	16	1.145	-11.56
2	1.018	-0.89	18	1.165	-14.50
4	1.034	-1.89	20	1.386	-18.00
6	1.052	-2.89	25	1.239	-29.44
8	1.069	-4.11	30	1.295	-46.00
10	1.087	-5.39	32	1.317	-28.61
12	1.105	-7.06	33	1.328	-21.61
14	1.125	-9.16	34	1.340	-15.39

High concentration calcium chloride solution has a lower crystallization temperature. By using this property, a concentrated calcium chloride solution (brine) is often used as a low-temperature freezing medium. Table 16-4 lists the data of concentration, relative density and freezing point of calcium chloride solutions.

The recovery of calcium chloride and salt from distillation waste liquor follows the phase diagram of CaCl<sub>2</sub> and NaCl binary system. The solubilities of NaCl-CaCl<sub>2</sub>-H<sub>2</sub>O systems are listed in Table 16-5 and shown in Figure 16-4.

## 2. Product Specification and Consumption Quota

According to the current enterprise standard, the quality indexes of calcium chloride (dihydrate) are: CaCl<sub>2</sub> ≥ 70%, NaCl ≤ 2.5%. The quality indexes of refined salt: NaCl ≥ 99%, Ca<sup>2+</sup> ≤ 0.8%, SO<sub>4</sub><sup>2-</sup> ≤ 0.02%, water insoluble ≤ 0.03%.

Consumption Quotas Consumption quota for per ton of calcium chloride dehydrate: waste liquor: 7.5m<sup>3</sup>; steam: 3.2t; electricity: 19.3kW•h; river water: 120m<sup>3</sup>. Consumption quota for per ton of refined salt (1.2 t refined salt is produced from production of 1t calcium chloride dehydrate): crude salt: 0.8 - 0.85 t; steam: 2.7 t; electricity: 31.1kW•h; river water: 56 m<sup>3</sup>

## 3. Production Methods

Calcium chloride products in China mainly include calcium chloride dihydrate and anhydrous calcium chloride. The production methods can be divided into: ammonia alkali waste liquor recovery method, potassium chlorate waste liquor recovery method and hydrochloric acid-limestone method. Only the recovery of ammonia alkali waste liquid is described here.

(1) Process flow and process conditions Calcium chloride is recovered from the distillation waste liquor of ammonia alkali plants and refined salt (sodium chloride) is produced as a byproduct, which is also called salt and calcium co-production method. The process flow is shown in Figure 16-5 and Figure 16-6.





Table 16-3 Solubility of CaCl<sub>2</sub>-H<sub>2</sub>O System

Fig. 16-4 Co-solubility of NaCl and CaCl<sub>2</sub> in water**Table 16-5 Solubility of NaCl-CaCl<sub>2</sub>-H<sub>2</sub>O System**

t/°C	Liquid phase		Solid phase	t/°C	Liquid phase		Solid phase
	ωNaCl/%	ωCaCl <sub>2</sub> /%			ωNaCl/%	ωCaCl <sub>2</sub> /%	
-25	13.8	11.2	NaCl · 2H <sub>2</sub> O + ice	75	27.45	0	NaCl
	7.4	20.0	NaCl · 2H <sub>2</sub> O		1.7	40.0	NaCl
	1.3	32.8	NaCl · 2H <sub>2</sub> O + CaCl <sub>2</sub> · 6H <sub>2</sub> O		1.0	50.0	NaCl
	0	33.5	CaCl <sub>2</sub> · 6H <sub>2</sub> O		0.9	55.0	NaCl
0	26.3	0	NaCl	100	0.8	58.4	NaCl + CaCl <sub>2</sub> · 2H <sub>2</sub> O
	8.4	20.0	NaCl		0	58.8	CaCl <sub>2</sub> · 2H <sub>2</sub> O
	0.9	35.0	NaCl		28.2	0	NaCl
	0.6	36.9	NaCl + CaCl <sub>2</sub> · 6H <sub>2</sub> O		11.4	20.0	NaCl
25	0	37.2	CaCl <sub>2</sub> · 6H <sub>2</sub> O	125	2.2	40.0	NaCl
	26.45	0	NaCl		1.2	55.0	NaCl
	8.9	20.0	NaCl		1.1	60.2	NaCl + CaCl <sub>2</sub> · 2H <sub>2</sub> O
	0.7	40.0	NaCl		0	60.9	CaCl <sub>2</sub> · 2H <sub>2</sub> O
50	0.5	44.65	NaCl + CaCl <sub>2</sub> · 6H <sub>2</sub> O		29.0	0	NaCl
	0	44.9	CaCl <sub>2</sub> · 6H <sub>2</sub> O		12.3	20.0	NaCl
	26.8	0	NaCl		2.9	40.0	NaCl
	9.6	20.0	NaCl		1.7	55.0	NaCl
0	0.6	55.0	NaCl		1.6	60.0	NaCl
	0.6	56.6	NaCl + CaCl <sub>2</sub> · 2H <sub>2</sub> O		1.5	62.8	NaCl + CaCl <sub>2</sub> · 2H <sub>2</sub> O
	0	56.9	CaCl <sub>2</sub> · 2H <sub>2</sub> O		0	63.8	CaCl <sub>2</sub> · 2H <sub>2</sub> O

The technological process is characterized by fully removing calcium (CaCl<sub>2</sub>) in salt making and fully removing salt during calcium chloride making to ensure the quality of both products.

The distillation waste liquor is naturally evaporated on the beach to concentrate to contain 120 g/L CaCl<sub>2</sub>, sent into a salt dissolving barrel, and added with some crude salt to make a calcium brine containing 90 g/L CaCl<sub>2</sub> and 220g/L NaCl. After being preheated by a preheater, the calcium brine is sent to a double-effect evaporator for counter-current evaporation, so as to prepare refined salt and calcium chloride solution. The calcium chloride solution is then made into a calcium chloride dihydrate product via a climbing film device and a falling-film device.

The technological conditions of double-effect evaporation for refined salt production are as follows: the first-effect temperature is 125°C, the evaporator pressure is  $(0.196 - 0.392) \times 10^5$  Pa, and the heating steam pressure is  $(4.9 - 5.39) \times 10^5$  Pa; the secondary effect temperature is 74°C, and the evaporator pressure is  $-0.80 \times 10^5$  Pa. The two-effect temperature is 74°C and the evaporator pressure is  $-0.80 \times 10^5$  Pa.

After double-effect evaporation, the calcium brine was concentrated to contain 450 g/L CaCl<sub>2</sub>; at the same time, the NaCl crystals are precipitated, and the calcium brine is then sent to a salt slurry barrel, and further to a centrifuge for separation; sodium carbonate solution is sprayed to prevent agglomeration; then, the solution is dried in a fluidized bed furnace to obtain a high-quality refined salt containing 99.0% - 99.6% NaCl.




FIG. 16-5 Refined Salt Production Flow

1-One-effect evaporation tank; 2-Two-effect evaporation tank; 3-Water ejector; 4-Preheater; 5-Heater; 6-Separator; 7-Salt slurry tank; 8-Centrifuge; 9-Fluidized bed drying furnace; 10-Preheater; 11-Air blower;




FIG. 16-6 Process Flow for Liquid Calcium Chloride Production

1-Calcium liquid tank; 2-High brine tank; 3-Hot water tank; 4-Preheater; 5-Climbing film evaporator; 6-Liquid calcium pool; 7-Separator; 8-Falling film evaporator; 9-Storage tank; 10-Water ejector

The technological conditions for calcium chloride production by film evaporation method are as follows: the calcium brine concentrated by the double-effect evaporator is clarified for salt precipitation; the precipitated salt having a high  $\text{CaCl}_2$  content is sent back, as a raw material salt, to the salt dissolving barrel for reuse; the clarified calcium solution is concentrated to contain 600g/L $\text{CaCl}_2$  by a climbing-film evaporator; after clarifying and removing  $\text{NaCl}$ , the solution is sent to a falling-film evaporator to be evaporated to contain 70% -72%  $\text{CaCl}_2$ ; then the product is packed with barrel, which becomes a solid calcium chloride dihydrate product when becoming cooled.

In addition to barreled calcium chloride dihydrate, it can also produce flaky calcium chloride dihydrate products. The process for producing flaky calcium chloride dihydrate product is: the solution evaporated by a falling film evaporator to contain 70% - 72% liquid calcium chloride is put into a storage tank that is thermally insulated with steam, and flows by gravity into a drum-type flaking machine; the inner surface of the drum is sprayed with cooling water, so that the liquid calcium chloride on the outer surface of the drum solidifies into solid calcium fluoride with a thickness of 1 -2mm, which is scrapped by a scraper as flaky calcium chloride; the flaky calcium chloride is cooled to 60-70°C and packed in polyethylene woven bags (a new film is sandwiched between two layers of woven bags).

In preparing high-quality  $\text{CaCl}_2$ , impurities should be further removed during clarification. The method comprises the following steps: removing  $\text{NaCl}$  from the waste  $\text{CaCl}_2$  solution evaporated to 40% concentration,