

## OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

## Sec.A. Description of Measured Yacht

1. Yacht's Number 6201
2. Number Molded Or Cut Into Keelson? permanently attached
3. Yacht Name \_\_\_\_\_
4. Year Built 1977
5. Builder Gerard Boat Company
6. Owner KEN COLE
7. Address 426 SOUTH 5TH STREET - SPRINGFIELD, ILLINOIS 92701
8. Fleet \_\_\_\_\_
9. Remarks \_\_\_\_\_

## Sec.B. Declarations

1. To Be Signed By Builder:

I Certify that this yacht has been constructed in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name WILLIAM F. GERARD  
Signed [Signature] Date 29-JUL-77

2. To Be Signed By Outfitter: (If Other Than Builder)

I Certify that this yacht is, to the best of my knowledge, fitted out in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name \_\_\_\_\_  
Signed \_\_\_\_\_ Date \_\_\_\_\_

3. To Be Signed By Certified Star Class Measurer:

I Certify that I have measured the following items on this yacht, that the particulars on this form are correct, and that to the best of my knowledge this yacht complies with the rules of the I.S.C.Y.R.A. at present in force, unless noted in a letter, attached.

Items 1-8 Hull, Rudder, Skeg, Keel

Print Name JOSEPH E. KNOWLES, JR.  
Signed [Signature] Date 29-JUL-77

Item 9 Spars and Yacht Weight (Fleet or Class Officer Accepted)

Print Name WILLIAM F. GERARD  
Signed [Signature] Date 29-JUL-1977

4. To Be Signed By Owner When Yacht Is Either Sold Or Structurally Altered.

I Certify that no alterations have been made to this yacht since original date of measurement, unless a rider describing measurements is attached.

Signed \_\_\_\_\_ Date \_\_\_\_\_

Sold To: \_\_\_\_\_ Of \_\_\_\_\_

Return This Certificate For Renewal - See Sec D.3.

PRINTED IN U.S.A.

## OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

## Sec. C.

## Instructions To Measurers

1. The duties of a Certified Measurer are confined to measuring yachts and reporting facts. He has no authority to grant or reject certificates or interpret rules. Complete instructions as to how to measure will be sent to him by the International Measuring Committee after his appointment.
2. This Form must be made out by the Certified Measurer IN DUPLICATE. He must answer all questions in Sect. A, and fill in all dimensions, and file both copies with International Measurement Committee. In the case when all dimensions are not available, file one copy with I.M.C. and forward one copy to owner who becomes responsible for obtaining completion of measurements.
3. Declarations must be signed by the builders and/or outfitters as well as the measurers.
4. Certified Measurers are entitled to a reasonable fee for measuring, but the Association is not responsible for its payment, and Certified Measurers are advised to collect their fee before filing this Form.
5. A Certified Measurer cannot measure a yacht in which he owns an interest except under duly appointed and authorized supervision.

## Sec. D.

## Conditions Under Which Certificate Is Issued

1. This Certificate is not valid unless it bears the inspection stamp of the I.S.C.Y.R.A. and is signed by the Chairman of the International Measurement Committee. It shall be automatically revoked if any structural alterations are made or if not properly endorsed over to a new owner by former owner, or may be revoked at any time by order of the International Measurement Committee or the International Governing Committee of the International Star Class Yacht Racing Association.
2. This Certificate shall be binding upon all members, Star Fleets, Clubs, or organizations conducting races for the Star Class as such. The holder of this Certificate shall not be subject to protest on hull measurements unless an order to remeasure is obtained from the International Race Committee, International Measurement Committee, or International Governing Committee, or unless the protesting party has submitted evidence to show there are reasonable grounds to suspect subsequent alterations or other justifiable causes. See By-Laws, Article VI.
3. This Certificate should be renewed when yacht is altered or sold. For renewal, send this Certificate and \$5.00 to International Measurement Committee, with notation as to any changes in Section A, or Section E.

## 4. Warning

Spars, position of keel, or anything else that is not an integral part of the hull, can easily be changed and should not be depended upon. These, as reported on original certificate, serve also as a protection to the purchaser of a new boat, but are subject to remeasurement as noted above.

NOTE-This space is reserved for International Measurement Committee use.



The International Measurement Committee, having examined all facts and figures certified to herein, finds that the yacht herein described conforms with the plans and specifications of the Star Class within the limitations of the measuring rules, and therefore, grants this Certificate to the said yacht subject to the conditions above set forth for so long as the owner or owners of the said yacht are members of the International Star Class Yacht Racing Association.

Signed William V. Richards  
Chairman International Measurement Committee.

Date 4 August 1977

SECTION E

2 HEIGHTS\*

| STATIONS | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | 10  |
|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| KEEL     | 486 | 357 | 252 | 175 | 119 | 106 | 133 | 197 | 283 | 390 |
| CHINE    |     |     | 316 |     |     | 232 |     | 289 |     | 454 |
| SIDE     | 826 |     | 800 |     |     | 751 |     | 708 |     | 681 |
| BOT.ARC  |     |     | OK  |     |     | OK  |     | OK  |     | OK  |

\*MEASURED FROM BASE LINE

3 HALF BREADTHS

| STATIONS | 1   | 3   | 6   | 8   | STERN |
|----------|-----|-----|-----|-----|-------|
| DECK     | 203 | 614 | 860 | 787 | 494   |
| CHINE    | 95  | 408 | 683 | 629 | 410   |

4 RUDDER FITS TEMPLATE? OK

THICKNESS 25 POST DIA 25

5 SKEG DEPTH 413  
" LENGTH 940  
" CONTOUR 13

6 KEEL DIMENSIONS

K1 1155  
K2 1221  
K3 40  
K4 1395  
K5 24  
K6 767  
K7 205  
K8 308  
K9 801

7 WEIGHTS\*

KEEL (WITH FINISH) 899 lbs  
HULL (AS MOLDED) 425 lbs

8 BUOYANCY

CONTAINED IN HULL 27.7  
ADDITIONAL CU. FT.  
☐ TANKS  
☒ COMPARTMENTS  
☐ CLOSED CELL FOAM

I.S.C.★Y.R.A.

(Metric Measurements Preferred)

1 HULL MEASUREMENTS


YACHT NO. 6201  
WOOD OR G.R.P. GRP  
L.O.A. 6922  
DIMENSION "A" 2349  
" "B" 1184  
" "C" 1328  
" "E" 2147  
" "P" 308  
" "R" 1968  
" "S" 5  
" "T" 15°

CHINE RADIUS OK? YES  
STEM RADIUS OK? YES  
SIDE FLATNESS OK? YES


9 SPARS & YACHT WEIGHT

Pt B TO UPPER MAST BAND 9649  
Pt B TO JIB STAY 6912  
BOOM LNG 4445  
MAST TIP WT. 15.5 lbs  
DIMENSION "O" 279  
YACHT WEIGHT 1455 lbs  
ADDED WEIGHT 25 lbs  
TOTAL WEIGHT 1480 lbs

COPY



\* IS ISCYRA WEIGHT CERTIFICATE ATTACHED? YES



BTC 1981

I. S. C. Y. R. A.

JUL 12 1984

CENTRAL OFFICE

I.S.C.Y.R.A.

# Buoyancy Test Certificate

This Certificate Expires Two Years From Today On

7/7

19

86 N/A

For Owner of Yacht No. 6201

Owner's Name KENNETH G COLE SR.

owner

Date of Buoyancy Test 7/7/84

## Instructions:

1. Each Star Class Yacht must pass the prescribed buoyancy test every two years.
2. Test must be conducted by owner or his representative and shall be witnessed by a Fleet or Class Officer, or Certified Star Measurer.
3. Yacht with crew, rig and all normal racing equipment, except sails, shall be swamped on a hoist. Boat shall remain afloat, with slack hoist and slack mooring lines, for 10 minutes. (See the Log for suggested guidelines for conducting the test.)
4. Complete Certificate in duplicate. **Witness sends one copy to I.S.C.Y.R.A., 1545 Waukegan Rd., Glenview, IL 60025, U.S.A., owner shall retain other copy.**
5. Describe additional flotation equipment, other than hull structure.  
(Mention type, size, location, etc.)

REAR BAG + 2 STYROFOAM BLOCKS

6. I conducted a test for this yacht in accordance with the above instructions.

KENNETH G COLE SR.

Owner's Name

[Signature]

Owner or Representative's Signature

7/7/84

Date

I attended the above test and acknowledge that the yacht named floated for 10 minutes following the instructions above. I further certify that the yacht at the time of the test contained only the additional flotation equipment described in Paragraph 5 above.

KEN COLE JR. FLEET CAPT.

Witness' Name and Title

[Signature]

Witness Signature

7/7/84

Date

ONE COPY OF THIS FORM MUST BE ON FILE IN THE CENTRAL OFFICE TO BE VALID.

Cable - ISCYRA Glenview  
Telephone 312-729-0630

I. S. C. Y. R. A.

1545 Waukegan Road  
Glenview, Il. 60025 U.S.A.

~~Call \*\*\*\*\* ISCYRA New York~~  
~~Telephone Murray Hill 2-3243~~

~~51 East 42nd Street~~  
~~New York, N.Y. 10017 U.S.A.~~

ENCIRCLES THE GLOBE

# International Star Class Yacht Racing Association

September 22, 1977

Dear Star Boat Owner:

The International Governing Committee at their meeting held recently in Kiel, Germany determined that all yachts using the Kimble keel should be checked to be sure that certain modifications have been completed.

To do this we are temporarily suspending the Measurement Certificates for these yachts until we receive notification from a Fleet Officer or Class Measurer that corrections have been made.

Please have your Fleet Officer or a Class Measurer sign the extra copy of this letter and return it here to this office. When this has been done your Certificate will be reinstated.

The corrections may already have been made but if not they are as follows:

1. The keel bottom radius (side to bottom flat) must be at least 3/4 in. (19) radius.
2. The surface of the keel bulb shall not have any concavities except at the transition between bulb and fin.
3. No curve of the keel, including the leading edge radius at the hull intersection, when viewed in profile shall have a radius less than 2-3/4 in. (70).

We are sorry for the inconvenience but we are obliged to be sure that all boats are in compliance.

Very truly yours,

W.W. Parks, President

## AFFIDAVIT

This is to certify that Star Number 6201 has been inspected as to the three points listed above in this letter and that this Star is in compliance with these three points.

Date 77 Dec 1  
Title CHIEF MEASURER

William V. Richard (PRINT NAME)  
Fleet Officer or Class Measurer  
William V. Richard (SIGNATURE)

International Star Class Yacht Racing Association

WEIGHT CERTIFICATE  
(Metric Measurements Preferred)

|   |                    |                    |
|---|--------------------|--------------------|
| A | Builder's Hull No. | <u>GBC-6201-77</u> |
|   | Yacht No.          | <u>6201</u>        |
| B | Hull Less Skeg     | <u>425</u>         |
|   | Hull with Skeg     | _____              |
| C | Keel Less Finish   | <u>899</u>         |
|   | Keel with Finish   | _____              |

I certify that the hull and keel weights shown were measured on a balance scale, or spring scale, or an electric load cell, (underline one) which has been calibrated with in the last year to  $\frac{1}{2}$  of 1%. Builder must fill in at least one item in each of A, B, and C, and sign GERARD BOAT CO.

Date 7-29-77

Signed By: [Signature]

|   |                              |                                        |
|---|------------------------------|----------------------------------------|
| D | Yacht Weight with Rig        | <u>1455</u>                            |
|   | Added Weight                 | <u>25 lbs LEAD ATTACHED</u>            |
|   | (Describe type and location) | <u>TO UNDER SIDE OF DECK AMIDSHIPS</u> |

I certify that the yacht weight shown is measured on a balance scale, or spring scale, or an electric load cell (underline one) which has been calibrated within the last year to  $\frac{1}{2}$  of 1%. Builder, Outfitter or Owner must sign GERARD BOAT CO.

Date 7-29-77

Signed By: [Signature]

WILLIAM F. GERARD