

OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

Sec.A. Description of Measured Yacht

1. Yacht's Number 6842
2. Number Molded Or Cut Into Keelson? _____
3. Yacht Name Party Girl
4. Year Built 1983
5. Builder Gerard Boat Co
6. Owner Angyle Campbell
7. Address 2591 Circle Drive, Newport Beach, Ca. 92663
8. Fleet Newport Harbor
9. Remarks Keel replaced & remeasured

Sec.B. Declarations

1. To Be Signed By Builder:

I Certify that this yacht has been constructed in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name _____
Signed _____ Date _____

2. To Be Signed By Outfitter: (If Other Than Builder)

I Certify that this yacht is, to the best of my knowledge, fitted out in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name _____
Signed _____ Date _____

3. To Be Signed By Certified Star Class Measurer:

I Certify that I have measured the following items on this yacht, that the particulars on this form are correct, and that to the best of my knowledge this yacht complies with the rules of the I.S.C.Y.R.A. at present in force, unless noted in a letter, attached.

Items 1-8 Hull, Rudder, Skeg, Keel

Print Name Joseph Knowles
Signed: Joseph Knowles Date 5 Jan 84

Item 9 Spars and Yacht Weight (Fleet or Class Officer Accepted)

Print Name _____
Signed: _____ Date _____

4. To Be Signed By Owner When Yacht Is Either Sold Or Structurally Altered.

I Certify that no alterations have been made to this yacht since original date of measurement, unless a rider describing measurements is attached.

Signed _____ Date _____

Sold To: _____ Of _____

Return This Certificate For Renewal - See Sec D.3.

PRINTED IN U.S.A.

OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

Sec. C.

Instructions To Measurers

1. The duties of a Certified Measurer are confined to measuring yachts and reporting facts. He has no authority to grant or reject certificates or interpret rules. Complete instructions as to how to measure will be sent to him by the International Measuring Committee after his appointment.
2. This Form must be made out by the Certified Measurer IN DUPLICATE. He must answer all questions in Sect. A, and fill in all dimensions, and file both copies with International Measurement Committee. In the case when all dimensions are not available, file one copy with I.M.C. and forward one copy to owner who becomes responsible for obtaining completion of measurements.
3. Declarations must be signed by the builders and/or outfitters as well as the measurers.
4. Certified Measurers are entitled to a reasonable fee for measuring, but the Association is not responsible for its payment, and Certified Measurers are advised to collect their fee before filing this Form.
5. A Certified Measurer cannot measure a yacht in which he owns an interest except under duly appointed and authorized supervision.

Sec. D.

Conditions Under Which Certificate Is Issued

1. This Certificate is not valid unless it bears the inspection stamp of the I.S.C.Y.R.A. and is signed by the Chairman of the International Measurement Committee. It shall be automatically revoked if any structural alterations are made or if not properly endorsed over to a new owner by former owner, or may be revoked at any time by order of the International Measurement Committee or the International Governing Committee of the International Star Class Yacht Racing Association.
2. This Certificate shall be binding upon all members, Star Fleets, Clubs, or organizations conducting races for the Star Class as such. The holder of this Certificate shall not be subject to protest on hull measurements unless an order to remeasure is obtained from the International Race Committee, International Measurement Committee, or International Governing Committee, or unless the protesting party has submitted evidence to show there are reasonable grounds to suspect subsequent alterations or other justifiable causes. See By-Laws, Article VI.
3. This Certificate should be renewed when yacht is altered or sold. For renewal, send this Certificate and \$10.00 to International Measurement Committee, with notation as to any changes in Section A, or Section E.

4. Warning

Spars, position of keel, or anything else that is not an integral part of the hull, can easily be changed and should not be depended upon. These, as reported on original certificate, serve also as a protection to the purchaser of a new boat, but are subject to remeasurement as noted above.

NOTE-This space is reserved for International Measurement Committee use.



The International Measurement Committee, having examined all facts and figures certified to herein, finds that the yacht herein described conforms with the plans and specifications of the Star Class within the limitations of the measuring rules, and therefore, grants this Certificate to the said yacht subject to the conditions above set forth for so long as the owner or owners of the said yacht are members of the International Star Class Yacht Racing Association.

Signed W.W. Wright
Chairman International Measurement Committee.

Date 2-5-1984

SECTION E

2 HEIGHTS*

STATIONS	1	2	3	4	5	6	7	8	9	10
KEEL										
CHINE										
SIDE										
BOT.ARC										

* MEASURED FROM BASE LINE

3 HALF BREADTHS

STATIONS	1	3	6	8	STERN
DECK					
CHINE					

4 RUDDER FITS TEMPLATE?

THICKNESS _____ POST DIA _____

5 SKEG DEPTH

" LENGTH _____
" CONTOUR _____

6 KEEL DIMENSIONS

K1	1149	K10	914
K2	1231	K11	88
K3	35	K12	81
K4	1368	K13	66
K5	26	K14	314
K6	770		
K7	222		
K8	311		
K9	821		

7 WEIGHTS*

KEEL (WITH FINISH) _____

HULL (AS MOLDED) _____

8 BUOYANCY

CONTAINED IN HULL _____

ADDITIONAL _____

☐ TANKS☐ COMPARTMENTS☐ CLOSED CELL FOAM

1 HULL MEASUREMENTS

YACHT NO. 6842

WOOD OR G.R.P. _____

L.O.A. _____

DIMENSION "A" _____

" "B" _____

" "C" _____

" "E" 2119

" "P" _____

" "R" _____

" "S" _____

" "T" _____

CHINE RADIUS OK? _____

STEM RADIUS OK? _____

SIDE FLATNESS OK? _____

9 SPARS & YACHT WEIGHT

Pt B TO UPPER MAST BAND _____

Pt B TO JIB STAY _____

BOOM LNG _____

MAST TIP WT. _____


DIMENSION "O" _____

YACHT WEIGHT _____


ADDED WEIGHT _____

TOTAL WEIGHT _____

COPY



* IS ISCYRA WEIGHT CERTIFICATE ATTACHED? _____



OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

Sec.A. Description of Measured Yacht

1. Yacht's Number 6842
2. Number Molded Or Cut Into Keelson? permanently attached
3. Yacht Name _____
4. Year Built 1982
5. Builder Gerard Boat Co
6. Owner ARGYLE CAMPBELL
7. Address 2591 CIRCLE DRIVE NEWPORT BEACH, CALIF 92663
8. Fleet NEWPORT
9. Remarks _____

Sec.B. Declarations

1. To Be Signed By Builder:

I Certify that this yacht has been constructed in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name GERARD BOAT COMPANY
Signed [Signature] Date OCT 22, 1982

2. To Be Signed By Outfitter: (If Other Than Builder)

I Certify that this yacht is, to the best of my knowledge, fitted out in accordance with the current plans and specifications of the I.S.C.Y.R.A.

Print Name _____
Signed _____ Date _____

3. To Be Signed By Certified Star Class Measurer:

I Certify that I have measured the following items on this yacht, that the particulars on this form are correct, and that to the best of my knowledge this yacht complies with the rules of the I.S.C.Y.R.A. at present in force, unless noted in a letter, attached.

Items 1-8 Hull, Rudder, Skeg, Keel

Print Name Joseph Knowles
Signed Joseph Knowles Date 22 Oct 82

Item 9 Spars and Yacht Weight (Fleet or Class Officer Accepted)

Print Name Joseph Knowles
Signed Joseph Knowles Date 22 Oct 82

4. To Be Signed By Owner When Yacht Is Either Sold Or Structurally Altered.

I Certify that no alterations have been made to this yacht since original date of measurement, unless a rider describing measurements is attached.

Signed _____ Date _____

Sold To: _____ Of _____

Return This Certificate For Renewal - See Sec D.3.

PRINTED IN U.S.A

OFFICIAL STAR CLASS MEASUREMENT CERTIFICATE

Sec. C.

Instructions To Measurers

1. The duties of a Certified Measurer are confined to measuring yachts and reporting facts. He has no authority to grant or reject certificates or interpret rules. Complete instructions as to how to measure will be sent to him by the International Measuring Committee after his appointment.
2. This Form must be made out by the Certified Measurer IN DUPLICATE. He must answer all questions in Sect. A, and fill in all dimensions, and file both copies with International Measurement Committee. In the case when all dimensions are not available, file one copy with I.M.C. and forward one copy to owner who becomes responsible for obtaining completion of measurements.
3. Declarations must be signed by the builders and/or outfitters as well as the measurers.
4. Certified Measurers are entitled to a reasonable fee for measuring, but the Association is not responsible for its payment, and Certified Measurers are advised to collect their fee before filing this Form.
5. A Certified Measurer cannot measure a yacht in which he owns an interest except under duly appointed and authorized supervision.


Sec. D.

Conditions Under Which Certificate Is Issued

1. This Certificate is not valid unless it bears the inspection stamp of the I.S.C.Y.R.A. and is signed by the Chairman of the International Measurement Committee. It shall be automatically revoked if any structural alterations are made or if not properly endorsed over to a new owner by former owner, or may be revoked at any time by order of the International Measurement Committee or the International Governing Committee of the International Star Class Yacht Racing Association.
2. This Certificate shall be binding upon all members, Star Fleets, Clubs, or organizations conducting races for the Star Class as such. The holder of this Certificate shall not be subject to protest on hull measurements unless an order to remeasure is obtained from the International Race Committee, International Measurement Committee, or International Governing Committee, or unless the protesting party has submitted evidence to show there are reasonable grounds to suspect subsequent alterations or other justifiable causes. See By-Laws, Article VI.
3. This Certificate should be renewed when yacht is altered or sold. For renewal, send this Certificate and \$10.00 to International Measurement Committee, with notation as to any changes in Section A, or Section E.
4. Warning

Spars, position of keel, or anything else that is not an integral part of the hull, can easily be changed and should not be depended upon. These, as reported on original certificate, serve also as a protection to the purchaser of a new boat, but are subject to remeasurement as noted above.

NOTE-This space is reserved for International Measurement Committee use.



The International Measurement Committee, having examined all facts and figures certified to herein, finds that the yacht herein described conforms with the plans and specifications of the Star Class within the limitations of the measuring rules, and therefore, grants this Certificate to the said yacht subject to the conditions above set forth for so long as the owner or owners of the said yacht are members of the International Star Class Yacht Racing Association.

Signed William V. Richards
Chairman International Measurement Committee.

Date 1983-01-31

SECTION E

2 HEIGHTS*

STATIONS	1	2	3	4	5	6	7	8	9	10
KEEL	486	355	248	169	118	105	134	196	283	390
CHINE			312			229		294		456
SIDE	821		790			747		720		692
BOT.ARC			OK			OK		OK		OK

* MEASURED FROM BASE LINE

3 HALF BREADTHS

STATIONS	1	3	6	8	STERN
DECK	199	611	856	789	493
CHINE	92	405	673	628	408

4 RUDDER FITS TEMPLATE? GCS

THICKNESS 28 POST DIA 25

5 SKEG DEPTH 427

" LENGTH _____

" CONTOUR 11

6 KEEL DIMENSIONS

K1 <u>1147</u>	K10 <u>918</u>
K2 <u>1213</u>	K11 <u>80</u>
K3 <u>32</u>	K12 <u>81</u>
K4 <u>1366</u>	K13 <u>65</u>
K5 <u>23</u>	K14 <u>298</u>
K6 <u>762</u>	
K7 <u>220</u>	
K8 <u>311</u>	
K9 <u>812</u>	

7 WEIGHTS*

KEEL (WITH FINISH) 885 lbs

HULL (AS MOLDED) 428 lbs

8 BUOYANCY

CONTAINED IN HULL * 32.8 cu ft

- ☐ TANKS
☒ COMPARTMENTS
☐ CLOSED CELL FOAM

* See builder's certificate

I.S.C.☆Y.R.A.

(Metric Measurements Preferred)

1 HULL MEASUREMENTS

YACHT NO.	<u>6842</u>
WOOD OR G.R.P.	<u>GRP</u>
L.O.A.	<u>6935</u>
DIMENSION "A"	<u>4549</u>
" "B"	<u>1180</u>
" "C"	<u>1274</u>
" "E"	<u>2121</u>
" "P"	<u>307</u>
" "R"	<u>1963</u>
" "S"	<u>5</u>
" "T"	<u>16°</u>



CHINE RADIUS OK? OK
STEM RADIUS OK? OK
SIDE FLATNESS OK? OK

9 SPARS & YACHT WEIGHT

Pt B TO UPPER MAST BAND	<u>9652</u>
Pt B TO JIB STAY	<u>6918</u>
BOOM LNG	<u>4445</u>
MAST TIP WT.	<u>15.6 lbs</u>
DIMENSION "O"	<u>6625</u>
YACHT WEIGHT	<u>1465 lbs</u>
ADDED WEIGHT	<u>15 lbs</u>
TOTAL WEIGHT	<u>1480 lbs</u>

COPY

* IS ISCYRA WEIGHT CERTIFICATE ATTACHED? GCS



JUN 8 1983

I.S.C. ★ Y.R.A.

CENTRAL OFFICE

Buoyancy Test Certificate

For Owner of Yacht No. 6842Owner's Name ARGYLE CAMPBELL & FLEET WHITEDate Yacht Acquired 10-27-82

Former Owner _____

1. Each owner must obtain a Buoyancy Test Certificate upon acquiring a new or used yacht by conducting a Buoyancy Test. Prior owner's Certificate is not transferable.
2. Test must be conducted by owner or his representative and shall be witnessed by a Fleet or Class Officer, or Certified Star Measurer.
3. Yacht with rig and all normal racing equipment except sails shall be swamped on a hoist. Boat shall remain afloat, with slack hoist and mooring lines, for 10 minutes.
4. Complete Certificate in duplicate. Witness sends one copy to I.S.C.Y.R.A., owner shall retain other copy.
5. Describe additional flotation equipment, other than hull structure.
(Mention type, size, location, etc.)

NONE

6. I conducted a test for this yacht in accordance with the above instructions.

ARGYLE CAMPBELL

Owner's Name

Argyle Campbell

Owner's Signature

6-5-83

Date

I attended the above test and acknowledge that the yacht named floated for 10 minutes following the instructions above. I further certify that the yacht at the time of the test contained only the additional flotation equipment described in Paragraph 5 above.

DALE McNulty
Fleet Captain

Witness' Name and Title

Robert H. [Signature]

Witness' Signature

6-5-83

Date

321 E. HALEY ST. SANTA BARBARA, CALIFORNIA 93101 PHONE (805)9621377

GERARD BOAT CO.

FLOTATION

GBV 0431/1082

I certify that Star Class Hull No. 6842
contains 32.5 cubic feet of 4.5 lb./
cubic feet density closed cell foam in the uniform
structure of the hull including deck.

COPY



GERARD BOAT COMPANY

Oct 22, 1982

DATE

Owner:

International Star Class Yacht Racing Association

WEIGHT CERTIFICATE
(Metric Measurements Preferred)

A	Builder's Hull No.	<u>GBV 04 31 1082</u>
	Yacht No.	<u>6842</u>
B	Hull Less Skeg	<u> </u>
	Hull with Skeg	<u>8428 /bs</u>
C	Keel Less Finish	<u> </u>
	Keel with Finish	<u>885 /bs</u>

I certify that the hull and keel weights shown were measured on a balance scale, or spring scale, or an electric load cell, (underline one) which has been calibrated within the last year to $\frac{1}{2}$ of 1%.

Builder must fill in at least one item in each of A, B, and C, and sign. GERARD BOAT COMPANY

Date: Oct 22, 1982 Signed: By: [Signature]

D	Yacht Weight with Rig	<u>1465 /bs</u>
	Added Weight	<u>15 /bs</u>
	(Describe type and location)	<u> </u>

I certify that the yacht weight shown is measured on a balance scale, or spring scale, or an electric load cell (underline one) which has been calibrated within the last year to $\frac{1}{2}$ of 1%. (Building, outfitter or owner must sign.)

GERARD BOAT COMPANY
Date: Oct 22, 1982 Signed: By: [Signature]

International Star Class Yacht Racing Association In

WEIGHT CERTIFICATE
(Metric Measurements Preferred)

A Builders Hull No. _____
Yacht No. 6842

B Hull Less Skeg _____
Hull with Skeg 428lbs

C Keel Less Finish 890lbs
Keel with Finish _____

I certify that the hull and keel weights shown were measured on a balance scale, or spring scale or an electric load cell, (underline one) which has been calibrated within the last year to 1/2 of 1%. Builder must fill in at least one item in each of A, B, and C, and sign

Date 1-18-84 Signed Wingman

D Yacht Weight with Rig 1470lbs

Added Weight N/A
(Describe type and location)

I certify that the yacht weight shown is measured on a balance scale, or spring scale, or an electric load cell (underline one) which has been calibrated within the last year to 1/2 of 1%. Builder, Outfitter or Owner must sign

Date 1-18-84 Signed Wingman