


#### acuitas


So what is up with this 'Bayesian' analysis stuff?







#### ... how long is the diagonal of the TV screen?











#### ... sooo ... now long WAS the diagonal of the TV screen?



## ... welcome to BAYESIAN ANALYSIS


combined information individual ... could be any information source expert opinions 100



prior understanding state of knowledge **PYIOY** distribution


updated understanding posterior state of knowledge






# ... and it all starts with the likelihood


#### the (random) hand of failure




the (random) hand of failure



f(x) or the probability density function (PDF) gives the relative probability that a continuous random variable is equal to a specific value



the (random) hand of failure



### ... so what is different about Bayesian analysis?

... it is with 90 per cent confidence that I say that the mission reliability is greater than 0.99 ...




#### GREAT!

... so there is a 90 % chance reliability is greater than 0.99!







what?

# ... so what is the probability that mission reliability is greater than 0.99?





... but for every 10 times I say something with '90 % confidence' you would expect me to be wrong once.



## go away

#### frequentist probability


... but if you then go and use a 90 % probability of the reliability exceeding 0.99 in your business case and decision-making

#### frequentist probability

... you pretend is equivalent to ...

subjective probability

subjective probability




... human beings

AND

Bayesian analysis are all about subjective probability

... so it you do this (and you probably do) then you are doing a 'weird' case of Bayesian analysis



... that is if you use PROBABILITY as if it unit is a SUBJECTIVE PROBABILITY

test/ experiment data ONLY frequentist (classical)


> uniform prior distribution

... so it you do this (and you probably do) then you are doing a 'weird' case of Bayesian analysis

## ... and Bayesian analysis can help you solve A LOT MORE PROBLEMS

... one test showed I out of 20 products had a defect

5 %



... we sent out a quick, one question electronic survey to 1000 customers

... we got 48 negative responses!

... let's say that our marketing team believe that there is a

60%

probability that a customer with a

defective product

will write a negative response

... let's say that our marketing team believe that there is a


0/0

probability that a customer with a

non - defective product

will write a negative response





(%) percentage of products with defects

## ... We are surrounded by intormation

... I never have enough data ...



Bayesian statisticians instead complain that we don't use the information that we have well enough

