

An excess of one nutrient can cause reduced uptake of another. An excess of potassium, for example, may compete with desirable levels of magnesium uptake. In fields with marginal or low zinc levels, a heavy application of phosphorus may induce a zinc deficiency in soil. Excess iron may cause a manganese deficiency, so the proper ratio of manganese to iron must be maintained. The proper combination of micronutrients in the soil is an often overlooked management objective.

AgroLiquid's secondary- and micro-nutrient products can be economically added to your planter-time fertilizer program to prevent yield robbing deficiencies. Accurate soil testing is a great preventative tool. But, if in-season deficiencies are discovered, our micros can also effectively be foliar applied. Justus von Liebig propounded the "Law of the Minimum." It states that if one of the nutritive elements is deficient or lacking, plant growth will be poor even when all other elements are abundant. A crop will only produce to the potential of the least usable nutrient.

### Use Rate Summary Table - MicroLink Magnesium

At Planting Application Rates Gallons Per Acre

Field and Row Crops 0 - 2

Vegetables and Fruit Crops 0 - 2 or 0.25% in Transplant Solution

Orchards and Vineyards 0 - 2 or 0.25% in Transplant Solution

In-Season Application Rates - Per Application

Field and Row Crops 0.125 - 2 Sidedress or Fertigation

Vegetables and Fruit Crops 0.125 - 2 Sidedress or Fertigation

Orchards and Vineyards 0.125 - 2 Soil Application or Fertigation

Foliar Application Rates - Per Application

Field and Row Crops 0.125 - 1

Vegetables and Fruit Crops 0.125 - 1

Orchards and Vineyards 0.125 - 1

## Individual Micronutrients







## **Directions For Use General Guideline:**

For proper agronomic application rates suitable for your geographical area or the maximum allowable non-nutrient application rate per acre, consult a trained soil specialist at AgroLiquid or call or write to AgroLiquid with the address provided.

Crop	In-Furrow	
Corn (Grain)	0.125-1 gal/A	
30" Row Spacing		
Corn (Silage)	0.125-1 gal/A	
30" Row Spacing		
Soybeans	0.125-1gal/A	
30" Row Spacing		
Soybeans	0.125-1 gal/A	
15" Row Spacing		
Sorghum	0.125-1 gal/A	
Dry Beans	0-1 gal/A	
Cotton	0-1 gal/A	
Sugarbeet	0-1 gal/A	
Canola	0.125-1 gal/A	
Wheat	0.125-1 gal/A	
(Spring or Winter)		
Potato	0.125-0.5 gal/A	
	Direct contact with the seed piece	
Alfalfa	0-1 gal/A	

In-Season Soil Application
RATE: 0.125 - 2 gal/A unless otherwise noted

# Corn Apples Sidedress Banded or through drip irrigation during the growing season Sidedress Tree Nuts Cotton Banded or through drip irrigation during the irrigation during the

## Sugarbeet Sidedress Other Tree Fruits Banded or through drip

growing season

during the growing season

Wheat irrigation during the Topdress up to Feekes growing season Stage 4

## PotatoVegetablesPotatoBroadcast, surface bandedSidedress or fertigationor through drip irrigation

Prior to, or within 14 days of spring green-up, and/ or 0-7 days after cutting, broadcast

#### Grapes

Broadcast, surface banded or through drip irrigation at bud break or during the growing season

#### Tomato

Banded or through drip irrigation during the growing season

#### Tobacco

Banded or through drip irrigation during the growing season

## Foliar Application Recommendations RATE: 0.125-1 gal/A unless otherwise noted

Corn
Soybean 30" and 15" Rows
Sorghum
Dry Beans
Cotton
Sugarbeet
Canola
Wheat
Potato
Alfalfa
Grapes
Tomato
Tobacco
Apples

Tree Nuts

Vegetables

Other Tree Fruits

Broadcast, or banded not less than 2" from the seed furrow, surface banded, or applied through drip irrigation at the base of the plant

RATE: 0.125 -2 gal/A			
Corn	Canola	Tobacco	
Soybeans	Wheat	Apples	
Sorghum	Potato	Tree Nuts	
Dry Beans	Alfalfa	Tree Fruit	
Cotton	Grapes	Vegetables	
Sugarbeet	Tomato		
0.25% in Transplant Solution			
Grapes	Apples	Vegetables	
Tomato	Tree Nuts		
Tobacco	Tree Fruit		

Please consult with an AgroLiquid Sales Account Manager or Agronomist for further direction when utilizing rates higher than the lower limit of the given range.



NOTE: Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

