



Section 24(c) Special Local Need Label

**RESTRICTED USE PESTICIDE
(GROUND AND SURFACE WATER CONCERNS)**

**FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS
OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR
THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.**

**THIS PRODUCT IS A RESTRICTED-USE HERBICIDE DUE TO GROUND
AND SURFACE WATER CONCERNS. USERS MUST READ AND FOLLOW
ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE IN
ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE TO REACH GROUND
AND SURFACE WATER.**

**SUPPLEMENTAL LABELING FOR SPECIAL LOCAL NEED IN FLORIDA
FOR DISTRIBUTION AND USE ONLY WITHIN FLORIDA**

AATREX® Nine-O®

**EPA Reg. No. 100-585
EPA SLN No. FL-020002**

**For reduced crop rotational restrictions on selected crops produced on organic
(Muck) soils.**

Active Ingredients:	
Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	85.5%
Related compounds	4.5%
Inert Ingredients:	10.0%
Total:	100.0%

Keep Out of Reach of Children

CAUTION

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL
MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.**

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered AAtrex 4L label.

This labeling must be in possession of the user at the time of pesticide application.

General Information

Rotational Restriction for Crops Produced on Organic Soils:

Do not rotate to any non-labeled crop grown on organic soils within 12 months following the last atrazine application, except as noted below.

Sugarcane

When applying pre-emergence, apply by using aerial or ground application equipment at a rate not to exceed 4.4 pounds (4 lbs. a.i.) per acre. Follow-up applications may be made as needed at a rate not to exceed 3.3 pounds (3 lbs. a.i.) per acre per application. Add appropriate amount of surfactant for post-emergent application(s), and thoroughly cover weed foliage. Weeds treated post-emergence should be treated before they exceed a height of 1.5 inches.

Do not apply after close-in. Do not exceed a total of 11 pounds of AAtrex Nine-O (10 lbs. a.i.) per acre per crop.

Rice may be planted 9 months after the last AAtrex Nine-O application to sugarcane.

Sod Farms (St. Augustine, Centipedegrass and Zoysiagrass Sod Farms)

Broadcast up to 4.4 pounds (4 lbs. a.i.) per acre after lifting sod, or, after sprigging or plugging sod. If weeds regrow, apply up to an additional 4.4 pounds (4 lbs. a.i.) per acre. Do not apply less than 30 days prior to cutting or lifting. Use only on turfgrass reasonably free of infestations of insects, nematodes and disease. Temporary slowing of growth may follow application on newly sprigged turfgrass.

Do not exceed a total of 6.6 pounds of AAtrex Nine-O (6 lbs. a.i.) per acre per crop.

Sweet Corn

Do not exceed a total of 2.8 pounds of AAtrex Nine-O (2.5 lbs. a.i.) per acre per calendar year.

Apply by using aerial or ground application equipment.

For soil application prior to crop emergence, apply up to 2.2 pounds (2 lbs. a.i.) per acre as a broadcast spray.

When applying post-emergence, apply up to 2.2 pounds (2 lbs. a.i.) per acre if no atrazine was administered prior to corn emergence. If a post-emergent application is necessary following an earlier atrazine application, apply so that the total atrazine applied does not exceed 2.8 pounds (2.5 lbs. a.i.) per acre per calendar year. Make post-emergent applications prior to corn exceeding 12 inches in height.

Rice may be planted 5 months after the last AAtrex Nine-O application to sweet corn.

Chemigation: DO NOT apply this product through any type of irrigation system.

AAtrex® and Nine-O are trademarks of Syngenta

©2002 Syngenta

24(c) Registrant:
Syngenta Crop Protection, Inc.
P. O. Box 18300
Greensboro, North Carolina 27419

FL0585019AA0902

FLAAtrex9-OSugarcaneSLNLbl 9-5-02