

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ADOX[®] 1875
MSDS Number : 130000120030

Manufacturer : DuPont
1007 Market Street
Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

Importer/Distributor : International Dioxide, Inc., A DuPont Subsidiary, 40 Whitecap Drive, North Kingstown, RI 02852

Telephone :

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

Skin

Sodium chlorite : May cause: Corrosion with pain, ulceration or blisters, cracking or peeling of skin.

Eyes

Sodium chlorite : Corrosive, may cause permanent eye injury if not promptly treated. May cause:, Tearing, pain, redness, swelling, ulceration, visual impairment, or blindness..

Inhalation

Sodium chlorite : Causes respiratory tract irritation. May cause:, Cough, sneezing, runny nose, sore throat, or shortness of breath..

Repeated exposure

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

Sodium chlorite : Adverse effects from repeated ingestion may include: Gastrointestinal effects Abnormal decrease in number of red blood cells (anaemia) which could produce tiredness, rapid heartbeat, dizziness, pale skin, leg cramps, shortness of breath. altered blood chemistry

Target Organ
Sodium chlorite : Blood

Carcinogenicity
None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Water	7732-18-5	85 %
Sodium chlorite	7758-19-2	15 %

SECTION 4. FIRST AID MEASURES

Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water. Call a poison control center or doctor for treatment advice.

Eye contact : Rinse immediately with plenty of water and seek medical advice.

Inhalation : Move to fresh air. If not breathing, give artificial respiration. Call a poison control center or doctor for treatment advice.



ADOX[®] 1875

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

Ingestion : Call a poison control center or doctor for treatment advice. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Notes to physician : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Fire and Explosion Hazard : Drying of this product on clothing or combustible materials may cause fire.

Suitable extinguishing media : Water

Firefighting Instructions : Wear self-contained breathing apparatus (SCBA). Wear suitable protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Wear personal protective equipment. Avoid contact with the skin and the eyes.

Spill Cleanup : Dilute with water. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Do not allow to dry.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.



ADOX[®] 1875

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

- Handling (Physical Aspects) : Avoid letting the product become dry.
- Storage : Keep tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs. Avoid heat, freezing and ultraviolet light. Do not allow to dry.
Keep away from: Strong acids and oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Ensure adequate ventilation, especially in confined areas.
- Personal protective equipment
- Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
- Hand protection : Additional protection: Impervious gloves
- Hand protection : Material: Polyvinyl chloride - PVC
- Eye protection : Wear coverall chemical splash goggles. Additionally wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.
- Skin and body protection : Where there is potential for skin contact, have available and wear as appropriate, impervious gloves, apron, pants, jacket, hood and boots.
- Protective measures : Avoid exposure - obtain special instructions before use. Wear suitable gloves and eye/face protection.

Exposure Guidelines
Exposure Limit Values

Contains no substances with occupational exposure limit values.

None established.

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: light yellow
Odor	: odourless, slight chlorine
pH	: > 11.5
Freezing point	: ca. -13.00 °C (8.60 °F)
Crystallization temperature	: ca. -7.00 °C (19.40 °F)
Boiling point	: ca. 105 °C (221 °F)
Specific gravity	: 1.110 - 1.124
Water solubility	: miscible

SECTION 10. STABILITY AND REACTIVITY

Stability	:	Stable at normal temperatures and storage conditions. Decomposes on heating.
Conditions to avoid	:	Stable under normal conditions. Decomposes on heating.
Incompatibility	:	Strong acids and oxidizing agents Organic materials, chlorinated compounds, Reducing agents
Hazardous decomposition products	:	Hazardous decomposition products: Chlorine , Chlorine dioxide...%
Hazardous reactions	:	Contact with acids, organic materials, reducing agents and oxidizing agents will release toxic gases of chlorine and/or chlorine dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Sodium chlorite		
Dermal LD50	:	134 mg/kg , rabbit
Oral LD50	:	284 mg/kg , rat
Inhalation 4 h LC50	:	0.23 mg/l , rat

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

Skin irritation	:	Corrosive, rabbit
Eye irritation	:	Corrosive, rabbit
Skin sensitization	:	Does not cause skin sensitisation., guinea pig Animal test did not cause sensitization by skin contact.
Repeated dose toxicity	:	Oral rat 1 y Target Organs: Blood Gastrointestinal effects, Abnormal decrease in number of red blood cells, Abnormal decrease in red -blood -cell haemoglobin (hemoglobinemia) Oral rat 14 d altered hematology, altered urinalysis results Oral Monkey altered hematology, altered blood chemistry
Carcinogenicity	:	Animal testing did not show any carcinogenic effects.
Mutagenicity	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.
Reproductive toxicity	:	Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.
Teratogenicity	:	Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Sodium chlorite

96 h LC50	:	Cyprinodon variegatus (sheepshead minnow) 105 mg/l
96 h ErC50	:	Algae 5.33 mg/l
96 h EbC50	:	Algae 1.09 mg/l
96 h NOEC	:	Algae 0.62 mg/l
48 h EC50	:	Daphnia magna (Water flea) < 1.0 mg/l
96 h LC50	:	Americamysis bahia (mysid shrimp) 0.65 mg/l

Environmental Fate

Sodium chlorite

Biodegradability : Readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

Environmental Hazards : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If recycling is not practicable, dispose of in compliance with local regulations.**SECTION 14. TRANSPORT INFORMATION**

DOT	UN number	:	1908
	Proper shipping name	:	Chlorite solution
	Class	:	8
	Packing group	:	II

7 / 9

**ADOX[®] 1875**

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

IATA_C	Labelling No.	: 8
	UN number	: 1908
	Proper shipping name	: Chlorite solution
IMDG	Class	: 8
	Packing group	: II
	Labelling No.	: 8
	UN number	: 1908
	Proper shipping name	: CHLORITE SOLUTION
	Class	: 8
	Packing group	: II
	Labelling No.	: 8

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s)	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
EPA Reg. No.	: 9150-13
California Prop. 65	: Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Sodium chlorite
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Sodium chlorite

SECTION 16. OTHER INFORMATION

NFPA

HMIS



ADOX[®] 1875

Version 3.1

Revision Date 08/22/2013

Ref. 130000120030

Health	:	1	1
Flammability	:	1	1
Reactivity/Physical hazard	:	0	0
PPE	:		Personal Protection rating to be supplied by user depending on use conditions.

The DuPont Oval Logo is a registered trademark of E.I. du Pont de Nemours and Company.

Contact person : MSDS Coordinator, DuPont Chemicals and Fluoroproducts, Wilmington, DE 19898, (800) 441-7515

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.