Bayer CropScience



ACCELERON® FUNGICIDE/INSECTICIDE CUSTOM BLEND

SDS Number: 102000059602

SDS Version 1.0 Revision Date: 11/22/2022

Custom Blend of these Product Safety Data Sheets:

ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

SDS Number: 102000012782

SDS Version 5.0

Revision Date: 08/12/2020

ACCELERON® D-961 FUNGICIDE SEED TREATMENT

SDS Number: 102000022382

SDS Version 3.1

Revision Date: 03/21/2022

ACCELERON® D-309 FUNGICIDE SEED TREATMENT

SDS Number: 102000027133

SDS Version 4.0

Revision Date: 09/03/2021

COLOR COAT RED (BASF)

SDS Number: 102000053973

SDS Version 5.0

Revision Date: 06/29/2021



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Trade name ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Product code (UVP) 06535143

SDS Number 102000012782

EPA Registration No. 264-968

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide, Seed treatment

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone

Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Harmful if swallowed or if inhaled.

Precautionary statements

Wash thoroughly after handling.



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

Do not eat, drink or smoke when using this product.

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Imidacloprid 138261-41-3 48.7

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Foam, Carbon dioxide (CO2), Dry chemical, Water spray

Unsuitable High volume water jet

Special hazards arising

from the substance or mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for firefighters apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Dangerous gases are evolved in the event of a fire.

Flash point > 93.4 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Keep unauthorized people away.

Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Revision Date: 08/12/2020

Version 5.0 / USA 102000012782 Print Date: 08/13/2020

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

 Version 5.0 / USA
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colour white to light beige

Odour characteristic

Odour Threshold No data available

pH 6.0 - 7.5 (100 %) (23 °C)

Melting point/range No data available

Boiling Point $> 100 \,^{\circ}\text{C}$ **Flash point** $> 93.4 \,^{\circ}\text{C}$

Flammability

Auto-ignition temperature

Minimum ignition energy

Self-accelarating

No data available

Not applicable

No data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 1.23 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0.57

Viscosity, dynamic 550 - 900 mPa.s (25 °C)

230 - 370 mPa.s (20 °C) Velocity gradient 20 /s 100 - 160 mPa.s (20 °C) Velocity gradient 100 /s

Viscosity, kinematic

Oxidizing properties

No data available

Explosivity

Not applicable



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

freezing

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Ingestion, Skin Absorption, Eye contact

Immediate Effects

Eye May cause mild irritation to eyes.

Skin Harmful if absorbed through skin. May cause mild irritation to the

skin.

Ingestion Harmful if swallowed.

Inhalation Harmful if inhaled. Inhalation may cause irritation of nasal passages.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 300 - < 2,000 mg/kg

Acute inhalation toxicity LC50 (male Rat) 2.5 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye Slight irritant effect - does not require labelling. (Rabbit)

irritation

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

 Version 5.0 / USA
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

 Version 5.0 / USA
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

The value mentioned relates to the active ingredient imidacloprid.

Biodegradability Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

9/11

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-968

US Federal Regulations

TSCA list

Water 7732-18-5 Glycerine 56-81-5 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Glycerine 56-81-5 MN, RI



10/11

ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

 Version 5.0 / USA
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

1,2-Propanediol 57-55-6 MN, RI

Environmental CERCLA None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



ACCELERON® IX-409 INSECTICIDE SEED TREATMENT

Version 5.0 / USA Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes.

Revision Date: 08/12/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

 Version 3.1 / USA
 Revision Date: 03/21/2022

 102000022382
 Print Date: 03/22/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Product code (UVP) 84921041

SDS Number 102000022382

EPA Registration No. 264-1122

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Labelling in accordance with regulation HCS 29CFR §1910.1200

Precautionary statements

Protect from sunlight.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

 Version 3.1 / USA
 Revision Date: 03/21/2022

 102000022382
 Print Date: 03/22/2022

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

 Hazardous Component Name
 CAS-No.
 Concentration % by weight

 Prothioconazole
 178928-70-6
 7.18

 Penflufen
 494793-67-8
 3.59

 Metalaxyl
 57837-19-1
 5.74

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Special hazards arising from the substance or

mixture

Explosivity

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature445 °C / 833 °FLower explosion limitNo data availableUpper explosion limitNo data available

Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3		OES BCS*
		(SK-ABS)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colour beige



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Odour musty

Odour Threshold No data available

pH 6.0 - 8.0 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature 445 °C / 833 °F

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 1.07 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)

Penflufen: log Pow: 3.3 (25 °C)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableOxidizing propertiesNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin Absorption, Ingestion, Eye contact, Inhalation

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

Skin May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kgAcute inhalation toxicity LC50 (Rat) > 2.205 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kgSkin corrosion/irritation No skin irritation (Rabbit) Serious eve damage/eve No eye irritation (Rabbit)

irritation

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Mouse)

Assessment STOT Specific target organ toxicity - single exposure

Prothioconazole: Based on available data, the classification criteria are not met.

Penflufen: Based on available data, the classification criteria are not met. Metalaxyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

Penflufen did not cause specific target organ toxicity in experimental animal studies. Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): ovaries, Brain, hematopoietic system. The mechanism that triggers these tumours is not relevant to humans.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Penflufen did not cause developmental toxicity in rats and rabbits.

Metalaxyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Cyprinus carpio (Carp)) 0.103 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen.



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Daphnia magna (Water flea)) > 4.66 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic plants

ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole. EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

Biodegradability

Prothioconazole:

Not rapidly biodegradable

Penflufen:

Not rapidly biodegradable

Metalaxyl:

Not rapidly biodegradable

Koc

Prothioconazole: Koc: 1765

Penflufen: Koc: 280 Metalaxyl: Koc: 163

Bioaccumulation

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Penflufen: Bioconcentration factor (BCF) 142

Does not bioaccumulate.

Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Mobility in soil

Prothioconazole: Slightly mobile in soils Penflufen: Moderately mobile in soils Metalaxyl: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Penflufen: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Metalaxyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this



10/11

ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1122

US Federal Regulations

TSCA list

Water 7732-18-5 1,2-Propanediol 57-55-6 Polyethylene-polypropylene copolymer 9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Sulphuric acid 7664-93-9 Carcinogenic. Crystalline quartz (respirable) 14808-60-7 Carcinogenic.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



ACCELERON® D-961 FUNGICIDE SEED TREATMENT

Version 3.1 / USA Revision Date: 03/21/2022 102000022382 Print Date: 03/22/2022

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Harmful if absorbed through skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes.

Revision Date: 03/21/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Trade name ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Product code (UVP) 84961019

SDS Number 102000027133

EPA Registration No. 264-935

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Seed treatment

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

1-800-334-7577

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-866-99BAYER (1-866-992-2937)

Product Information Telephone Number

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2B

Acute toxicity(Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning **Hazard statements** Causes eye irritation. Harmful if inhaled.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

Precautionary statements

Wash thoroughly after handling. Avoid breathing dust, mist, spray.

Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Concentration % by weight CAS-No.

Metalaxvl 57837-19-1 28.35

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Take off contaminated clothing and shoes immediately. Wash off Skin contact

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes. then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

> and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No known occupational limit values.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

Form Liquid

Colour light brown Odour musty

Odour Threshold No data available

pН 5.0 - 8.0 (100 %) (23 °C)

Melting point/range No data available **Boiling Point** No data available Flash point No data available **Flammability** No data available **Auto-ignition temperature** No data available Thermal decomposition No data available

Minimum ignition energy No data available **Self-accelarating** No data available

decomposition temperature

(SADT)

Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available

ca. 1.10 g/cm3 (20 °C) **Density**

Water solubility dispersible

Partition coefficient: n-

octanol/water

No data available

Viscosity, dynamic 250 - 600 mPa.s (25 °C)

> 160 - 300 mPa.s (20 °C) Velocity gradient 20 /s 75 - 115 mPa.s (20 °C) Velocity gradient 100 /s

Viscosity, kinematic No data available Oxidizing properties No data available **Explosivity** No data available



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids, Strong bases, Oxidizing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Ingestion, Inhalation

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin. May cause skin irritation.

IngestionHarmful if swallowed.InhalationMay be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,900 mg/kg Acute inhalation toxicity LC50 (Rat) > 2.67 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rabbit) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Moderate eye irritation. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Metalaxyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

Assessment carcinogenicity

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Assessment developmental toxicity

Metalaxyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient metalaxyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient metalaxyl.

Toxicity to aquatic invertebrates

LC50 (Daphnia (water flea)) > 28 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient metalaxyl.

EC50 (Mysidopsis bahia (mysid shrimp)) 25 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient metalaxyl.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

EC50 (Oyster) 4.6 mg/l Exposure time: 96 h

The value mentioned relates to the active ingredient metalaxyl.

Toxicity to aquatic plants IC50 (Algae) 33 mg/l

Exposure time: 5 Days

The value mentioned relates to the active ingredient metalaxyl.

Biodegradability Metalaxyl:

Not rapidly biodegradable

Koc Metalaxyl: Koc: 163

Bioaccumulation Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Mobility in soil Metalaxyl: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Metalaxyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Do not re-use empty containers.

Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-935

US Federal Regulations

TSCA list

 Water
 7732-18-5

 White mineral oil
 8042-47-5

 Urea
 57-13-6

 1,2-Propanediol
 57-55-6

 Kaolin
 1332-58-7

 Polyethylene-polypropylene copolymer
 9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

 Urea
 57-13-6
 MN

 1,2-Propanediol
 57-55-6
 MN, RI

 Kaolin
 1332-58-7
 MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification



10/11

ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: Causes skin irritation.

Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Reviewed and updated for general editorial purposes.

Revision Date: 09/03/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes



ACCELERON® D-309 FUNGICIDE SEED TREATMENT

Version 4.0 / USA Revision Date: 09/03/2021 102000027133 Print Date: 09/04/2021

all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



Revision date : 2021/06/29 Page: 1/10

Version: 5.0 (30587826/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Color Coat Red

Recommended use of the chemical and restriction on use

Recommended use*: Seed coating

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2021/06/29 Page: 2/10 Version: 5.0 (30587826/SDS GEN US/EN)

Resin acids and Rosin acids, calcium salts

CAS Number: 9007-13-0 Content (W/W): 1.0 - 3.0%

Synonym: Resin acids and Rosin acids calcium salts

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

Unknown

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Revision date: 2021/06/29 Page: 3/10 Version: 5.0 (30587826/SDS GEN US/EN)

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Revision date: 2021/06/29 Page: 4/10 Version: 5.0 (30587826/SDS GEN US/EN)

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid Odour: mild

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: red

pH value: approx. 7.5 - 8.5

(20°C)

Melting temperature: approx. 0 °C

Information applies to the solvent.

Freezing point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: > 93 °C
Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Revision date: 2021/06/29 Page: 5/10 Version: 5.0 (30587826/SDS_GEN_US/EN)

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: Based on the water content the

product does not ignite.

Vapour pressure: approx. 23.4 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.1 - 1.2 g/cm3

(20°C)

Relative density:
Vapour density:

No data available.

not applicable
not applicable

octanol/water (log Pow):

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: approx. 1 mPa.s

Information applies to the solvent.

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

No conditions to avoid anticipated.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Revision date: 2021/06/29 Page: 6/10 Version: 5.0 (30587826/SDS GEN US/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation

Type of value: ATE Value: > 20 mg/l Determined for vapor

Type of value: ATE Value: > 5 mg/l Determined for mist

Dermal

Type of value: ATE Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organtoxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Revision date: 2021/06/29 Page: 7/10 Version: 5.0 (30587826/SDS GEN US/EN)

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Resin acids and Rosin acids, calcium salts

LC50 (96 h) 1 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

The product has low solubility in the test medium. An eluate has been tested. The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates

Information on: Resin acids and Rosin acids, calcium salts

EC50 (48 h) 1.6 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Information on: Resin acids and Rosin acids, calcium salts

EL50 (72 h) > 100 mg/l, Selenastrum capricornutum (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. EC50 (72 h) 39.6 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Revision date: 2021/06/29 Page: 8/10 Version: 5.0 (30587826/SDS GEN US/EN)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Resin acids and Rosin acids, calcium salts

Readily biodegradable (according to OECD criteria).

Readily biodegradable (according to OECD criteria). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Resin acids and Rosin acids, calcium salts

Bioconcentration factor: 23 - 129 (20 d), Oncorhynchus mykiss (measured)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Resin acids and Rosin acids, calcium salts

No data available.

Adsorption to solid soil phase is possible.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Revision date: 2021/06/29 Page: 9/10 Version: 5.0 (30587826/SDS GEN US/EN)

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK CAS Number Chemical name

NJ 9007-13-0 Resin acids and Rosin acids, calcium salts

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/06/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2021/06/29 Page: 10/10 Version: 5.0 (30587826/SDS_GEN_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE, NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

END OF DATA SHEET