

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

ACKER 0.86 EC SUPERSEDES:

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name ACKER 0.86 EC

Other means of identification

 Product Code
 PST-00162

 UN/ID no
 NA1993

 Synonyms
 None

 Registration Number(s)
 34704-1170

Recommended use of the chemical and restrictions on use
Recommended Use Insect Growth Regulator.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address LOVELAND PRODUCTS, INC. P.O. Box 1286 Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number Emergency Telephone 1-888-LPI-CUST (574-2878) Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters. The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2B - (H320)
Carcinogenicity	Category 1B - (H350)
Aspiration toxicity	Category 1 - (H304)
Flammable liquids	Category 4 - (H227)

Label elements





Signal word WARNING

Hazard statements H304 - May be fatal if swallowed and enters airways

H350 - May cause cancer



ACKER 0.86 EC

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

H315 - Causes skin irritation H320 - Causes eye irritation H227 - Combustible liquid

Precautionary Statements -

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements -

Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P331 - Do NOT induce vomiting

P332 + P313 - If skin irritation occurs: Get medical advice/attention P337 + P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

Precautionary Statements -

Storage

P405 - Store locked up

Precautionary Statements -

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	30 - 60	Asp. Tox. 1 (H304)	*
Pyriproxyfen	95737-68-1	7 - 13		*
Naphthalene	91-20-3	1 - 5	Acute Tox. 4 (H302) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



SDS REVISIONS: New

ACKER 0.86 EC
DATE OF ISSUE: 08/25/2020 SUPERSEDES:

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical attention if symptoms occur.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

Note to physicians Causes sensitization. Treat symptomatically.

Antidotes No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam, Water spray, fog or regular foam, Use water spray or fog; do not use straight streams, Move containers from fire area if you can do it without risk

Unsuitable extinguishing media ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a "P" may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Substance may be transported hot.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

ACKER 0.86 EC SUPERSEDES:

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers. Dike far ahead of liquid

spill for later disposal.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All

equipment used when handling the product must be grounded. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid static

electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated

place. Keep away from heat. Keep in properly labeled containers.

Incompatible materialsNone known based on information supplied.



ACKER 0.86 EC SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines .

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.



ACKER 0.86 EC

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

SUPERSEDES:

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorPale yellowOdorMild aromaticOdor thresholdNo data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 5.7

Melting point / freezing pointNo data availableBoiling pointNo data availableFlash point76 °C / 168 °FEvaporation rateNo data availableFlammability (solid, gas)No data available

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No data available
No data available
No data available
No data available

Specific Gravity 0.91 g/ml Water solubility Emulsifies

Solubility in other solventsNo data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data available

Dynamic viscosity 18.5 cP

Explosive properties No data available
Oxidizing properties No data available

Other Information

VOC Content (%) No data available 7.60lbs/gal

<u>Note:</u> These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



ACKER 0.86 EC SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.



SAFETY DATA SHEET SDS REVISIONS: New **ACKER 0.86 EC**

SUPERSEDES:

11. TOXICOLOGICAL INFORMATION

DATE OF ISSUE: 08/25/2020

Acute toxicity of the formulated product:

 Oral LD50
 4,733 mg/kg (rat)

 Dermal LD50
 > 2,000 mg/kg (rat)

 Inhalation (Dust) LC50
 > 3.1 mg/l (rat, 4 hr)

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitization
Causes skin irritation.
Causes eye irritation.
Not a sensitizer.

Chemical Name	Oral LD50	Dermal LD ₅₀	Inhalation LC50
Solvent naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat) 4 h
aromatic			
Naphthalene	= 1110 mg/kg (Rat) = 490 mg/kg (= 1120 mg/kg (Rabbit) > 20 g/kg (> 340 mg/m³ (Rat) 1 h
	Rat)	Rabbit)	- ` '

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3		·	,	

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Avoid repeated exposure. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

Target Organ Effects blood, Central nervous system, Eye damage/irritation, kidney, liver, Skin.

Aspiration hazard No information available.

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact Causes eye irritation.

Skin contact Causes skin irritation.

Ingestion No data available.



SDS REVISIONS: New

ACKER 0.86 EC

DATE OF ISSUE: 08/25/2020 SUPERSEDES:

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Solvent naphtha (petroleum), heavy	EC50 2.5 mg/L 72 h Skeletonema	LC50 19 mg/L 96 h Pimephales	EC50 0.95 mg/L 48 h Daphnia
aromatic	costatum	promelas LC50 2.34 mg/L 96 h	magna
64742-94-5		Oncorhynchus mykiss LC50 1740	
		mg/L 96 h Lepomis macrochirus	
		LC50 45 mg/L 96 h Pimephales	
		promelas LC50 41 mg/L 96 h	
		Pimephales promelas	
Naphthalene	EC50 0.4 mg/L 72 h Skeletonema	LC50 5.74 - 6.44 mg/L 96 h	LC50 2.16 mg/L 48 h Daphnia
91-20-3	costatum	Pimephales promelas LC50 1.6	magna EC50 1.96 mg/L 48 h
		mg/L 96 h Oncorhynchus mykiss	Daphnia magna EC50 1.09 - 3.4
		LC50 0.91 - 2.82 mg/L 96 h	mg/L 48 h Daphnia magna
		Oncorhynchus mykiss LC50 1.99	
		mg/L 96 h Pimephales promelas	
		LC50 31.0265 mg/L 96 h Lepomis	
		macrochirus	

Persistence and degradability No information available.

<u>Bioaccumulation</u> No information available.

No information available Other adverse effects



ACKER 0.86 EC SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging

Do not reuse container.

	Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Г	Naphthalene	U165	Included in waste streams:	-	U165
	91-20-3		F024, F025, F034, F039,		
			K001, K035, K060, K087,		
			K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene	-	-	Toxic waste	-
91-20-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free	
			radical catalyzed processes.	
			These chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

14. TRANSPORT INFORMATION

Note: 119 GALLONS OR LESS: NOT REGULATED

DOT

UN/ID no NA1993

Proper shipping nameGreater than 119 gallons: NA1993, COMBUSTIBLE LIQUID,

N.O.S., (NAPHTHALENE) III

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL

REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120;

CLASS: 60)

Hazard Class Combustible Liquid

Packing Group

Reportable Quantity (RQ)

Naphthalene: RQ kg= 1008.89

Emergency Response Guide Number 128



ACKER 0.86 EC

SDS REVISIONS: New DATE OF ISSUE: 08/25/2020 SUPERSEDES:

15. REGULATORY INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Naphthalene - 91-20-3	0.1	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	Yes	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	X	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Naphthalene	100 lb 1 lb	-	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen

US EPA Waste Number U165

U.S. EPA Label Information

EPA Registration Number 34704-1170

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Difference between SDS and EPA Pesticide label

Causes skin and eye irritation. Do not get on skin, in eyes, or on clothing. Harmful if inhaled, swallowed or absorbed through skin.



SDS REVISIONS: New

ACKER 0.86 EC

SUPERSEDES:

Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist.

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

DATE OF ISSUE: 08/25/2020

 Issue Date
 08/25/2020

 Revision Date
 08/25/2020

 Revision Note
 08/25/2020

New

ACKER 0.86 EC is a trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet