



FIFRA

Section 2(ee) Recommendation

Date: October 16, 2023

Product: Actigard® 50WG Plant Activator
EPA Reg. No. 100-922

Use: Suppression of Anthracnose Fruit Rot in Strawberry

State: FL, GA, MD, NC, NJ, PA, SC, VA, WV

Directions for Use

- **It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**
- **The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.**
- **The user should have this recommendation in its possession at the time of use.**
- **This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.**

For suppression of Anthracnose Fruit Rot (*Collectotrichum acutatum*) in strawberry, apply Actigard 50WG at 0.33 – 0.75 oz/A in combination with an approved efficacious fungicide when disease first appears and continue on a 7 to 14 day interval. Do not apply within 5 days of transplanting.

Refer to the Crop Use Directions for Low Growing Berry, Crop Subgroup 13-07G, on the Actigard 50WG Plant Activator Section 3 label for other use directions, use restrictions and precautions.

Actigard® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2023 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: FL0922106AC1023