

# Liquid Seaweed Extract

**10X** 0.3 – 1.5 – 0.57



## Caution

Keep out of reach of children.

Avoid contact with eyes.

## **GUARANTEED ANALYSIS**

#### **General Information**

Afrikelp is a liquid kelp extract produced under cold extraction process, in which no chemicals are used. Afrikelp is not intended to be used as a complete fertilizer and should be applied in conjunction with a standard fertilization program. Afrikelp may be applied by foliar spray, transplant root dip, tuber dip or soil drench. May also be applied by aerial application or chemigation. Best results obtained when applied in cool temperatures (less than 80° F). Shake well before using. See table on back panel for application recommendations

## Compatibility

AfriKelp is compatible with most pesticides, fertilizers and plant nutrients, however, it is always best to do a jar test. Tank solution pH of greater than 7 may affect the AfriKelp efficacy. Spray tank load as soon as possible after addition of AfriKelp.

## **Handling & Storage**

Store AfriKelp in its original container in a dry cool place. Keep package closed and store separately from food products. Protect from direct sunlight and do not expose to high temperatures.

Label # AfrLG1-2019 Batchti#:













270 Gal/1,022L 2,295 lbs

Commence of the alternations	and a second	41	A F-:1:-1 4 OV
Suggested applications,	rates and	airections for	ATTIKEID TUX.

CROP	APPLICATION	RATE	COMMENTS	Conditions of Sale: The purchaser acknowledges that AfriKelp (Pty) Ltd.	
Apples	Foliar	0.3 pts/acre	Foliar applications at bloom time period, and repeat with Calcium applications.	(AfriKelp) has no control over how this	
Asparagus	Foliar / Irrigation	0.3 pts/acre	Foliar applications beginning of growth stage, flowering and, during leaf development every 2 weeks	product will be stored, handled, or used by	
Barley Oats Soybeans Chickpeas	Seed treatment	0.01-0.4 Gal/1 Ton	Seed treatment. Afrikelp can be mixed fungicide, fertilizer, inoculant, etc.	the purchaser. Accordingly, AfriKelp takes no responsibility for, and does not give	
Wheat			Foliar spray at 3–6 leaf stage and, repeat at the growth stage and close to flowering stage	advice regarding the suitability of this	
Corn Foliar 0.	0.2-0.3 pts/acre or	in combination with herbicide, fungicide or insecticide applications.	product for the purchaser's application.		
Lentis	Foliai	0.1% dilution	Application by plane with (8-14 gallons of water/acre, apply Afrikelp 12-20 ounces /acre.	AfriKelp makes no warranties, representations, or guarantees as to the	
Canola		<del> </del>		suitability of this product for the particular	
Beans	Foliar	0.2-0.4 pts/acre	Foliar spray at 3–4 leaf stage and repeat 2 or 3 weeks later.	application of the purchaser. AfriKelp	
Cucumbers	Dipping/ Drench	0.1-0.2%	At transplanting	hereby disclaims all implied warranties,	
and Squash	Foliar / Irrigation	0.3-0.4 pts/acre	Foliar spray at 3–4 leaf stage. Repeat 2 or 3 times every 2–3 weeks.	including without limitation the implied	
Cherries and Peaches	Foliar / Irrigation	0.5 pts/acre	Apply at flowering stage in 1-2 opportunities. After fruit set apply every 2 weeks 2-3 times.	warranties of merchantability and fitness for a particular purpose, and further	
Flaxseed	Foliar / Irrigation	0.3 pts/acre	Apply at 3 leaf-stage and 2 weeks later.	disclaims responsibility for any loss or	
Cabbage Carrots	Dipping/ Drench	0.1-0.2%	At transplanting	damage whatsoever arising from the use of this product.	
Cucumbers Leafy greens Melons Peppers	Foliar / irrigation	0.3-0.4 pts/acre	Foliar spray at 3–4 leaf stage. Repeat 2 or 3 opportunities every 2–3 weeks.	Information regarding the contents and levels of metals in this product is	
Nursery (all)	Dip / Drench	2:1000 dilution	Soak trays or pots in spring and repeat 21 days before transplant	available on the Internet at	
Peanuts	Foliar / Irrigation	0.3 pts/acre	Foliar spray at 3–4 leaf stage and repeat 2 or 3 oportunities every 2 weeks later.	http://www.aapfco.org/metals.html	
Peas	Foliar / irrigation	0.2-0.4 pts/acre	Foliar spray at 3–4 leaf stage and repeat 2 or 3 weeks later.	Manufactured For Distributed	
Pecans	Foliar / Irrigation	0.4 pts / acre	At bloom time period, abd repeat in 2-3 opportunities after fruit set every 2 weeks.	Manufactured For, Distributed,	
Potatoes Dip / Drench Foliar / irrigation	Dip / Drench	0.1:300 dilution	Dip seed tubers directly before planting	and Guaranteed By:	
	Foliar / irrigation	0.3–0.4 pts/acre	Foliar spray at 3–4 leaf stage. Repeat for 2 -3 opportunities every 2–3 weeks.	AKUSA, Inc.	
Seed treatment (	0.1-0.2%	seed treatment in combination with any pesticide.	1625 E. Shaw Ave		
Pumpkins	Foliar / irrigation	0.3-0.4 pts/acre	Foliar spray at 3–4 leaf stage. Repeat 2 or 3 times every 2–3 weeks.	Fresno, CA 93710	
C	Dip / Drench	0.1:300 dilution	Dip seed tubers directly before planting	www.afrikelp-usa.com	
Sugar beets	Foliar / irrigation	0.3–0.4 pts/acre	Foliar spray at 3–4 leaf stage. Repeat after 2–3 weeks. Do not apply after tuber initiation.	Afrikelp recommends the additional use of adjuvants/	
Tobacco	Dipping/ Drench	0.1-0.2%	At transplanting	surfactants with the foliar spray for a better product uptake.	
TODACCO	Foliar / Irrigation	0.3 pts/acre	Foliar spray at 3–4 leaf stage and repeat 2 or 3 weeks later.	Afrikelp recommends the pH of the tank solution be	
Turf Foliar		0.2-0.4 pts/acre	Sports field/fairways — apply at spring greenup and after midsummer heat stress	below 7.	
	Foliar	0.2 flozs/1000 sqft	Golf greens — apply evenly in 50 gallons of water		
		0.4 flosz/1000 sqft	New establishments — apply evenly in 50 gallons of water		