

**RESTRICTED USE PESTICIDE**  
**DUE TO TOXICITY TO NON-TARGET INVERTEBRATES, MAMMALS, AND AQUATIC ORGANISMS**  
For retail sale to and use only by Certified Applicators or persons under their direct supervision,  
and only for those uses covered by the Certified Applicator's certification.

**syngenta.**

**INTIRA**

## Section 24(c) Special Local Need Label

ABAMECTIN

GROUP

6

INSECTICIDE

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**Agri-Mek® SC Miticide/Insecticide**  
**For Control of Spider Mites on Alfalfa Grown for Seed**

**EPA Reg. No. 100-1351**  
**EPA SLN No. OR-120021**

**This label is valid until December 31, 2027 or until otherwise amended, withdrawn, cancelled, or suspended.**

**Active Ingredient:**

Abamectin<sup>1</sup> ..... 8.0%\*

**Other Ingredients:** ..... 92.0%

**Total:** ..... 100.0%

<sup>1</sup>CAS No. 71751-41-2

\*Agri-Mek SC Miticide/Insecticide is formulated as a suspension concentrate and contains 0.7 lb abamectin per gallon.

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING/AVISO**

**Environmental Hazards:** This pesticide is toxic to fish and wildlife. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects.

**Surface Water Advisory:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a medium potential for reaching both surface water and aquatic sediment via runoff for several weeks to months after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of abamectin from runoff water and sediment.

**Runoff Prevention:** To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### **DIRECTIONS FOR USE RESTRICTED USE PESTICIDE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This FIFRA Section 24(c) label and the main EPA-registered label for Agri-Mek SC Miticide/Insecticide label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this Section 24(c) label and on the main EPA-registered Agri-Mek SC Miticide/Insecticide label.
- Failure to follow the Directions for Use and precautions on this label may result in poor pest control, crop injury, or illegal residues.

**Environmental Hazards:** This pesticide is toxic to fish and wildlife. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects.

**Surface Water Advisory:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a medium potential for reaching both surface water and aquatic sediment via runoff for several weeks to months after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of abamectin from runoff water and sediment.

**Runoff Prevention:** To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### **CROP USE DIRECTIONS- ALFALFA GROWN FOR SEED**

**Adjuvant Requirement:** Agri-Mek SC **must** be mixed with a non-ionic activator type wetting, spreading and/or penetrating adjuvant. Do not use binder or sticker type adjuvants.

**Ground application:** Apply 1.75 – 3.5 fluid ounces of product (0.01 - 0.02 pounds of active ingredient) per acre by ground application in a minimum of 20 gallons of water per acre.

**Aerial application:** Apply 2.5 to 3.5 fluid ounces of product (0.014 - 0.02 pounds of active ingredient) per acre by aerial application in a minimum of 10 gallons of water per acre.

**Restrictions:**

- **Do not** apply more than 7 fluid ounces (0.04 pounds active ingredient per acre). Do not apply more than two (2) applications of Agri-Mek SC per acre per year.
- If a second application is necessary, **Do Not** retreat within 21 days.
- **Do not apply this product through any type of irrigation system.**
- Apply Agri-Mek SC Miticide/Insecticide in accordance with the Spray Drift Management and Spray Drift Advisories sections of the main EPA-registered label.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply in the evening after bees have stopped foraging or in early morning before bees begin foraging.

**SPECIAL CROP USE RESTRICTIONS**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth.

All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

**"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."**

---

©2022 Syngenta

Agri-Mek® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Label Code: OR1351156DA1222