AGRIPHAGE-NUT & STONE FRUIT



FOR ORGANIC PRODUCTION

BACTERICIDE



For use on Nuts and Stone Fruit

Biological control for Bacterial Spot, Canker, and Blast on Nuts and Stone Fruit

ACTIVE INGREDIENT:

Bacteriophage active against:

Xanthomonas arboricola pv. juglandis* 0.000025% Xanthomonas arboricola pv. corylina* 0.000025% Pseudomonas syringae pv. syringae* 0.000025% OTHER INGREDIENTS: 99.999900% TOTAL: 100.00000%	Xanthomonas arboricola pv. pruni*	0.000025%
Xanthomonas arboricola pv. corylina* 0.000025% Pseudomonas syringae pv. syringae* 0.000025% OTHER INGREDIENTS: 99.999900%	Xanthomonas arboricola pv. juglandis*	0.000025%
Pseudomonas syringae pv. syringae* 0.000025% OTHER INGREDIENTS: 99.999900%		
OTHER INGREDIENTS: 99.999900%		
<u> </u>		

*Contains a minimum of 4.73x1012 plaque-forming units (PFU) per gallon of product

Keep Out of Reach of Children

See attached booklet for additional Precautionary Statements, Directions for Use, and Storage and Disposal Statements EPA Reg. No. 67986-10 EPA Est. No. 67986-UT-001

Manufactured by: OmniLytics, Inc. 9075 South Sandy Parkway, Sandy, UT 84070 801-746-3600 www.agriphage.com

Batch Code: Net Contents: 2.5 gal.

ESL 202303028 rev NS-20230328G

PRECAUTIONARY STATEMENTS

Personal Protective Equipment (PPE)

- Applicators and other handlers must wear Long-sleeved shirt and long pants
 - · Waterproof gloves

Mixers/loaders and applicators must wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter, OR a NIOSH-approved elastomeric particulate respirator with any N, R, or P filter, OR a NIOSH-approved powered air-purifying respirator with an HE filter. Repeated exposures to high concentrations of microbial proteins can cause allergic sensitization.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Environmental Hazards

For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Use this product only in accordance with its adealing and with the worker Protection Standard, 40 CFN part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is:

- Coveralls
 Waterproof gloves
- Shoes plus socks

Product Information

AGRIPHAGE-NUT & STONE FRUIT is a bacterioide that is comprised of a formulation of bacteriophages to be used as a preventive and curative product for the control of bacterial disease on nuts and stone fruit (Xanthomonas arboricola pv. pruni, Xanthomonas arboricola pv. pruni, Xa corylina, and Pseudomonas syringae pv. syringae).

- Apply AGRIPHAGE-NUT & STONE FRUIT as a preventive measure to protect growing leaf and fruit tissue or when conditions are conducive to heavy disease pressure, and as a curative when the first disease symptoms are visible.
- Apply AGRIPHAGE-NUT & STONE FRUIT with conventional equipment as a foliar application. See the Mixing Instructions and Compatibility Information and Applications Instructions sections of this label for additional details.

Mixing Instructions and Compatibility Information

-MIX WELL PRIOR TO USE-

ORDER OF MIXING:

- Prior to use, remove scale, pesticide residues, and other foreign matter from the spray tank and entire application system. Flush with clean water. Failure to provide a clean spray tank may cause AGRIPHAGE-NUT & STONE FRUIT to lose effectiveness or strength.
- Fill the spray tank with clean water and begin agitation.

 Add the specified amount of AGRIPHAGE-NUT & STONE FRUIT.

Do not allow spray mixture to stand for more than $24\ \text{hours}$. Maintain a spray solution pH between $6.0\ \text{and}$ $8.5\ \text{.}$

GROUND TANK MIX INSTRUCTIONS: Mix 1-3 quarts of AGRIPHAGE-NUT & STONE FRUIT per acre in sufficient water to achieve thorough coverage of the crop canopy. If available, use mechanical mixing, agitation ensures proper blending.

COMPATIBILITY: Do not combine AGRIPHAGE-NUT & STONE FRUIT in the spray tank with denaturing agents, copper, or iron salts. Apply AGRIPHAGE-NUT & STONE FRUIT in approved tank mixes or in an alternating spray program. AGRIPHAGE-NUT & STONE FRUIT is compatible with several commonly used fungicides, liquid fertilizers, herbicides, and insecticides, but has not been fully evaluated with all of these. AGRIPHAGE-NUT & STONE FRUIT cannot be mixed with another product with a prohibition against mixing. Use of the tank mix must be in accordance with the more restrictive label limitations and precautions.

GROUND APPLICATION

Application Instructions

RATE	PRE-HARVEST INTERVAL (PHI)	APPLICATION
sufficient water to achieve	STONE FRUIT may be	Begin applications when conditions are conducive to development of disease. Repeat application every 3 to 10 days as needed, for as long as conditions favor disease development.
	including the day of	Under light to moderate disease pressure or for smaller plants, use lower rates (1 to 2 quarts/acre). Under severe disease pressure, or when environmental conditions and plant stage are conducive to rapid disease development,
		use higher label rates (2 to 3 quarts/acre), and apply more frequently (every 3-7 days).

I		Storage and Disposal
ı	Do not contaminate water, food, or feed by storage or disposal.	
ı	Pesticide Storage:	Store this product in a cool, dry area. Direct sunlight and/or extreme heat may cause degradation of the product and decrease product efficacy.
ı	Pesticide Disposal:	Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
	Container Handling:	Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more lines. Then, offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by incineration or if allowed by state and local quithorities by thus running. If burning if the procedure two more than

OmniLytics, Inc. warrants that this material conforms to the description on this label and is reasonably fit for the purposes referred to in the Directions for Use. To the extent consistent with applicable law, of the extent consistent with applicable law, in no case or circumstance shall OmniLytics, Inc. or seller be liable for consequential, special or indirect damages resulting from the use or handling of this product including, but not limited to, loss of profits, business reputations, or customers; labor cost; or any other expenses incurred in planting, cultivating or harvesting.