

SAFETY DATA SHEET
AIM® EC HERBICIDE

SDS # : 6165-A
Revision date: 2017-11-13
Format: NA
Version 1.06



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name AIM® EC HERBICIDE

Other means of identification

Product Code(s) 6165-A

Synonyms CARFENTRAZONE-ETHYL (FMC 116426): ethyl α ,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate (CAS name); ethyl (RS)-2-chloro-3-[2-chloro-5-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)-4-fluorophenyl] propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

PCP # 28573

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:
1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)
1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION


Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 2
Aspiration toxicity	Category 1

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW**

<p>Danger</p> <p>Hazard Statements H304 - May be fatal if swallowed and enters airways H351 - Suspected of causing cancer</p> 

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family** Triazolinones.

Chemical name	CAS-No	Weight %
Carfentrazone-ethyl	128639-02-1	21.9
Naphtha (petroleum), heavy aromatic	64742-94-5	<70
2-Methylnaphthalene	91-57-6	<30
1-Methylnaphthalene	90-12-0	<20
n-Butanol	71-36-3	1-5
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects. Gastrointestinal effects.
Indication of immediate medical attention and special treatment needed, if necessary	Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water spray. carbon dioxide (CO ₂). Foam. Dry powder.
Specific Hazards Arising from the Chemical	Slightly combustible. May support combustion at elevated temperatures.
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
Incompatible products	Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
n-Butanol (71-36-3)	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m ³	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m ³	Mexico: Ceiling 50 ppm Mexico: Ceiling 150 mg/m ³
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
n-Butanol (71-36-3)	TWA: 15 ppm Ceiling: 30 ppm	Ceiling: 50 ppm Ceiling: 152 mg/m ³ Skin	TWA: 20 ppm	TWA: 20 ppm TWA: 60 mg/m ³
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin

Legend

Skin (S*) - Skin Absorber

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection

Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection

Protective gloves Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time.

Respiratory Protection

For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Brown orange liquid
Physical State	Liquid
Color	Brown orange
Odor	Aromatic
Odor threshold	No information available
pH	5.3 (1% solution)
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	75.6 °C / 168.08 °F Closed cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	9.0 lb/gal
Specific gravity	1.08
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide (CO). carbon dioxide (CO ₂). Hydrogen chloride. Hydrogen fluoride. nitrogen oxides (NO _x). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	4077 mg/kg (rat)
LD50 Dermal	> 4000 mg/kg (rat)
LC50 Inhalation	> 6.31 mg/L 4 hr (rat)
Serious eye damage/eye irritation	Mildly irritating.
Skin corrosion/irritation	Mildly irritating (rabbit).
Sensitization	Non-sensitizing

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals included mydriasis, cyanosis, ataxia, dyspnea, lacrimation, and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Carfentrazone-ethyl: Long-term exposure caused hematotoxicity and deposit of porphyrin in the liver in animal studies.

Mutagenicity Carfentrazone-ethyl : Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl : No evidence of carcinogenicity from animal studies. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).

Neurological effects Carfentrazone-ethyl : Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl : No toxicity to reproduction in animal studies.

Developmental toxicity Carfentrazone-ethyl : Not teratogenic in animal studies.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified.

Neurological effects Carfentrazone-ethyl : Not neurotoxic.

Aspiration hazard Potential for aspiration if swallowed. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X

Legend:

- ACGIH (American Conference of Governmental Industrial Hygienists)
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)
- Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)
- X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carfentrazone-ethyl (128639-02-1)				
Active Ingredient(s)	Duration	Species	Value	Units
Carfentrazone-ethyl	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Fish	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	µg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
n-Butanol 71-36-3	96 h EC50: > 500 mg/L (Desmodesmus subspicatus) 72 h EC50: > 500 mg/L (Desmodesmus subspicatus)	96 h LC50: 1730 - 1910 mg/L (Pimephales promelas) static 96 h LC50: = 1740 mg/L (Pimephales promelas) flow-through 96 h LC50: 100000 - 500000 µg/L (Lepomis macrochirus) static 96 h LC50: = 1910000 µg/L (Pimephales promelas) static	48 h EC50: 1897 - 2072 mg/L (Daphnia magna) Static 48 h EC50: = 1983 mg/L (Daphnia magna)

Persistence and degradability	Carfentrazone-ethyl : Non-persistent. Readily hydrolyzed. Not readily biodegradable.
Bioaccumulation	Carfentrazone-ethyl : The substance does not have a potential for bioconcentration.
Mobility	Carfentrazone-ethyl : Mobility in soil: Not relevant.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not reuse or refill this container.

14. TRANSPORT INFORMATION

DOT	This material is a Combustible liquid and is, therefore, not subject to the hazardous materials regulations when in non-bulk packages shipped within the USA per 49 CFR §173.150(f)(2).
UN/ID no	NA1993
Proper Shipping Name	Combustible liquid, n.o.s
Hazard class	3
Packing Group	III
Reportable Quantity (RQ)	Napthalene
TDG	Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.
UN/ID no	UN3082
Hazard class	9
Packing Group	III
Marine Pollutant	Carfentrazone-ethyl .
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, PG III, Marine Pollutant
ICAO/IATA	
UN/ID no	UN3082
Hazard class	9
Packing Group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, PG III, Marine Pollutant
IMDG/IMO	
UN/ID no	UN3082
Hazard class	9
Packing Group	III
EmS No.	F-A, S-F
Marine Pollutant	Carfentrazone-ethyl
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl), 9, PG III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
n-Butanol - 71-36-3	71-36-3	1-5	1.0
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
n-Butanol 71-36-3	5000 lb 2270 kg	
Naphthalene 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Carfentrazone-ethyl is very toxic to algae and moderately toxic to fish.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Methylnaphthalene 91-57-6	X		
1-Methylnaphthalene 90-12-0	X	X	X
n-Butanol	X	X	X

71-36-3			
Naphthalene 91-20-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					X			
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
2-Methylnaphthalene 91-57-6	X	X	X	X	X		X	X
1-Methylnaphthalene 90-12-0	X	X	X	X	X		X	X
n-Butanol 71-36-3	X	X	X	X	X	X	X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X

Mexico - Grade Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
n-Butanol		Mexico: Ceiling 50 ppm Mexico: Ceiling 150 mg/m ³
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

B3 - Combustible liquid
 D2A - Very toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Revision date: 2017-11-13
 Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF

MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet