



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

ALIETTE® WDG brand Fungicide

Rates for Application on Bearing and Non-bearing Citrus

EPA Reg. No. 264-516

PRODUCT BULLETIN

For Use and Distribution Only in the State of California

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of application of the product. All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.

DISEASE	APPLICATION METHOD	RATE lbs product	APPLICATION PROGRAM
Phytophthora Foot & Root Rot (<i>Phytophthora</i> spp.)	Foliar	*2.5 - 5.0/Acre	Apply as a foliar spray to wet when conditions favor disease development (i.e. Feb.-April, May-June, Sept.-Oct.)
Brown Rot (<i>Phytophthora</i> spp.)	Foliar	*2.5 - 5.0/Acre	Apply as a foliar spray to wet when conditions favor disease development (i.e. November-March)
Phytophthora Foot & Root Rot (<i>Phytophthora</i> spp.)	Chemigation	*2.5 - 5.0/Acre	Apply as a foliar spray to wet when conditions favor disease development (i.e. Feb.-April, May-June, Sept.-Oct.)

*Rates should be adjusted according to disease history, tree size and population, and current environmental conditions. The 5 lbs per acre rate should be used in all situations requiring maximum activity against *Phytophthora*.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).