# 10-9-5 Purpose BAIC

## Guaranteed Analysis

$eq:continuous_continuous$	Copper (Cu)

Derived from urea, ammonium phosphate, potassium, phosphate, potassium nitrate, magnesium sulfate, boric acid, copper sulfate, ferrous sulfate, manganese sulfate and zinc sulfate and complexed with sodium glucoheptonate. F002633

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

WARNING: This product contains Boron (B) which in higher concentrations may be injurious to certain crops and should be used according to the manufacturers recommendations and directions.

BAICOR® products are compatible with most fertilizers, insecticides, fungicides and herbicides (follow product labels) which may incorporate into a spray program. However, the compatibility and efficiency of this product should be tested by a licensed and experienced applicator with such mixtures (jar test) and small test plots applied on soil/crop before any large scale treatments are started.

#### ONLY A LICENSED AND EXPERIENCED APPLICATOR SHOULD APPLY THIS PRODUCT.

Limited Warranty Manufacturer warrants that this product conforms to the quaranteed analysis for the growing season in which purchased. Manufacturer makes no other express or implied warranty of fitness or merchantability or any other express or implied warranties, in no such case shall manufacturer or the seller be liable for consequential, incidental, special, exemplary or indirect damages resulting from the use or handling of this product, any and all damages claimed shall be limited to the amount paid for the product.

Manufacturer offers this product and the Buyer/User accepts it subject to the forgoing Conditions of Sale and Limited Warranty

WARNING: This product may stain (Keep off unwanted areas such as, sidewalks, patios, driveways, fences, painted areas). As a precaution: Spray off unwanted areas with only water after applying.

#### Supplemental Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

Warning

CAUTION: KEEP OUT OF REACH OF CHILDREN

### **Plant Nutrients To Prevent & Correct Deficiencies** For Soil & Foliar Application

APPLICATION RATES & DIRECTIONS: Unless advised by consultant, do not apply during bloom stage. Recommendations listed are only general. Plant species and varieties may have wide variations in their sensitivity or requirement to foliar/soil applications of certain nutrients. Optimum rate of application and frequency will vary between fields, depending on crop, soil pH, organic matter content, etc. Test application (test plot) to assess the potential for undesirable effects under specific conditions is essential.

A surfactant (detergent) is recommended for all foliar applications to decrease drop size and enhance wetting of entire leaf surface. For best results apply as a foliar spray early in the morning or late evening. Do not apply during hot, dry weather, or in periods of drought or when plants are under stress.

ADD WATER FIRST TO TANK OR SPRAYER BEFORE ADDING PRODUCT!

FOLIAR APPLICATIONS: Use at least 100 parts water to 1 part BAICOR All pupose. Add at least 100 parts water before introducing product.

#### Application Rate:

Once a Month: 2 Tbs into 1 Gallon of water - 1oz (29 ml into 3.75 liters) Twice a Month: 1Ths into 1 Gallon of water- 1/2 oz (15 ml into 3.75 liters) Each watering: 1 tsp into 1 gallon of water (5ml into 3.75 liters)

FRUIT, NUT & VINE CROPS: Including (but not limited to) almonds, hazelnuts, grapes, pecans and walnuts. Apply 1 - 4 quarts per acre. NOTE: Before applying to pome or stone fruit, consult your qualified and licensed consultant for recommendations.

FIELD AND VEGETABLE CROPS: Apply 1 - 4 quarts per acre.

GRAIN CROPS: Apply 1 - 4 quarts per acre at 3-4 leaf stage.

TURF GRASSES: Apply 1 - 4 quarts per acre.

Severe Deficiency 4 ats/acre

SPRINKLER IRRIGATION: Apply 1 - 4 quarts per acre with irrigation water. Use check valve to prevent back flow into water system.

SOIL APPLICATION RATES: Use at least 20 parts water to 1 part BAICOR All purpose. Do not apply directly to seeds unless it has been determined/tested by the consultant or grower that it is not harmful or injurious to the

Beginning Deficiency......3 qts/acre

Hazard Statement Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction. Causes eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. **Precautionary Statement** 

Prevention: Avoid breathing mist or vapor, Wash thoroughly after handling, Wear protective clothing. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

Response: If swallowed: Call a poison center if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, Continue rinsing, Call a poison center if you feel unwell. Rinse mouth. If skin irritation or rash occurs; Get medical advice. Take off contaminated clothing and wash before reuse. If eve irritation persists: Get medical attention. Storage: Store away from incompatible materials.

Disposal: Dispose of contents in accordance with local regulations.

11.2 lbs/gal @ 68° F

RFV 10/4/19

For more information please visit our website: www.baicor.com P.O. Box 725 • Logan, Utah 84321

2.5 Gallons/9.46 L 28 lbs./12.8 kg

5 Gallons/18.93 L 56 lbs./25.7 kg

55 Gallons/208.2 L 616 lbs./280 kg

270 Gallons/1022 L 3,024 lbs./1,372 kg Lot #