

Revision date : 2018/08/16 Version: 3.0 Page: 1/11 (30595255/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

All-Weather Foam Con

Recommended use of the chemical and restriction on use Recommended use*: adjuvant

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. Acute Tox. Acute Tox.

4	(Inhalation - vapour)	Acute toxicity
	(oral)	Acute toxicity
4	(dermal)	Acute toxicity

Label elements

Pictogram:

Revision date : 2018/08/16 Version: 3.0

Page: 2/11 (30595255/SDS_GEN_US/EN)

Signal Word:		
Warning		
Hazard Statement:		
H312	Harmful in contact with skin.	
H332	Harmful if inhaled.	
H302	Harmful if swallowed.	
Precautionary Stat	ements (Prevention):	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/clothing.	
P260	Do not breathe mist or vapour.	
P270	Do not eat, drink or smoke when using this product.	
P264	Wash with plenty of water and soap thoroughly after handling.	
Precautionary Stat	ements (Response):	
P312	Call a POISON CENTER or doctor/physician if you feel unwell.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.	
P361	Take off immediately all contaminated clothing.	
P301 + P330	IF SWALLOWED: rinse mouth.	

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 86 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 84 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 85 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 85 % Inhalation - mist

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Weight % **Chemical name** 111-76-2 10.0 - 25.0% 2-butoxyethanol 1.0 - 5.0% 64-17-5 Ethanol

4. First-Aid Measures

Description of first aid measures

Revision date : 2018/08/16 Version: 3.0

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin: Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Revision date : 2018/08/16

Version: 3.0

Page: 4/11 (30595255/SDS GEN US/EN)

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Ethanol	OSHA PEL ACGIH TLV	PEL 1,000 ppm 1,900 mg/m3 ;TWA value 1,000 ppm 1,900 mg/m3 ; STEL value 1,000 ppm ;
2-butoxyethanol	OSHA PEL ACGIH TLV	PEL 50 ppm 240 mg/m3 ; Skin Designation ; The substance can be absorbed through the skin. SKIN_FINAL ; The substance can be absorbed through the skin. TWA value 25 ppm 120 mg/m3 ; TWA value 20 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and

Revision date : 2018/08/16 Version: 3.0 Page: 5/11 (30595255/SDS GEN US/EN)

vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour:	liquid odourless
Odour threshold:	not applicable, odour not perceivable
Colour:	colourless
pH value:	approx. 7 - 8
	(20 °C)
Melting temperature:	approx. 0 °C Information applies to the solvent.
boiling temperature:	approx. 100 °C
bolling temperature.	Information applies to the solvent.
Flash point:	> 100 °C
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Autoignition:	Based on the water content the
Vapour pressure:	product does not ignite. approx. 23.4 hPa
vapour pressure.	(20 °C)
	Information applies to the solvent.
Density:	approx. 1.02 g/cm3
	(20 °C)
Vapour density:	Heavier than air.

Revision date : 2018/08/16 Page: 6/11 Version: 3.0 (30595255/SDS GEN US/EN) Partitioning coefficient nnot applicable octanol/water (log Pow): Thermal decomposition: No decomposition if stored and handled as prescribed/indicated. Viscosity, kinematic: Forms a viscous solution. Solubility in water: soluble Evaporation rate: not applicable Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term skin contact. Of moderate toxicity after short-term inhalation.

Oral Type of value: ATE

Revision date : 2018/08/16 Version: 3.0

Value: 2,310 mg/kg

Information on: 2-butoxyethanol Type of value: LD50 Species: guinea pig Value: 1,300 mg/kg (similar to OECD guideline 401)

Inhalation Type of value: ATE Value: 13.200000 mg/l Determined for vapor

Type of value: ATE Value: > 5.0000 mg/l Determined for mist

Information on: 2-butoxyethanol Type of value: LC50 Species: guinea pig Value: (similar to OECD guideline 403) Exposure time: 7 h The vapour was tested. No mortality was observed.

Dermal

Type of value: ATE Value: 1,240 mg/kg

Information on: 2-butoxyethanol Type of value: LD50 Species: guinea pig Value: > 2,000 mg/kg (OECD Guideline 402)

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion. Repeated inhalative uptake of the substance did not cause substance-related effects. The substance may cause damage to the peripheral nervous system after repeated ingestion of high doses. The substance may cause damage to the central nervous system after repeated ingestion of high doses.

Genetic toxicity

Page: 7/11 (30595255/SDS_GEN_US/EN)

Revision date : 2018/08/16 Version: 3.0 (305952)

Page: 8/11 (30595255/SDS GEN US/EN)

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of carcinogenicity: The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen. The whole of the information assessable provides no indication of a carcinogenic effect.

Information on: 2-butoxyethanol

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. A clear indication of an increased risk of cancer in humans has so far not been shown. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of reproduction toxicity: The potential to impair fertility cannot be excluded when given at high doses.

Significant overexposure during pregnancy may cause birth defects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Ethanol

Assessment of teratogenicity: At high doses there are indications of a developmental effect. A teratogenic potential cannot be excluded.

Information on: 2-butoxyethanol

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

Other Information Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms.

Revision date : 2018/08/16 Version: 3.0 Page: 9/11 (30595255/SDS_GEN_US/EN)

Toxicity to fish No data available.

Aquatic invertebrates No data available.

Aquatic plants No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components. Colourants are by their nature very stable and are therefore not readily biodegradable under conditions prevailing in surface water or in effluent treatment plants.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested.

<u>Bioaccumulation potential</u> Significant accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> Adsorption to solid soil phase is expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Revision date : 2018/08/16 Version: 3.0

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313: CAS Number 111-76-2	Chemical name 2-butoxyethanol		
CERCLA RQ 100 LBS	<u>CAS Number</u> 64-17-5	<u>Chemical name</u> Ethanol	
State regulations State RTK	CAS Number	Chemical name	

State KIK	CAS Nulliber	
PA	111-76-2	2-butoxyethanol
	64-17-5	Ethanol
MA	111-76-2	2-butoxyethanol
	64-17-5	Ethanol
NJ	64-17-5	Ethanol
	111-76-2	2-butoxyethanol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHANOL IN ALCOHOLIC BEVERAGES, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/08/16

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2018/08/16 Version: 3.0

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS. DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET