

SAFETY DATA SHEET

Anthem® Herbicide

SDS # : 6927-A
Revision date: 2016-05-26
Format: NA
Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Anthem® Herbicide

Other means of identification

Product Code(s) 6927-A

Synonyms FLUTHIACET-METHYL: Acetic acid, [[2-chloro-4-fluoro-5-[(tetrahydro-3-oxo-1H,3H-[1,3,4]thiadiazolo [3,4-alpha] pyridazin-1-ylidene) amino] phenyl] thio]-, methyl ester (CAS); methyl [(2-chloro-4-fluoro-5-{[(1E)-3-oxo-5,6,7,8-tetrahydro-1H,3H-[1,3,4]thiadiazolo[3,4-a]pyridazin-1-ylidene]amino} phenyl)sulfanyl]acetate (IUPAC);
PYROXASULFONE:
3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethylisoxazole (CAS);
3-[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)pyrazol-4-ylmethylsulfonyl]-4,5-dihydro-5,5-dimethyl-1,2-oxazole (IUPAC)

Active Ingredient(s) Pyroxasulfone, Fluthiacet-methyl

Chemical Family Sulfonyloxazoline, Imine chemicals

Alternate Commercial Name F9310-6 SE Herbicide

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)
For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 2
-----------------	------------

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW**

<p>Danger</p> <p>Hazard Statements H351 - Suspected of causing cancer</p> 
--

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Sulfonyloxazoline, Imine chemicals.

Chemical name	CAS-No	Weight %
Pyroxasulfone	447399-55-5	22.61
Fluthiacet-methyl	117337-19-6	0.69
2-Methylnaphthalene	91-57-6	<10
Naphtha (petroleum), heavy aromatic	64742-94-5	<10
Propylene glycol	57-55-6	5-10
1-Methylnaphthalene	90-12-0	<7
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	None known.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Foam. Carbon dioxide (CO ₂). Dry chemical. Water spray or fog.
Specific Hazards Arising from the Chemical	
Explosion data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	See Section 12 for additional Ecological Information.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m ³ aerosol only TWA: 50 ppm aerosol and vapor TWA: 155 mg/m ³ aerosol and vapor	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and headgear.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	liquid
Physical State	Liquid
Color	No information available
Odor	No information available
Odor threshold	No information available
pH	4.01 at 23.3 degrees C as determined in a 1.08% suspension in water
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	> 100 °C
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	9.24 lb/gal
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	508.5 @ 25 °C
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	> 5000 mg/kg (rat)
LD50 Dermal	> 5000 mg/kg (rat)
LC50 Inhalation	> 2.02 mg/L (rat)
Serious eye damage/eye irritation	Slight irritation (rabbit).
Skin corrosion/irritation	Moderately irritating (rabbit).

Sensitization Non-sensitizing

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Effects are expected to be similar to those that are seen with acute toxicity.
Mutagenicity Pyrozasulfone, Fluthiacet-methyl: Not genotoxic in laboratory studies,
Carcinogenicity Fluthiacet-methyl caused increases in benign tumors of pancreas in male rats at highest dose, along with pancreatic and liver toxicity. Increase in liver tumors at two highest doses in male mouse, along with hepatotoxicity, that could both be secondary to porphyria. New data indicates that there is no human risk.

Neurological effects Fluthiacet-methyl: Not neurotoxic.
Reproductive toxicity Fluthiacet-methyl: No toxicity to reproduction in animal studies.
Developmental toxicity Fluthiacet-methyl: A slight delay in fetal development in the rat, with no effects in the rabbit.
STOT - single exposure Not classified.
STOT - repeated exposure Not classified.
Target organ effects Fluthiacet-methyl: Liver bone marrow spleen pancreas lymphatic system Hematopoietic system uterus blood

Neurological effects Fluthiacet-methyl: Not neurotoxic.
Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION**Ecotoxicity**

43.31501% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Pyrozasulfone (447399-55-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Pyrozasulfone	96 h LC50	Rainbow trout	>2.2	mg/L
	96 h LC50	Bluegill sunfish	>2.8	mg/L
	48 h EC50	Daphnia magna	>4.4	mg/L
	96 h LC50	Algae	0.00079	mg/L

Fluthiacet-methyl (117337-19-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Fluthiacet-methyl	72 h LC50	Algae	0.00251	mg/L
	96 h LC50	Fish	0.043	mg/L
	48 h EC50	Crustacea	2.3	mg/L
	21 d NOEC	Fish	0.0027	mg/L
	21 d NOEC	Crustacea	0.035	mg/L

Persistence and degradability Fluthiacet-methyl: Non-persistent. Does not readily hydrolyze.**Bioaccumulation** Fluthiacet-methyl: The substance does not have a potential for bioconcentration.

Mobility Fluthiacet-methyl: Slightly mobile. Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not reuse or refill this container.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

TDG

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Marine Pollutant Pyroxasulfone, Fluthiacet-methyl.
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Pyroxasulfone, Fluthiacet-methyl), 9, PG III

ICAO/IATA

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Pyroxasulfone, Fluthiacet-methyl), 9, PG III

IMDG/IMO

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Pyroxasulfone, Fluthiacet-methyl
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Pyroxasulfone, Fluthiacet-methyl), 9, PG III

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No

Anthem® Herbicide

SDS # : 6927-A
Revision date: 2016-05-26
Version 1.03

Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Naphthalene 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

*ANTHEM may cause substantial, but temporary, eye injury.
 This pesticide is toxic to fish, aquatic invertebrates, and to some plants at very low concentrations.*

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Methylnaphthalene 91-57-6	X		
Propylene glycol 57-55-6	X		X
1-Methylnaphthalene 90-12-0	X	X	X
Naphthalene 91-20-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
2-Methylnaphthalene 91-57-6	X	X	X	X	X		X	X
Naphtha (petroleum),	X	X	X	X	X	X	X	X

heavy aromatic 64742-94-5								
Propylene glycol 57-55-6	X	X	X	X	X	X	X	X
1-Methylnaphthalene 90-12-0	X	X	X	X	X		X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X

Mexico - Grade Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

WHMIS Hazard Class D2A - Very toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date: 2016-05-26
 Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo and Cadet - Trademarks of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet