

SECTION 1: Product Identification

Product Identifier: Aquisync

Synonyms: Non-ionic soil surfactant

CAS number: Mixture no single CAS number available

Product/Unity #: 1660706, 1660714

Manufactured for: Winfield Solutions, LLC

Address: PO Box 64589, St. Paul, MN 55164

Phone: 855-494-6343 (Mon-Fri 8am-5pm Central Standard Time)

Emergency Phone: 877-424-7452 (24 Hours)

**FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:
CHEMTREC 1-800-424-9300 (24 Hours)**

Date Prepared: 05-09-2017

Recommended Use: Surfactant used to reduce and prevent hydrophobicity formation in the soil

SECTION 2: Hazard(s) Identification

Hazard Classification: Irritant

Signal Word: Warning

Hazard Statement: Irritant to eyes, skin, and ingestion.



Pictograms:

Precautionary Statement: Use proper gloves/goggles when handling and wash hands before touching eyes or eating. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national and international regulations.

SECTION 3: Composition/Information on Ingredients

Chemical Name: Proprietary

Common Name: N/A

CAS #: Proprietary

Percentage: 100%

Contents of chemical name and hazardous compounds are a trade secret as allowed by 29 CFR 1910.1200 (i) 1.

SECTION 4: First Aid Measures

Routes of Exposure: Ingestion, eyes and skin

Symptoms

Ingestion: Overexposure may cause diarrhea, nausea, and vomiting.

Eyes: Overexposure causes excessive watering, redness.

Skin: Overexposure may cause itching and redness similar to a rash.

First Aid

Ingestion: Contact physician or poison control center. If victim is conscious and able to swallow, quickly give water or milk to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Do not induce vomiting. Seek medical attention if necessary.

Eyes: Flush immediately with copious amounts of water. Continue flushing for at least 15 minutes and seek medical attention.

Skin: Wash exposed areas with soap and water. If itching and redness persist, seek medical attention.

SECTION 5: Fire-Fighting Measures

Extinguishing Data: Use water or carbon dioxide
Special Procedures: Use water spray to cool drums exposed to fire
Unusual Fire & Explosive Hazards: Firefighters should use self-contained breathing apparatus to avoid And exposure to smoke and gasses.

SECTION 6: Accidental Release Measures

Personal Precautions: Ensure cap is sealed tightly. Do not puncture container. Keep away from sharp objects and use caution around forklifts.
Cleanup Procedures: Cover drains. Immediately apply absorbent product like clay or Speedy Dry. Continue applying until spill has been absorbed. Place contents into recovery drum. Block off area to avoid slipping. Consult local, state, and federal regulations before disposing this material/recover drums.

SECTION 7: Handling & Storage

Precautions for Safe Handling: No special requirements.
Storage Recommendations: Ensure cap is re-applied. No special requirements.

SECTION 8: Exposure Controls / Personal Protection

Respiratory Protection: Needed if working in a poor-ventilated environment
Ventilation: Ensure adequate ventilation in working area
Protective Gloves: Chemical-resistant rubber gloves recommended
Eye Protection: Chemical goggles recommended
Other Equipment: Eye wash and safety shower in the work area
Work/Hygienic Practices: Avoid contact with eyes and skin, wash thoroughly after handling

SECTION 9: Physical & Chemical Properties

Appearance:	Cloudy – White liquid	Flammable Limits:	Not established
Odor:	Bland odor	Vapor Pressure:	N/A
Odor Threshold:	N/A	Vapor Density:	Not applicable
pH:	6.5-7.5 at 5% wt	Relative Density:	N/A
Melting/Freezing Point:	N/A	Solubility:	Soluble in water
Boiling Point:	> 100° C	Partition coefficient:	N/A
Flash Point, F, COC	>200	Auto-ignition Temperature:	N/A
Evaporation Rate:	N/A	Decomposition Temperature:	N/A
Flammability:	N/A	Specific Gravity:	1.024

Reactivity: Avoid contact with strong oxidizing agents
Chemical Stability: Stable
Hazardous Polymerization: Will not occur
Conditions to be avoided: N/A
Classes of Incompatible Materials: Strong oxidizing agents
Hazardous Decomposition Products: N/A

SECTION 11: Toxicological Information

Routes of Exposure: Ingestion, eyes and skin contact
Delayed/Immediate/Chronic effects from short- and long-term exposure: N/A
Numerical Measures of Toxicity: This product has not been tested. Information provided here has been derived From substances/products of similar structure or composition.

Oral LD50 (mg/kg body weight): <50 Category 3 <300
Dermal LD50 (mg/kg body weight): Not applicable information is available
Skin: Category 2 (skin irritant)
Eye: Category 2B (fully reversible within 7 days)
Vapors (mg/L): No applicable information is available
Gases (ppmV): No applicable information is available
Carcinogenicity: No component of this product presents at level $\geq 0.1\%$ is
Identified as a carcinogen or potential carcinogen by OSHA
See Section 4. First Aid Measures

Description of Symptoms:

Listed in NTP Report on Carcinogens: No

SECTION 12: Ecological Information

Environmental Impact: N/A

SECTION 13: Disposal Considerations

Consult local, state, and federal regulations before disposing this material.

SECTION 14: Transport Information

UN Number:	N/A	Environmental Hazards:	N/A
UN Shipping Name:	N/A	Guidance on Transport in Bulk:	N/A
Transport Hazard Class:	N/A	Special Precautions:	N/A
Packing Group Number:	N/A		

SECTION 15: Regulatory Information

Department of Transportation: DOT classification - cleaning compound, non-hazardous material

SECTION 16: Other Information

This Aquisync SDS was prepared May 9, 2017

The information presented herein is believed to be factual, as it has been derived from the works of qualified experts; however, nothing contained in this SDS to be taken as a warranty. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

WINFIELD SOLUTIONS, LLC
PO BOX 64589 • St. Paul, MN 55164 • 855-494-6343