

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture
Trade Names Ariston
CAS No. Mixture

EPA Identification Number EPA Reg. No. 60063-53

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Fungicide

Uses Advised Against It is a violation of Federal law to use this product in a manner

inconsistent with its labeling.

Details of the supplier of the safety data sheet

Company Identification Sipcam Agro USA, Inc.

2525 Meridian Parkway Durham, NC 27713 United States of America

Telephone (919) 226-1195

Emergency telephone number

Emergency Phone No. CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887

(Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Acute Tox. 2; Skin Sens. 1B; Carc. 2; Repr. 2; STOT SE 3; STOT RE 2

Label elements

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS) and for workplace labels of non pesticide chemicals. The labeling information below applies to non-pesticide workplace labels. For pesticide label information, refer to Section 15.

Hazard Symbol(s)

Hazard Statement(s)



Signal Word(s)

Fatal if inhaled (Aerosol).

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging the unborn child. May cause respiratory irritation (Aerosol).

May cause damage to organs through prolonged or repeated exposure: Blood,

Thymus

Revision: January 3, 2022 Page: 1/9



Precautionary Statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

Wash hands and exposed skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing is laboured, administer oxygen. Treat symptomatically.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF ON SKIN: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Treat symptomatically. Contaminated clothing should be laundered before reuse.

IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice. Observe directions on label and instructions for use. See Also Section 15.

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Additional Information

Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Chlorothalonil	~ 38	1897-45-6	Acute Tox. 2; H330 Eye Dam. 1; H318 Skin Sens. 1B; H317 Carc. 2; H351 STOT-SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Cymoxanil	~ 5	57966-95-7	Acute Tox. 4; H302 Skin Sens. 1; H317 Repr. 2; H361d STOT- RE 2; H373 Aquatic Acute 3; H402 Aquatic Chronic 1; H410

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Revision: January 3, 2022 Page: 2/9



Inhalation Remove person to fresh air and keep comfortable for breathing. Immediately

call a POISON CENTER/doctor. If breathing is laboured, administer oxygen.

Treat symptomatically.

Skin Contact Take off immediately all contaminated clothing. Gently wash with plenty of

soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Treat symptomatically. Contaminated clothing should be laundered

before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion Do not give anything by mouth to an unconscious person.Get medical

advice/attention if you feel unwell. Rinse mouth.

Most important symptoms and effects, both

acute and delayed

Fatal if inhaled. May cause an allergic skin reaction.

Indication of any immediate medical attention

and special treatment needed

Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or water spray.

-Unsuitable Extinguishing Media None known.

Special hazards arising from the substance or mixture Combustion or thermal decomposition will evolve toxic and irritant

vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds. Decontaminate equipment or materials

used in pesticide fires.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Do not get i

emergency procedures

Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist/vapours/spray. Wear suitable respiratory protective equipment if exposure to high levels of material are likely.

Environmental precautions Observe directions on label and instructions for use. See Also

Section 15.

Methods and material for containment and cleaning up

Observe directions on label and instructions for use. See Also

Section 15.

Reference to other sections Observe directions on label and instructions for use. See Also

Section 15.

Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Do not breathe mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection. Wash hands and exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Observe directions on label and instructions for use. See Also Section 15.

Revision: January 3, 2022 Page: 3/9



Conditions for safe storage, including any incompatibilities

-Storage temperature Store at room temperature. Do not allow material to freeze. -Incompatible materials Strong oxidising agents. Substances that react with water.

Specific end use(s) Fungicide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL	TLV	
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:
None						

Exposure controls

Appropriate engineering controlsDo **NOT** aerosolize or atomize to produce inhalable-size particles.

Use low-pressure course spray only. Observe directions on label and

instructions for use. See Also Section 15.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)

Gloves. Observe directions on label and instructions for use. See Also Section 15.

Respiratory protection Observe directions on label and instructions for use. See Also Section

15.



Thermal hazards Not normally required.

Environmental Exposure ControlsDo not allow to enter drains, sewers or watercourses. Observe directions on label and instructions for use. See Also Section 15.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid
Colour. White
Odour Mild

Odour Threshold (ppm) Not available.

pH (Value) 3.67

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C):

Flash Point (°C)

Evaporation rate

Not available.

Not available.

Not available.

Not available.

Not available.

Revision: January 3, 2022 Page: 4/9

SIPCAM AGRO USA, INC.

Ariston

Explosive Limit Ranges

Vapour pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C) Decomposition Temperature (°C)

Kinematic Viscosity (cSt) Explosive properties Oxidising properties

Other information

Not available. Not available.

Not available.

1.2074-1.238 g/mL Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

Not explosive. Not oxidising.

Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Chemical stability

Possibility of hazardous reactions

Conditions to avoid Incompatible materials

Hazardous decomposition product(s)

No hazardous reactions known if used for its intended purpose.

Stable under normal conditions.

None anticipated.

Incompatible materials

Strong oxidising agents. Alkalis. Acids. Substances that react with water.

Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and

chlorinated compounds. Decontaminate equipment or materials used in

pesticide fires.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Substances

Not applicable

Mixtures

Oral: LD50 >5000 mg/kg-bw (rat) Acute toxicity

Dermal: LD50 >5050 mg/kg-bw (rat) Inhalation: LC50 >2.12 mg/L (rat)(Aerosol)

Skin corrosion/irritation Unlikely to cause skin irritation. Serious eye damage/irritation Unlikely to cause eye irritation.

Respiratory or skin sensitization Not available. Germ cell mutagenicity Not available. Carcinogenicity Not available. Reproductive toxicity Not available. STOT - single exposure Not available. STOT - repeated exposure Not available. Aspiration hazard Not available.

Substances in preparations / mixtures

Chlorothalonil (CAS#1897-45-6):

Acute toxicity Oral: LD50 ~3260 mg/kg-bw (rat)

Dermal: LD50 ~2020 mg/kg-bw (rat)

Inhalation: LC50 0.1 mg/L (4 hr) (rat) (Inhalable Dust) - May cause

respiratory irritation

Irritation/Corrosivity Causes serious eye damage.

Page: 5/9 Revision: January 3, 2022



Sensitization Based on reliable animal studies, the substance is not a skin sensitizer

except possibly in the presence of a carrier solvent such as acetone. The substance may be a weak skin sensitizer based on a relatively small number of physician's clinical reports from exposed workers and, therefore, the potential for skin sensitization cannot be completely ruled

out.

Repeated dose toxicity

Not to be expected.

Carcinogenicity Suspected of causing cancer.

NTP	IARC	ACGIH	OSHA
Animal carcinogen	2B	No.	No.

Mutagenicity Not to be expected. Reproductive toxicity Not to be expected.

Cymoxanil (CAS# 57966-95-7):

Acute toxicity (60% active)

Oral: LD50 = 433 mg/kg-bw (rat)

Dermal: LD50 >5000 mg/kg-bw (rat)

Inhalation: LC50 = 5.01 mg/L (4 hr) (rat) (Inhalable Dust)

Irritation/Corrosivity Unlikely to cause eye irritation. Unlikely to cause skin irritation.

Sensitization Not to be expected.

Repeated dose toxicity

May cause damage to organs through prolonged or repeated exposure:

Blood, Thymus. LOEL (Oral, dog) = 100 ppm

Carcinogenicity Not to be expected.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity Not to be expected.

Reproductive toxicity Suspected of damaging the unborn child. NOEL = 4 mg/kg-day

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chlorothalonil (CAS# 1897-45-6):

Short term LC50 (96 hour): 0.012 mg/L(fish)

EC50 (48 hour): 0.0342 - 0.143 mg/L (crustacea)

Long Term Very toxic to aquatic life with long lasting effects.

Cymoxanil (CAS# 57966-95-7):

Short term (60% active) LC50 (96 hour): 29 mg/L(fish)

EC50 (48 hour): 10.7 mg/L (Daphnia magna)

EC50 (72 hour): >10 mg/l (Pseudokirchneriella subcapitata)

Long Term NOEC (21 days): 0.067 mg/L (Daphnia magna)

Persistence and degradability Part of the components are poorly biodegradable.

Bioaccumulative potentialNot determined.Mobility in soilNot determined.Results of PBT and vPvB assessmentNot classified as PBT.

Other adverse effects None known.

Revision: January 3, 2022 Page: 6/9



SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for advice. Observe directions on label and instructions for use. See Also

Section 15.

Additional Information None known

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT) *	Sea transport (IMDG)	Air transport (ICAO/IATA)		
UN number	Not classified as dangerous	UN 3082	UN 3082		
Proper Shipping Name for transport. *		Environmentally hazardous substance, liquid, n.o.s. (Chlorothalonil & Cymoxanil)			
Transport hazard class(es)		9	9		
Packing group		III	III		
Hazard label(s)		Marine Pollutant	Marine Pollutant		
Environmental hazards		Yes	Yes		
Special precautions for user		None Assigned	None Assigned		

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: This is a registered pesticide product regulated under Federal Insecticide, Fungicide, and Rodenticide Act and, therefore, the components of this product are not subject to listing on the TSCA inventory.

EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This is a pesticide product registered with the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing.

Personal Protective Equipment (PPE):

Mixers, loaders, applicators must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Potatoes

- Mixers/Loaders supporting aerial applications for potatoes must wear chemical resistant gloves such as nitrile rubber, neoprene rubber, barrier laminate, polyvinyl chloride (PVC), or viton.

Mechanical Pressurized Handgun

- Mixer, loaders, applicators using mechanically-pressurized handguns must also wear chemical resistant gloves such as nitrile rubber, neoprene rubber, barrier laminate, polyvinyl chloride (PVC), or viton.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them.

Revision: January 3, 2022 Page: 7/9

^{*} For bulk shipments in U.S., can be shipped as UN3082, Environmentally hazardous substance, liquid, n.o.s. (Chlorothalonil & Cymoxanil), 9, PG III



Engineering Controls:

Pilots must use an enclosed cab that meets the definition listed in the WPS for agricultural pesticides [40 CFR 170.305]

Environmental Hazards:

This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment washwater or rinsate.

Ground Water Advisory

Chlorothalonil degradates are known to leach through soil into ground water under certain conditions as a result of label use. Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Surface Water Advisory

Chlorothalonil can contaminate surface water through spray drift. DO NOT apply when weather conditions favor drift from treated areas. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.

The pesticide label also includes other important information, including directions for use.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories: See SECTION 2 - HAZARDS IDENTIFICATION

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.	
Chlorothalonil	1897-45-6	~ 38	

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None				

Proposition 65 (California):

· · · · · · · · · · · · · · · · · · ·						
Chemical Name	CAS No.	Typical %wt.	Hazards			
Chlorothalonil	1897-45-6	~ 38	Cancer			

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

Date of preparation: November 30, 2021

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H302: Harmful if swallowed .-
- H330: Fatal if inhaled.
- H335: May cause respiratory irritation.
- H351: Suspected of causing cancer.
- H361d: Suspected of damaging the unborn child.
- H373: May cause damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H402: Harmful to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Revision: January 3, 2022 Page: 8/9

SIPCAM AGRO

USA, INC.

Ariston

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Sipcam Agro USA, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Sipcam Agro USA, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: January 3, 2022 Page: 9/9