



# Recommendation

## FIFRA SECTION 2(ee) RECOMMENDATION

### **ASSAIL<sup>®</sup> 30SG Insecticide** **EPA Reg. No. 8033-36-70506**

#### **FOR CONTROL OF LYGUS IN POTATOES** **FOR USE AND DISTRIBUTION IN ALL STATES EXCEPT ALASKA,** **CALIFORNIA AND HAWAII**

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by US EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable instructions, restrictions, and precautions on the EPA-approved label. This label and the federally registered label must be in the possession of the user at the time of pesticide application.

SITE	PEST	DOSAGE PER ACRE		USE DIRECTIONS
		POUNDS ACTIVE	OUNCES ASSAIL 30SG	
Potatoes	Lygus	0.075 lbs ai	4.0 oz	Apply in a minimum finished spray volume of 5 gallons per acre by air or 20 gallons per acre by ground.  Begin applications when pest treatment thresholds have been reached.  Thorough coverage is important to obtain optimum control.

#### **RESTRICTIONS:**

- Do not make a foliar ASSAIL 30SG application following a seed treatment application of acetamiprid in the same crop.
- Do not make more than 4 applications per calendar year.
- Do not apply more than once every 7 days.
- Do not apply less than 7 days before harvest (PHI = 7 days).
- Do not exceed a total of 16.0 ozs. of ASSAIL 30 SG (0.3 lb. ai) per acre per calendar year.
- There are no rotational crop plantback restrictions for this product.

Rev.12/3/2020