

**SAFETY DATA SHEET**  
Authority® First DF Herbicide

SDS # : 6150-A  
Revision date: 2020-03-04  
Format: NA  
Version 1.04



**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Identifier**

**Product Name** Authority® First DF Herbicide

**Other means of identification**

**Product Code(s)** 6150-A

**Synonyms**

SULFENTRAZONE (FMC 97285):  
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)  
methanesulfonanilide (IUPAC name);  
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-  
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name);  
  
, CLORANSULAM-METHYL:  
N-(2-carbomethoxy-6-chlorophenyl)-5-ethoxy-7-fluoro(1,2,4)triazolo-[1,5-c]pyrimidine-2-sulf  
onamide

**Active Ingredient(s)** Sulfentrazone, Cloransulam-methyl

**Chemical Family** Triazolinones, Triazolopyrimidine sulfonanilide

**Recommended use of the chemical and restrictions on use**

**Recommended Use:** Herbicide

**Restrictions on Use:** Use as recommended by the label.

**Supplier Address**

FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104  
(215) 299-6000 (General Information)  
SDS-Info@fmc.com (E-Mail General Information)

**Emergency telephone number**

Medical Emergencies :  
1 800 / 331-3148 (U.S.A. & Canada)  
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

**2. HAZARDS IDENTIFICATION**

**Classification**

**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (repeated exposure)	Category 2
--	------------


**GHS Label elements, including precautionary statements**

**EMERGENCY OVERVIEW**

**Warning**

**Hazard Statements**  
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical Hazards**  
 May form combustible dust concentrations in air



**Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

P314 - Get medical advice/ attention if you feel unwell

**Precautionary Statements - Disposal**

P501: Dispose of contents/container as hazardous waste in accordance with local regulations.

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

Very toxic to aquatic life.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical Family** Triazolinones, Triazolopyrimidine sulfonanilide.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	61.4
Chloroansulam-methyl	147150-35-4	7.9
Toluene	108-88-3	<5

Synonyms are provided in Section 1.

**4. FIRST AID MEASURES**

**Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.

<b>Skin Contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>Ingestion</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.
<b>Most important symptoms and effects, both acute and delayed</b>	Central nervous system effects.
<b>Indication of immediate medical attention and special treatment needed, if necessary</b>	Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ).
<b>Large Fire</b>	Water spray. Foam.
<b>Unsuitable extinguishing media</b>	Avoid heavy hose streams.
<b>Specific Hazards Arising from the Chemical</b>	Finely dispersed particles can form explosive mixtures in air.
<b>Explosion data</b>	
<b>Sensitivity to Mechanical Impact</b>	No information available.
<b>Sensitivity to Static Discharge</b>	No information available.
<b>Protective equipment and precautions for firefighters</b>	As in any fire, wear self-contained breathing apparatus and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
<b>Other</b>	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

**7. HANDLING AND STORAGE**

<b>Handling</b>	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
<b>Storage</b>	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original

container.

Incompatible products None known

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Toluene (108-88-3)	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup>	Mexico: TWA 20 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> Skin

Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

**Hand Protection** Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

**Respiratory Protection** For dust, splash, mist or spray exposures, wear a filtering mask.

**Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance	Tan Granules
Physical State	Solid
Color	Tan
Odor	Musty
Odor threshold	No information available
pH	6-8
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	

<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Relative density</b>	No information available
<b>Specific gravity</b>	No information available
<b>Water solubility</b>	Dispersible in water
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	Fine dust dispersed in air may ignite
<b>Oxidizing properties</b>	No data available
<b>Molecular weight</b>	No information available
<b>Bulk density</b>	35 - 42 lb/cu ft

**10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	None under normal use conditions
<b>Chemical Stability</b>	Stable.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Excessive heat
<b>Incompatible materials</b>	None known.
<b>Hazardous Decomposition Products</b>	Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

**11. TOXICOLOGICAL INFORMATION**

Product Information

<b>LD50 Oral</b>	2,504 mg/kg (rat)
<b>LD50 Dermal</b>	> 5,000 mg/kg (rabbit)
<b>LC50 Inhalation (dust)</b>	> 4.9 mg/L 4 hr (rat)
<b>Serious eye damage/eye irritation</b>	Minimally irritating (rabbit).
<b>Skin corrosion/irritation</b>	Slightly irritating (rabbit).
<b>Sensitization</b>	Non-sensitizing

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Chloroansulam-methyl (147150-35-4)	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	
Toluene (108-88-3)	= 2600 mg/kg ( Rat )	= 12000 mg/kg ( Rabbit )	= 12.5 mg/L ( Rat ) 4 h

Information on toxicological effects

**Symptoms** Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic toxicity** Chronic exposure to silica dust may increase the risk of developing pneumoconiosis or silicosis, chronic diseases affecting the lungs, characterized by labored breathing, cough,

<p><b>Mutagenicity</b>  <b>Carcinogenicity</b>  <b>Neurological effects</b></p> <p><b>Reproductive toxicity</b>  <b>Developmental toxicity</b></p> <p><b>STOT - single exposure</b>  <b>STOT - repeated exposure</b>  <b>Target organ effects</b>  <b>Neurological effects</b></p> <p><b>Aspiration hazard</b></p>	<p>reduction of work capacity, reduction of lung capacity, heart enlargement and failure                  Sulfentrazone: Not genotoxic in laboratory studies.                  Sulfentrazone, Cloransulam-methyl: No evidence of carcinogenicity from animal studies.                  Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.                  Sulfentrazone, Cloransulam-methyl: No toxicity to reproduction in animal studies.                  Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity. Cloransulam-methyl: Not teratogenic in animal studies.                  Not classified.                  May cause damage to organs through prolonged or repeated exposure.                  Sulfentrazone: Hematopoietic system.                  Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.                  No information available.</p>
--	---

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		

**Legend:**  
 IARC (International Agency for Research on Cancer)  
 Group 3 - Not classifiable as to its carcinogenicity to humans

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

<b>Sulfentrazone (122836-35-5)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

<b>Chloroansulam-methyl (147150-35-4)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Cloransulam-methyl	LC50	Fish	>86	mg/L
	LC50	Daphnia magna	98	mg/L
	EC50	Algae	3.5-12	µg/L
	LD50 Oral	Bobwhite quail	>2200	mg/kg

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Toluene 108-88-3	72 h EC50: = 12.5 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: > 433 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 11.0 - 15.0 mg/L (Lepomis macrochirus) static 96 h LC50: 14.1 - 17.16 mg/L (Oncorhynchus mykiss) static 96 h LC50: 15.22 - 19.05 mg/L (Pimephales promelas) flow-through 96 h LC50: 5.89 - 7.81 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 50.87 - 70.34 mg/L (Poecilia reticulata) static 96 h LC50: = 12.6 mg/L (Pimephales promelas) static 96 h LC50: = 28.2 mg/L (Poecilia reticulata) semi-static 96 h LC50: = 5.8 mg/L (Oncorhynchus mykiss)	48 h EC50: 5.46 - 9.83 mg/L (Daphnia magna) Static 48 h EC50: = 11.5 mg/L (Daphnia magna)

		semi-static 96 h LC50: = 54 mg/L (Oryzias latipes) static	
Sodium Borate 1330-43-4	96 h EC50: 2.6 - 21.8 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: = 158 mg/L (Desmodosmus subspicatus)	96 h LC50: = 340 mg/L (Limanda limanda)	48 h LC50: 1085 - 1402 mg/L (Daphnia magna)
Sodium chloride 7647-14-5		96 h LC50: 4747 - 7824 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 5560 - 6080 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 6020 - 7070 mg/L (Pimephales promelas) static 96 h LC50: 6420 - 6700 mg/L (Pimephales promelas) static 96 h LC50: = 12946 mg/L (Lepomis macrochirus) static 96 h LC50: = 7050 mg/L (Pimephales promelas) semi-static	48 h EC50: 340.7 - 469.2 mg/L (Daphnia magna) Static 48 h EC50: = 1000 mg/L (Daphnia magna)
Sodium lignosulfonate 8061-51-6		48 h LC50: = 7300 mg/L (Oncorhynchus mykiss)	

**Persistence and degradability** Sulfentrazone: Persistent in soil. Does not readily hydrolyze. Not readily biodegradable.

**Bioaccumulation** Sulfentrazone, Cloransulam-methyl: The substance does not have a potential for bioconcentration.

**Mobility** Sulfentrazone: Mobile; Has potential to reach ground water.

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

**Contaminated containers and packages** Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

**14. TRANSPORT INFORMATION**

**DOT** This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

**TDG** Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

**UN/ID no** UN3077  
**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sulfentrazone, cloransulam-methyl)  
**Hazard class** 9  
**Packing Group** III  
**Marine Pollutant** Sulfentrazone. Cloransulam-methyl.  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Sulfentrazone, Cloransulam-methyl), 9, PGIII, Marine Pollutant

**ICAO/IATA**

**UN/ID no** UN3077  
**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sulfentrazone, cloransulam-methyl)  
**Hazard class** 9  
**Packing Group** III  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Sulfentrazone, Cloransulam-methyl), 9, PGIII, Marine Pollutant

**IMDG/IMO**

**UN/ID no** UN3077  
**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sulfentrazone, cloransulam-methyl)  
**Hazard class** 9  
**Packing Group** III  
**EmS No.** F-A, S-F  
**Marine Pollutant** Sulfentrazone, Cloransulam-methyl  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Sulfentrazone, Cloransulam-methyl), 9, PGIII, Marine Pollutant

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	<5	1.0

**SARA 311/312 Hazard Categories**

**Acute health hazard** No  
**Chronic health hazard** Yes  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene 108-88-3	1000 lb 454 kg	

**FIFRA Information**

*This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:*

**CAUTION**

*Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin.  
 This pesticide is toxic to marine/estuarine invertebrates.*

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.



<b>Chemical name</b>	<b>California Prop. 65</b>
Toluene - 108-88-3	Developmental

**U.S. State Right-to-Know Regulations**

<b>Chemical name</b>	<b>New Jersey</b>	<b>Massachusetts</b>	<b>Pennsylvania</b>
Toluene 108-88-3	X	X	X

**International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Toluene 108-88-3	X	X	X	X	X	X	X	X

**CANADA**

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards 1</b>	<b>Flammability 0</b>	<b>Instability 0</b>	<b>Special Hazards -</b>
<b>HMIS</b>	<b>Health Hazards 1*</b>	<b>Flammability 0</b>	<b>Physical hazard 0</b>	<b>Personal Protection X</b>

\*Indicates a chronic health hazard.

**NFPA/HMIS Ratings Legend**                      Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:**                                      2020-03-04  
**Reason for revision:**                              SDS sections updated

**Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared By:**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**