

AVICTA® DUO COTTON

Date: 1/14/2015
 Replaces: 8/26/2014

1. PRODUCT IDENTIFICATION

Product identifier on label: **AVICTA® DUO COTTON**
 Product No.: A16115A
 Use: Insecticide
 Manufacturer: Syngenta Crop Protection, LLC
 Post Office Box 18300
 Greensboro NC 27419
 Manufacturer Phone: 1-800-334-9481
Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Reproductive Toxicity: Category 2
 Specific Target Organ Toxicity: Drowsiness Category 3
 Oral: Category 3
 Inhalation: Category 2

Signal Word (OSHA): Danger

Hazard Statements: Toxic if swallowed
 Fatal if inhaled
 May cause drowsiness or dizziness
 Suspected of damaging fertility or the unborn child

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe mist, vapors, spray.
 Wash hands and face thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves, protective clothing, eye protection.
 In case of inadequate ventilation wear respiratory protection. See Section 8 Exposure Control/Personal Protection.
 If swallowed: Immediately call a poison center, doctor or Syngenta. Rinse mouth.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 If exposed or concerned: Get medical advice/attention.

AVICTA® DUO COTTON

Date: 1/14/2015
Replaces: 8/26/2014

Immediately call a poison center, doctor or Syngenta.
Call a poison center, doctor or Syngenta if you feel unwell.
Specific treatment is urgent (see Section 4 First Aid Measures).
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Glycerin	Glycerin	56-81-5	Trade Secret
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	59.5%
Abamectin	Abamectin	71751-41-2	12.4%
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	Thiamethoxam	153719-23-4	28.1%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Drowsiness or dizziness

Indication of immediate medical attention and special treatment needed:

Early signs of intoxication include dilation of pupils, muscular incoordination and muscular tremors. Toxicity following accidental ingestion of abamectin can be minimized by early administration of chemical adsorbents (e.g. activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals,

AVICTA® DUO COTTON

Date: 1/14/2015

Replaces: 8/26/2014

it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Glycerin	15 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable)	Not Established	Not Established	Not Applicable
Propylene Glycol	Not Established	Not Established	10 mg/m ³ TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Abamectin	Not Established	Not Established	0.02 mg/m ³ TWA	Syngenta

AVICTA® DUO COTTON

Date: 1/14/2015
 Replaces: 8/26/2014

Thiamethoxam	Not Established	Not Established	3 mg/m ³ TWA	Syngenta
--------------	-----------------	-----------------	-------------------------	----------

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

Control airborne active ingredient levels below the Syngenta Occupational Exposure Limit of 0.02 mg/m³ (8-hour time-weighted average). Use process enclosures, exhaust ventilation controls, good work practices and respiratory protection to minimize exposure to liquid mists or dust from dried product.

In case of emergency spills, use a NIOSH approved respirator with an organic vapor cartridge and any R, P or HE filter.

For more information, contact Syngenta Industrial Hygiene at 1-800-334-9481.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Beige opaque liquid

Odor: Slight aromatic

Odor Threshold: Not Available

pH: 6.7 (1% solution in deionized H₂O @ 77°F [25°C])

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 216°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Applicable

Flammability: Not Applicable

Vapor Pressure: Abamectin 7.5 x 10⁽⁻⁸⁾ mmHg @ 77°F (25°C)

Thiamethoxam 2 x 10⁽⁻¹¹⁾ mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 1.198 g/cm³ @ 68°F (20°C)

Solubility (ies): Abamectin 0.007 - 0.01 mg/l @ 68°F (20°C)

Thiamethoxam 4.1 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Applicable

Autoignition Temperature: 806°F

Decomposition Temperature: Not Available

Viscosity: Not Available

AVICTA® DUO COTTON

Date: 1/14/2015
Replaces: 8/26/2014

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
Chemical stability: Stable under normal use and storage conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to Avoid: None known.
Incompatible materials: None known.
Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATIONHealth effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Drowsiness or dizziness

Delayed, immediate and chronic effects of exposure: Drowsiness or dizziness

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	126.4 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 0.052 mg/l air - 4 hours
Eye Contact:	Practically Non-Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Abamectin: Experiments have shown reproductive toxicity effects on laboratory animals.

Thiamethoxam: Developmental: Not teratogenic in rats or rabbits.

Reproductive: No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction.

Chronic/Subchronic Toxicity Studies

Abamectin: Central nervous system effects in chronic/subchronic animal tests.

Thiamethoxam: Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after high acute and subchronic exposure in rats.

Carcinogenicity

Abamectin: Did not show carcinogenic effects in animal experiments.

Thiamethoxam: Classified as "not likely to be carcinogenic in humans" based on lifetime studies in mice and rats.

AVICTA® DUO COTTON

Date: 1/14/2015
Replaces: 8/26/2014

Chemical Name	NTP/IARC/OSHA Carcinogen
Glycerin	No
1,2-Propanediol	No
Other ingredients	No
Abamectin	No
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	No

Other Toxicity Information

None

Toxicity of Other Components

Glycerin

Repeated or prolonged exposure to concentrated solutions may result in dermatitis.

Other ingredients

Not Applicable

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Abamectin: Skin, eye, CNS

Thiamethoxam: Liver

Inert Ingredients

Glycerin: Skin

Other ingredients: Not Applicable

Propylene Glycol: CNS, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Abamectin:

Fish (Rainbow Trout) 96-hour LC50 3.6 ppb

Bird (Bobwhite Quail) LD50 Oral > 2000 mg/kg

Invertebrate (Water Flea) 48-hour EC50 0.34 ppb

Green Algae 9-day EC50 > 100 ppm

Bee (Contact) 48-hour LD50 0.41 ug/bee

Thiamethoxam:

Fish (Rainbow Trout) 96-hour LC50 > 100 ppm

Bird (Mallard Duck) LD50 Oral 576 mg/kg

Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm

Green Algae 4-day EC50 > 97 ppm

AVICTA® DUO COTTON

Date: 1/14/2015

Replaces: 8/26/2014

Environmental Fate

Abamectin:

The information presented here is for the active ingredient, abamectin.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Low mobility in soil. Mixes in water (after 24 h).

Thiamethoxam:

The information presented here is for the active ingredient, thiamethoxam.

Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Proper Shipping Name: Pesticides, Liquid, Toxic, N.O.S. (Abamectin)

Hazard Class: Class 6.1

Identification: UN 2902

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Pesticides, Liquid, N.O.S. (Abamectin), Marine Pollutant

Hazard Class: Class 6.1

Identification Number: UN 2902

Packing Group: PG III

Air Transport

Proper Shipping Name: Pesticides, Liquid, Toxic, N.O.S. (Abamectin)

Hazard Class: Class 6.1

Identification Number: UN 2902

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: May be fatal if inhaled or swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1321

EPCRA SARA Title III Classification:

AVICTA® DUO COTTON

Date: 1/14/2015
 Replaces: 8/26/2014

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 3
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 3
 Flammability: 1
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: E

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 3/11/2008

Revision Date: 1/14/2015

Replaces: 8/26/2014

Section(s) Revised: 2

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.