PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION: Harmful if swallowed. May For sale to and use only by Certified Applicators or cause irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and persons under their direct supervision and only for water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

This pesticide is toxic to birds and fish. Wildlife feeding on treated bait may be killed. Do not contaminate water by cleaning equipment or disposal of waste Do not feed to livestock or poultry. Do not mix with grain for livestock or poultry feed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not apply to food or feed crops. Do not grain or meat) might become contaminat-

eral game authorities before undertaking ally die. bird management with Avitrol. Investigate local laws that may prohibit

the use of any toxic chemical in bird con- KEEP OUT OF REACH OF CHILDREN trol.

Applicators shall wear gloves and use a

scoop when mixing, applying and broadcasting this product.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store only in original container If swallowed in a cool, dry location inaccessible to children and pets. Store apart from food or animal feed and protect against rodent penetration of the carton. Store apart from other pesticides, fertilizers, food or feed that may cause cross- contamination of odor or insect infestation.

Pesticide Disposal: Pesticide wastes are In Eyes acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Fiber Drums with Liners: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in sanitary landfill or by incineration if allowed by State and local authorities. If SPECIMEN LABEL drum is contaminated and cannot be reused, dispose of in the same manner.

RESTRICTED USE PESTICIDE DUE TO ACUTE AVIAN TOXICITY

Certification.



DOUBLE STRENGTH WHOLE CORN

Active Ingredient: 4-Aminopyridine Inert Ingredients: Total

1.0% 99.0% 100.0%

CAUTION

FIRST AID

Have label with you when obtaining treatment advice.

Call a poison control center, doctor or 1 800-424-9300 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center, doctor or 1-800-424-9300 immediately for treatment advice.

> Manufactured By **AVITROL CORPORATION** 7644 East 46th Street Tulsa, Oklahoma 74145-6370 (918) 622-7763 * (800) 633-5069 EPA Reg. No. 11649-8 EPA est. 11649-OK-1

PREBAITING DIRECTIONS

This product must not be applied where nontarget birds are feeding. Careful observations of the birds' feeding habits must therefore be those uses covered by the Certified Applicator's made to establish proper feeding locations and to determine that no nontarget birds are feeding on the prebait. Prebaiting with untreated grains of the same composition as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol.

DILUTION DIRECTIONS

Avitrol treated grain should be thoroughly mixed with untreated grain of the same composition as the Avitrol carrier at the dilution ratios indicated below. For the control of Crows with Avitrol, no dilution ratio less than one part treated to nine parts untreated bait is recommended.

BAITING DIRECTIONS

To obtain minimal mortality, the distribution of use where stored food or feed (such as Avitrol is a poison with flock alarming prop- Avitrol should be limited to scattered spot erties used for the control of Crows in, on or placements that will provide feeding opportu-Avitrol must not be exposed in any manner in the area of structures, feeding, nesting nities only for the necessary number of target that may endanger desirable and protect- and roosting sites, in such a way that a part birds. After the birds' feeding pattern has been ed bird species. If there is a question of of a flock may react and frighten the rest established through prebaiting, replace such hazard, consult local, state and fed- away. Birds that react and alarm a flock usu- untreated bait with diluted treated bait only at sites where the target birds are actively feeding. Do not apply treated bait to inactive feeding sites. Where uneaten bait may be a hazard to other birds or animals, it should be picked up at the end of each day. When this product is used in or around occupied buildings, pick up and dispose of dead birds by burial. This product must not be applied where nontarget bird species are feeding. During the first few days, baiting with Avitrol may require successive applications until control is obtained. Note that retreatment may also be necessary after rainfall.

> Notice: Buyer and/or user assumes all risks of use and/or handling of these materials contrary to label instructions.

7/29/2005