



Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro, NC 27419

In Case of Emergency, Call 1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name: **AXIAL STAR HERBICIDE** Product No.: A17712C

EPA Signal Word: Caution

Active Ingredient(%): Fluroxypyr (12.4%) CAS No.: 69377-81-7

Chemical Name: 4-Amino-3,5-Dichloro-6-Fluoro-2-Pyridyloxyacetic Acid

Chemical Class: Herbicide

Active Ingredient(%): Pinoxaden (4.9%) CAS No.: 243973-20-8

Chemical Name: Propanoic acid, 2,2-dimethyl-,8-(2,6-diethyl-4-methylphenyl)-1,2,4,5-tetrahydro-7-oxo-7H-

pyrazolo[1,2-d][1,4,5]oxadiazepin-9-yl ester

Chemical Class: Phenylpyrazoline Herbicide

EPA Registration Number(s): 100-1389 Section(s) Revised: 1

2. HAZARDS IDENTIFICATION

Health and Environmental

Harmful if inhaled. Irritating to eyes and skin. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be harmful if swallowed and enters airway.

Combustible liquid.

Hazardous Decomposition Products

Not Available

Physical Properties

Appearance: Light gold liquid

Odor: Aromatic

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Petroleum Solvent	Not Established	Not Established	100 mg/m³ (17 ppm) *	No
CGA185072 (< 2%)	Not Established	Not Established	10 mg/m³ TWA ***	No
Tetrahydrofurfuryl Alcohol (THFA)	Not Established	Not Established	0.5 ppm TWA ****	No
Pinoxaden (4.9%)	Not Established	Not Established	0.1 mg/m³ (ceiling) ***	No

Fluroxypyr (12.4%) Not Established Not Established No Established No

- * recommended by manufacturer
- *** Syngenta Occupational Exposure Limit (OEL)
- **** Recommended by AIHA (American Industrial Hygiene Association)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

Syngenta Hazard Category: D, S

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Medical Condition Likely to be Aggravated by Exposure

Not Available

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): 183°F (Pensky-Martens CC)

Flammable Limits (% in Air): Lower: Not Applicable Upper: Not Applicable

Autoignition Temperature: Not Available Flammability: Combustible liquid

Unusual Fire, Explosion and Reactivity Hazards

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use appropriate extinguishing media for combustibles in the area. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be

equipped with an eyewash facility and a safety shower.

Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber

or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation: A combination particulate/organic vapor respirator should be used until effective engineering controls are

installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH

certified respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light gold liquid

Odor: Aromatic
Melting Point: Not Available
Boiling Point: Not Available

Specific Gravity/Density: 1.014 g/cm³ @ 68°F (20°C)

pH: 6.1 (1% solution in deionized H2O @ 77°F [25°C])

Solubility in H2O

Fluroxypyr: 91 mg/l

Pinoxaden: 200 mg/l @ 77°F (25°C)

Vapor Pressure

Fluroxypyr: 2.8 x 10(-11) mmHg @ 68°F (20°C) Pinoxaden: 3.5 x 10(-9) mmHg @ 77°F (25°C)

10. STABILITY AND REACTIVITY

Stability: Stable under normal use and storage conditions.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Not Available

Materials to Avoid: Not Available
Hazardous Decomposition Products: Not Available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:

Oral (LD50 Female Rat): > 5000 mg/kg body weight

Dermal:

Dermal (LD50 Rat): > 5000 mg/kg body weight

Inhalation:

Inhalation (LC50 Rat) : > 2.54 mg/l air - 4 hours

Eye Contact: Moderately Irritating (Rabbit)
Skin Contact: Moderately Irritating (Rabbit)
Skin Sensitization: Sensitizing (Guinea Pig)

Reproductive/Developmental Effects

Fluroxypyr: In animal studies, has been shown not to interfere with reproduction.

Teratology (Birth Defects): Birth defects are unlikely. Exposures having no effect on the mother should have no effect on the fetus. Did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects to the mother.

Pinoxaden: Teratogenicity: Not teratogenic in rats or rabbits.

Reproduction: No reproductive effects observed.

Chronic/Subchronic Toxicity Studies

Fluroxypyr: Not Available

Pinoxaden: Subchronic: Predominantly kidney and liver effects at high doses.

Chronic: Predominantly kidney and liver effects at high doses. Neurotoxicity: No neurotoxic effects (acute or subchronic).

Carcinogenicity

Fluroxypyr: No indication of carcinogenicity, teratogenicity or mutagenicity.

Pinoxaden: No compound-related tumors in rats or mice.

Other Toxicity Information

None

Toxicity of Other Components

CGA185072 (< 2%)

Causes mild eye and skin irritation. Toxic if inhaled or swallowed. Allergic skin reactions are possible.

Petroleum Solvent

Repeated exposure may cause skin dryness or cracking. If swallowed, may be aspirated and cause lung damage. May be irritating to the eyes, nose, throat and lungs. May cause central nervous system depression.

Tetrahydrofurfuryl Alcohol (THFA)

Inhalation of vapors at high concentrations can cause central nervous system effects (dizziness, headache), irritation to eyes or respiratory tract. Chronic overexposure may affect the kidney.

Target Organs

Active Ingredients

Fluroxypyr: Not Available

Pinoxaden: Kidney
Inert Ingredients

CGA185072: Eye, skin, lung, digestive tract

Petroleum Solvent: Skin, eye, respiratory tract, CNS

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

Pinoxaden:

Fish (Rainbow Trout) 96-hour LC50 10.3 mg/l (Dynamic conditions)

Green Algae 72-hour ErC50 41 mg/l

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 52 mg/l

Fluroxypyr:

Bird (Bobwhite Quail) LD50 Oral > 2000 mg/kg

Invertebrate (Water Flea) Daphnia Magna EC50 0.499 mg/l

Fish (Rainbow Trout) LC50 Result is above water solubility

Green Algae EC50 Result is above water solubility

Environmental Fate

Fluroxypyr:

The information presented here is for the active ingredient, fluroxypyr.

In soil, fluroxypyr is rapidly degraded by micro-organisms in aerobic conditions to 4-amino-3,5-dichloro-6-fluoropyridin-2-ol, 4-amino-3,5-dichloro-6-fluoro-2-methoxypyridine, and CO2. Laboratory soil studies and field studies demonstrate there is no evidence of any significant leaching.

Pinoxaden:

The information presented here is for the active ingredient, pinoxaden.

Compound degrades rapidly in the environment with a DT50 of less than 5 days in field and laboratory studies.

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA Non-bulk containers: Not regulated.

Bulk containers: > 119 gal.

Proper Shipping Name: Compounds, Weed Killing, Liquid, (Fluroxypyr, Petroleum Solvent)

Hazard Class: Class 3

Identification Number: NA 1993

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fluroxypyr)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fluroxypyr)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Fire Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 304 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings	HMIS Hazard Ratings			0	Minimal
Health:	2	Health:	2	1	Slight
Flammability:	2	Flammability:	2	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
ž		•		4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 8/9/2010

Revision Date: 3/23/2011 Replaces:

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS