



AXILO®

BMZ RTU

GUARANTEED ANALYSIS

Boron (B)	0.09%
Manganese (Mn)	0.50%
Molybdenum (Mo)	0.05%
Zinc (Zn)	1.00%

Derived from: Boric Acid, Manganese EDTA, Sodium Molybdate, Zinc EDTA

KEEP OUT OF REACH OF CHILDREN

WARNING

Harmful if swallowed
May be harmful in contact with skin
Causes serious eye irritation
Causes skin irritation
Harmful if inhaled



NOTICE: Contains Boron. Boron is recommended for all crops where Boron may be deficient; however, excessive application to susceptible crops may cause damage. Contains Molybdenum. Plants containing excess amounts of Molybdenum are toxic to grazing ruminant animals.

WEIGHT PER GALLON: 8.81 Lbs. (4.00 kg) SN 040714/0120HAE

NET CONTENTS: □ 250 Gals. (9.46 L)

□ Bulk

F002593

MANUFACTURED FOR

HELENA AGRI-ENTERPRISES, LLC
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TN 38017
901-761-0050

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES.

Harmful if swallowed. May be harmful in contact with skin. Causes serious eye irritation. Causes skin irritation. Harmful if inhaled. Keep product locked up and out of the reach of children. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse. Do not take internally. Avoid contact with or inhalation of spray application mist if present. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product(s) labeling. Not for human or animal consumption.

Personal Protective Equipment (PPE): Wear protective eyewear (goggles or face shield), chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks when using this product. Take off any contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES:

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a POISON CENTER or doctor immediately.
- Rinse mouth. Do NOT induce vomiting.
- Do not give anything by mouth to an unconscious person.
- Immediately call a POISON CENTER or doctor.

IF INHALED:

- Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell.
- If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a POISON CENTER or doctor for treatment advice.

IF ON SKIN OR HAIR:

- Take off immediately all contaminated clothing. Rinse skin with water or shower.
- Get medical attention if irritation develops or persists.
- Wash contaminated clothing before reuse.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only. Keep container tightly closed. Do not allow water to be introduced into the contents of this container. Do not store near heat or open flame. Do not store with oxidizing agents or ammonium nitrate. Keep locked up and out of the reach of children.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and add rinse water to spray tank. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

For help in chemical emergencies involving spill, leak, fire or exposure, call toll free 1-800-424-9300.

DIRECTIONS FOR USE

(Use low rates for maintenance applications, middle rates for medium deficiencies and high rates for extreme deficiencies.)

FOLIAR APPLICATION

1. Can form a stable mixture with glyphosate, other pesticides and foliar fertilizers. See sections on "Directions for Mixing" and "Tank Mixes".
2. DO NOT apply this product when the crop is under water stress. Application after irrigation or rainfall is best.

SOIL APPLICATION

1. Can be used with starter fertilizers but mixture compatibility is unpredictable and is at the user's risk.
2. Jar testing is always recommended along with use the other products you plan to mix it with.

Crops	Rate	Application timing/comments
Field Row Crops – Including but not limited to: barley, beans (edible, field, snap, etc), corn (field, silage, seed, sweet, etc), cotton, peanuts, potatoes, rice, soybeans, sorghum (grain, sweet, etc), sugar cane, sugar beets, wheat etc.	1-8 quarts per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear.
Forage/Grass Crops – Including but not limited to: alfalfa, timothy, fescue, switchgrass etc.	1-8 quarts per broadcast acre	Apply maintenance (lower) during vegetative growth and then 14-21 days until deficiency symptoms disappear.

**CONDITIONS OF SALE—LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES**

Read the Conditions of Sale—Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full price will be refunded.

This label is believed to be reliable and must be followed carefully. Injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Agri-Enterprises, LLC (the "Company") or the seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Agri-Enterprises, LLC's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

AXILO® is a registered trademark of Valagro S.p.A.