3.0" SHORTLAP

4.0" GUSSET

Supreme Supreme Plus Trimec.

KILLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

Contains *TRIMEC_® Herbicide 1 Bag Covers 12,500 Sq. Ft.

See back panel for additional precautionary statements.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-jr.com

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986, requires notification of potential exposure to substances identified by the State of California as causing cancer, birth defects or other reproductive harm.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT
In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention.

*TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

Net Weight: 50 LBS. (22.68 Kg)

4.0" GUSSET





STOP! READ THE ENTIRE LABEL DIRECTIONS FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULL

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes, or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

FIRST AID

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present after the first 5 minutes, then continue rinsing.

Call a poison control center or doctor for treatment advice.

If on skin or clothing:

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Call a poison control center or doctor immediately for treatment advice.

Have a person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor.

If Inhaled:

 Move person to fresh air.
 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
 Call a poison control center or doctor for treatment advice.

 Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.
 ENVIRONMENTAL HAZARDS
 Drift of runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

GUARANTEED ANALYSIS: 16-6-8

TOTAL NITROGEN (N) 16.0% Ammoniacal Nitrogen 4B

AVAILABLE PHOSPHATE (P₂O₅) 6.0%
SULFUR (S) 16.0% Combined Sulfur (S)
IRON (Fe) 1.5%
ANAIGANESE (Mn) 0.2%
Derived from Monoammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Iron Oxysulfate and Manganese Oxide.

SPREADER SETTINGS Apply 4 lbs. per 1,000 sq.ft. SGN150

BEST® Pro 4B
Spyker / BEST® Models 34, 44, 64 3.7
Earthway 12
Lesco 13
Scotts R-8A (Cone 8) J½
Lely 1250 / Vicon visit www.bestfertilizer.com
NOTE: The above spreader settings are approximate. Check your spreader on 250 sq.ft. and adjust to apply at the rate of 1 lb. per 250 sq.ft. Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never apply by hand.

INSTRUCIONS

Turf Supreme Plus Trimec controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, 16-6-8 fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

2. Water lawn thoroughly at least 1 day before application.

3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass.

If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.

4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

WEEDS CONTROLLED

Bindweed, field Bull thistle Clover, white Henbit Oxalis Redstem filaree Speedwell Black medic Burclover Common mullein Knotweed Pigweed Russian pigweed Spotted spurge Black mustard Buttercup Curfy dock Lambsquarters Plantain Scarlet pimpernel Thistle Broadleaf dock Chickweed, mouseear Dandelion Morningglory Prostrate spurge Smooth dock Yarrow

USE PRECAUTIONS

Do not apply this product to dichondra or carpetgrass. Do not apply this product to Floratam, St. Augustine grass in Florida. Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

Storage: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or

Storage: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

Disposal: If empty: Do not reuse this container. Place in trash for recycling, if available. If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER: The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labelled use when applied according to the Directions for Use. THE MANUFACTURER NEITHER MAKES OR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law. The terms of the Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

J. R. SIMPLOT COMPANY, P.O. BOX 198, LATHROP, CA 95330



EXOPOCK

FREIGHT SHIPPING BAG

Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATIO

Guaranteed by
EXOPACK, LLC
Hanford, California



Exopack Graphics Center Cut in file Cut at output (DGC) Substitution of Case 145

Plant: Hanford Customer: JR Simplot Brand: 50# Best Turf Supreme 16-6-8

Date: 03-11-08

Dist: DGC: Plants proof is NOT accurate for color

CYLINDER DIRECTION