

SUPPLEMENTAL LABELING

TOLFENPYRAD	GROUP	21A	INSECTICIDE
	GROUP	39	FUNGICIDE



EPA Reg. No. 71711-36

For Use in Avocado

This supplemental labeling expires 03/31/2022 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for BEXAR[®] Insecticide before applying. Use of BEXAR Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for BEXAR Insecticide. New use directions appear on this supplemental labeling that may be different from those that appear on the container label.

APPLICATION RATE CHART FOR BEXAR INSECTICIDE

Avocado		
Pest	Rate/Acre	Use Directions
Ambrosia beetle Aphids Thrips, including avocado thrips Leafrollers	24.0 fl oz/acre (0.25 lb ai/acre)	<ul style="list-style-type: none"> Apply by air using a minimum of 50 gallons of water per acre. Apply by ground using a minimum of 50 gallons of water per acre. <p>USE RESTRICTIONS</p> <ul style="list-style-type: none"> Do not apply more than 72.0 fl oz (0.75 lb ai) per acre per year. Do not make more than 3 applications per year. Allow at least 7 days between applications. Preharvest Interval (PHI): 1 day

©2019 Nichino America, Inc. Bexar and Nichino America logo are registered trademarks of Nichino America, Inc.

NICHINO
AMERICA[®]

Nichino America, Inc.
4550 Linden Hill Road, Suite 501
Wilmington, DE 19808
888-740-7700