FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA

GROUP 21A INSECTICIDE



EPA Reg No. 71711-36

For Use on Hazelnut (Filbert) States: OR and WA Only

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling and the EPA approved container label must be in the possession of the user at the time of application.

Read the label affixed to the container for **BEXAR** Insecticide before applying. Use of **BEXAR** Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **BEXAR** Insecticide.

APPLICATION RATE CHART FOR BEXAR INSECTICIDE

Hazelnut (Filbert)		
Pest	Rate/Acre	Use Directions
		USE RESTRICTIONS
Hazelnut-Filbert	27.0	Do not apply by air.
Bud Mite	fl oz/acre	 Apply by ground only, using a minimum of 50 gallons of water per acre. Maintain a minimum of 25 feet of vegetative filter (buffer) strip. Do not apply by Alternate Row Middle (ARM) spray method. Do not apply more than 27.0 fluid ounces per acre per growing season. Do not make more than 1 application per growing season. Preharvest Interval (PHI): 14 days

©2017 Nichino America, Inc. Bexar and Nichino America logo are registered trademarks of Nichino America, Inc.

NICHINO AMERICA

Nichino America, Inc. 4550 Linden Hill Road, Suite 501 Wilmington, DE 19808 888-740-7700