SAFETY DATA SHEET



1. Identification

Product identifier Brandt GH Manganese

Other means of identification

Product code 20007

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co msds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage. May cause damage to organs through prolonged or repeated

exposure. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe mist or vapor. Avoid release to the environment. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 14.99% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------------------------|--------------------------|------------|------------|
| Manganese Sulfate, monohydrate | | 10034-96-5 | 10 - < 20* |
| Acetic Acid | | 64-19-7 | 1 - < 3* |
| Other components below reportable le | evels | | 80 - < 90 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention immediately. Continue rinsing.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation. Permanent eye damage including blindness could result. Prolonged exposure may cause

chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefight Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Type | Value | |
|---|---|-----------------------|----------------------|
| Acetic Acid (CAS 64-19-7) | PEL | 25 mg/m3 | |
| | | 10 ppm | |
| Manganese Sulfate, monohydrate (CAS 10034-96-5) | Ceiling | 5 mg/m3 | |
| US. ACGIH Threshold Limi | t Values | | |
| Components | Туре | Value | Form |
| Acetic Acid (CAS 64-19-7) | STEL | 15 ppm | |
| | TWA | 10 ppm | |
| Manganese Sulfate, monohydrate (CAS 10034-96-5) | TWA | 0.1 mg/m3 | Inhalable fraction. |
| , | | 0.02 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide t | o Chemical Hazards | | |
| Components | Туре | Value | Form |
| Acetic Acid (CAS 64-19-7) | STEL | 37 mg/m3 | |
| | | 15 ppm | |
| | TWA | 25 mg/m3 | |
| | | 10 ppm | |
| Manganese Sulfate, monohydrate (CAS 10034-96-5) | STEL | 3 mg/m3 | Fume. |
| | TWA | 1 mg/m3 | Fume. |
| ogical limit values | No biological exposure limits noted for | or the ingredient(s). | |
| | | | |

Biological limit values

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation.

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Use of an impervious apron is recommended. Other

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Aqueous solution.

Liquid. **Physical state** Liquid. **Form** Brown. Color **Burnt caramel** Odor

Not available. **Odor threshold** Not available. pН

Not available. Salt-Out / Crystallization Temp

Material name: Brandt GH Manganese

SDS US

827 Version #: 02 Revision date: 10-19-2015 Issue date: 07-31-2015

< 32 °F (< 0 °C) Melting point/freezing point Initial boiling point and boiling Not available.

range

Does not flash Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

1.23 g/cm3 (typical) Relative density

Solubility(ies)

Solubility (water) Miscible Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Pounds per gallon 10.3 lb/gal (typical)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure by inhalation.

Skin contact No adverse effects due to skin contact are expected.

Eve contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Product Test Results Species

Brandt GH Manganese (CAS Mixture)

Acute Dermal

LD50 Rabbit 60498.8281 mg/kg estimated

| Product | Species | Test Results |
|---------------------------|--------------------------|----------------------------------|
| Inhalation | | |
| LC50 | Rat | 650.6478 mg/l, 4 Hours estimated |
| Oral | | |
| LD100 | Mouse | 1946.3944 mg/kg estimated |
| LD50 | Rabbit | 68489.2422 mg/kg estimated |
| | Rat | 188.9162 g/kg estimated |
| Other | | |
| LD100 | Mouse | 931.7167 mg/kg estimated |
| LD50 | Mouse | 402.9316 mg/kg estimated |
| | Rabbit | 68489.2422 mg/kg estimated |
| Components | Species | Test Results |
| Acetic Acid (CAS 64-19-7) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 1060 mg/kg |
| Inhalation | | |
| LC50 | Guinea pig | 5000 mg/l, 1 Hours |
| | Mouse | 5620 mg/l, 1 Hours |
| | Rat | 11.4 mg/l, 4 Hours |
| Oral | | |
| LD50 | Mouse | 4960 mg/kg |
| | Rabbit | 1200 mg/kg |
| | Rat | 3.31 g/kg |
| Other | | |
| LD50 | Mouse | 525 mg/kg |
| | Rabbit | 1200 mg/kg |
| /langanese Sulfate, mono | hydrate (CAS 10034-96-5) | |
| Acute | | |
| Oral | | 205 # |
| LD100 | Mouse | 305 mg/kg |
| Other | | 440 |
| LD100 | Mouse | 146 mg/kg |
| LD50 | Mouse | 64 mg/kg |

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Not available.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

Harmful to aquatic life with long lasting effects. **Ecotoxicity**

| Product | | Species | Test Results |
|------------------------|-------------------|--------------------------------------|------------------------------------|
| Brandt GH Manganese | (CAS Mixture) | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 727.6589 mg/l, 48 hours estimated |
| Fish | LC50 | Fish | 3861.6577 mg/l, 96 hours estimated |
| Components | | Species | Test Results |
| Acetic Acid (CAS 64-19 | 9-7) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 65 mg/l, 48 hours |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 75 mg/l, 96 hours |
| Manganese Sulfate, mo | onohydrate (CAS 1 | 10034-96-5) | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia obtusa) | 30.8 - 44.1 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 36.9 mg/l, 96 hours |
| | | | 29.7 - 52.7 mg/l, 192 hours |

^{*} Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Acetic Acid -0.17

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

IMDG Regulated Marine Pollutant.

DOT

Not regulated as dangerous goods.

IATA

UN number UN3082

Environmentally hazardous substances, liquid, n.o.s. (Manganese Sulfate, monohydrate) **UN proper shipping name**

Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Forbidden.

aircraft

Forbidden. Cargo aircraft only

IMDG

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Manganese Sulfate, monohydrate)

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards**

> Yes Marine pollutant

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

General information IMDG Regulated Marine Pollutant.

IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic Acid (CAS 64-19-7) Listed. Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|--------------------------------|------------|-----------|--|
| Manganese Sulfate, monohydrate | 10034-96-5 | 10 - < 20 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Acetic Acid (CAS 64-19-7)

US. New Jersey Worker and Community Right-to-Know Act

Acetic Acid (CAS 64-19-7)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetic Acid (CAS 64-19-7)

US. Rhode Island RTK

Acetic Acid (CAS 64-19-7)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

| Country(s) or region | Inventory name On in | nventory (yes/no)* | | |
|--|--|--------------------|--|--|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes | | |
| Canada | Domestic Substances List (DSL) | Yes | | |
| Canada | Non-Domestic Substances List (NDSL) | No | | |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes | | |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes | | |
| Europe | European List of Notified Chemical Substances (ELINCS) | No | | |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes | | |
| Korea | Existing Chemicals List (ECL) | Yes | | |
| New Zealand | New Zealand Inventory | Yes | | |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes | | |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes | | |
| *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) | | | | |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

 Issue date
 07-31-2015

 Revision date
 10-19-2015

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision Information Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Component Summary Physical & Chemical Properties: Multiple Properties

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Other information, including date of preparation or last revision: Disclaimer

Material name: Brandt GH Manganese

SDS US

827 Version #: 02 Revision date: 10-19-2015 Issue date: 07-31-2015