

# Brandt<sup>®</sup> Silicone Spreader

Spreader • Wetting Agent

## Principal Functioning Agents:

Proprietary blend of Alcohol ethoxylate, Polysiloxane polyether copolymer and Propylene glycol . . . . . 100%

CA Reg. No. 48813-50008-AA

## DIRECTIONS FOR USE

BRANDT SILICONE SPREADER is a proprietary blend of organosilicone and non-ionic wetting agent. It is especially effective in post-emergent, nonselective herbicide sprays, but may be used with other crop protection products on agricultural, aquatic, forestry, turf and ornamental, industrial, structural and non-cropland sites. NOT FOR AQUATIC USE IN WASHINGTON.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT SILICONE SPREADER. Use according to the most restrictive label directions for each product in any tank mix.

**COMPATIBILITY:** BRANDT SILICONE SPREADER is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

**MIXING:** Fill spray tank 3/4 full of water and begin agitation. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Add the recommended amount of BRANDT SILICONE SPREADER. Minimal agitation of finished spray is recommended. For optimum results, use the spray solution within 36 hours after mixing. If spray solution has been allowed to stand, thoroughly agitate and remix before application. Thoroughly rinse the spray system with clean water after use to reduce corrosion.

**RECOMMENDATIONS:** Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

**As a Spray Adjuvant:** For all applications, use the higher rates with lower spray volumes.

**With herbicides, defoliants, desiccants:** Apply 12-64 fl.oz. per 100 gallons of spray solution.

**With acaricides, fungicides, insecticides, insect growth regulator:** Apply 6-16 fl.oz. per 100 gallons of spray solution.

**With plant growth regulators:** Apply 10-32 fl.oz. per 100 gallons of spray solution.

**With fertilizers:** Apply 10-32 fl.oz. per 100 gallons of spray solution. Not a plant food ingredient.

**As a Soil Wetting Agent:** Apply 12-32 fl.oz. per 100 gallons and spray at 1-2 gallons per 1000 sq. ft. Repeat as needed to overcome hydrophobic soil condition. Irrigation is not needed, but will help incorporate the treatment into the soil.

KEEP OUT OF REACH OF CHILDREN



**WARNING**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Causes eye and skin irritation. Harmful in contact with skin. Harmful if swallowed. Wear protective eyewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

**IF SWALLOWED:** Rinse mouth. Call a poison control center or doctor if you feel unwell.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in closed, original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

**WARRANTY:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.

NET CONTENTS: \_\_\_\_ GALLONS / \_\_\_\_ LITERS

**BRANDT<sup>®</sup>**

Manufactured by:  
Brandt Consolidated, Inc.  
2935 South Koke Mill Road  
Springfield, Illinois 62711 USA  
[www.brandt.co](http://www.brandt.co)  
800 300 6559 2016-07 (GHS)