

BREXIL CBZ | Valagro®

F002574

BREXIL CBZ

5 Lb NET WEIGHT (2.3 Kg)

GUARANTEED ANALYSIS

Calcium (Ca)	5.0%
Boron (B)	1.0%
Zinc (Zn)	3.0%

DERIVED FROM: Calcium lignin sulfonate, Zinc carbonate, Boric acid.
GENERAL INFORMATION: BREXIL CBZ is a calcium based product designed to treat and prevent Calcium deficiency in all crops. The lignin sulfonate (LSA) derived ligninpolycarboxylic acid (LPCA) in BREXIL CBZ allows for increased availability of Calcium to the plant. BREXIL CBZ is a microgranule product that is completely water soluble. BREXIL CBZ is only recommended as a supplement to a well-balanced fertilizer program.

BORON NOTICE: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions. A compatibility jar test must be performed before mixing BREXIL CBZ with products containing phosphate. Treat peaches, apricots and kiwi ONLY a er fruit has reached half of its expected size. **SPRAY VOLUMES** The standard spray volume on horticultural crops is 50 gallons per acre. For spray volumes 5-20 GPA, use no more than 1lb/acre. For spray volumes less than 5 GPA, use no more than ½ lb/acre. n Greenhouse applications, DO NOT apply more than 10 oz/25 gallons of spray.
DIRECTIONS FOR MIXING BREXIL CBZ is a soluble product to be mixed with water. Select a water volume and corresponding rate of BREXIL CBZ necessary to thoroughly spray/mist all fruit and foliage surfaces. Gradually add therecommended amount of product to a half- lled spray tank and mix, then add the balance of required water while continuing to agitate the solution. Use Caution when mixing with products containing Sulfur and jar test prior to application. Do not add BREXIL's products rst and then water. **STORAGE INSTRUCTION** Keep the product sheltered from the sun and in a dry warehouse. Once open, completely use the contents of the bag.

KEEP OUT OF REACH OF CHILDREN

CLEANING OF SPRAYER Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and a er the use of this product. **CONDITIONS OF SALE** Seller warrants this product consists of the ingredients speci ed and is reasonably t for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an o cer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Valagro USA or the seller. All such risks shall be assumed by buyer.

Produced and packed by **VALAGRO S.p.A.**
Zona Ind.le - 66041 Atezza (Ch) - ITALY
Distributed and guaranteed by Valagro USA Inc.
2020 Ponce de Leon Blvd., Ste. 1203, Coral Gables, FL 33134
Tel. (786) 230-1020 | Fax (786) 475-9032
BREXIL is a Registered Trademark of VALAGRO S.p.A.

FOLIAR APPLICATION



BREXIL CBZ | Valagro® MADE IN ITALY

BREXIL CBZ

4261074F07PIS9 04

FIELD APPLICATION INSTRUCTIONS, FOLIAR RATES

CROP	RATE	APPLICATION TIMING/COMMENTS
Vegetable crops Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, leafy vegetables	Maintenance: 16 oz/acre De ciency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
Fruit crops Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, raisin, table and wine grapes, berry crops such as blueberries, cranberries and strawberries, etc.	FMaintenance: 16 oz/acre De ciency Symptoms: 28-40 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
Field crops Including but not limited to: corn, cotton, peanuts, potatoes, rice, soybeans, sorghum, sugar beets, sugar cane, wheat, etc	Maintenance: 8 oz/acre De ciency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
Forage crops Including but not limited to: alfalfa, timothy, fescue, etc.	Maintenance: 8 oz/acre De ciency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
Ornamentals	Maintenance: 16 oz/acre De ciency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
Turf	1-3 oz/1000 sq	Apply every 14-21 days intervals until de ciency symptoms disappear
Greenhouse	Not more than 10 oz/25 Gal of water	Apply every 14-21 days intervals until de ciency symptoms disappear
Nut crops. Including but not limited to: almond, pecan, pistachio, walnut	Maintenance: 16oz/acre Deficiency Symptoms: 28-40 oz/acre	apply every 14-21 days intervalls until deficiency symptoms disappear

BREXIL CBZ



DANGER

H318 Causes serious eye damage. H360 May damage fertility or the unborn child.
P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P310 Immediately call a POISON CENTER/doctor/... P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations.

FIRST AID: As a general rule, in case of doubt or if symptoms persist, always call a doctor.
Inhalation: Remove to fresh air. Get medical attention for any breathing di culty. Eye Contact: Rinse cautiously with water for several minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and if symptoms persist, call a physician. Ingestion: Rinse mouth with water. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person. Immediately call a doctor Skin Contact: Remove all contaminated clothing. Rinse with plenty of soap and water.

Produced and packed by **VALAGRO S.p.A.**
Zona Ind.le - 66041 Atezza (CH) - ITALY - Tel. (+39) 0872 / 8811
Distributed and guaranteed by **Valagro USA Inc.** 2020 Ponce de Leon Blvd., Ste. 1203, Coral Gables, FL 33134 - Tel. (786) 230-1020 | Fax (786) 475-9032

Code: see code on the package
Lot number: see print on package

NET WEIGHT 5 Lb (2.3 kg)

DO NOT SELL UNPACKED

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>
Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected.
Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.



— www.valagro.com



8 031702 019986