

BREXIL Mg |  Valagro®

F002574

# BREXIL Mg

**5Lb** NET WEIGHT (2.3 Kg)

5% MAGNESIUM SOLUBLE MICROGRANULES

**GUARANTEED ANALYSIS**

Magnesium (Mg) ..... 5.0%  
 5.0 % water soluble Magnesium (Mg)

Derived From: Magnesium ligninsulfonate

**GENERAL INFORMATION**

BREXIL Mg is a Magnesium based product designed to treat and prevent Magnesium deficiency in all crops. The ligninsulfonate (LSA) derived ligninpolycarboxylic acid (LPCA) in BREXIL Mg allows for increased availability of Magnesium to the plant. BREXIL Mg is a microgranule product that is completely water soluble. BREXIL Mg is only recommended as a supplement to a well balanced fertilizer program

**NOTICE**

A compatibility jar test must be performed before mixing BREXIL Mg with products containing Calcium and/or phosphate containing fertilizer. DO NOT treat peaches, apricots and kiwis after fruit has reached half of its expected size. DO NOT apply via fertigation.

**DIRECTIONS FOR MIXING**

BREXIL Mg is a soluble product to be mixed with water. Select a water volume and corresponding rate of BREXIL Mg necessary to thoroughly spray/mist all fruit and foliage surfaces. Gradually add the recommended amount of product to a half-filled spray tank and mix, then add the balance of required water while continuing to agitate the solution.

**GREENHOUSE APPLICATION INSTRUCTIONS**

DO NOT exceed 10 ounces per 25 gallons for greenhouse crops

**STORAGE INSTRUCTION**

Keep the product sheltered from the sun and in a dry warehouse. Once open, completely use the contents of the bag.

**KEEP OUT OF REACH OF CHILDREN**

**CLEANING OF SPRAYER**

Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and after the use of this product.

**CONDITIONS OF SALE**

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Valagro USA or the seller. All such risks shall be assumed by buyer.

FOLIAR APPLICATION



MADE IN ITALY

BREXIL Mg |  Valagro®

## BREXIL Mg

4104474F07P1S9 00

**FIELD APPLICATION INSTRUCTIONS, FOLIAR RATES**

CROP	RATE	APPLICATION TIMING/COMMENTS
<b>Vegetable crops</b> Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, leafy vegetables	Maintenance: 16 oz/acre De ciency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Fruit crops</b> Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, raisin, table and wine grapes, berry crops such as blueberries, cranberries and strawberries, etc.	Maintenance: 16 oz/acre Deficiency Symptoms: Apples and pears: 32- 40 oz/acre; Stone fruit: 28-40 oz/acre; Citrus and grapes: 32-40 oz/acre; Berries: 24-32 Oz/ acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Nut crops</b> Including but not limited to: almond, pecan, pistachio, walnut,	Maintenance: 16 oz/acre Deficiency Symptoms: 28-40 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Field crops</b> Including but not limited to: corn, cotton, peanuts, potatoes, rice, soybeans, sorghum, sugar beets, sugar cane, wheat, etc	Maintenance: 8 oz/acre De ciency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Forage crops</b> Including but not limited to: alfalfa, timothy, fescue, etc.	Maintenance: 8 oz/acre De ciency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Ornamentals</b>	Maintenance: 16 oz/acre De ciency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Turf</b>	1-3 oz/1000 sq	Apply every 14-21 days intervals until de ciency symptoms disappear
<b>Greenhouse</b>	Not more than 10 oz/25 Gal of water	
<b>Low volume spray (25 GPA)</b>	Not more than 16 oz/A	

**SPRAY VOLUMES**

The standard spray volume on horticultural crops is 50 gallons per acre. For spray volumes 5-20 GPA, use no more than 1lb/acre. For spray volumes less than 5 GPA, use no more than 1/2 lb/acre. n Greenhouse applications, DO NOT apply more than 10 oz/25 gallons of spray

**DO NOT SELL UNPACKED**

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/ garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

BREXIL is a Registered Trademark of VALAGRO S.p.A.

Produced and packed by VALAGRO S.p.A. Zona Ind.le - 66041 Atezza (CH) - ITALY

Distributed and guaranteed by Valagro USA Inc.

2020 Ponce de Leon Blvd, Ste. 1203 - Coral Gables, FL 33134 - Phone +1-786-230-1020 / +1-786-230-1019 / Fax +1-786-475-9032



www.valagro.com



8 031702 019047