## **Cell Power**

# SizeN

15-0-7

**GUARANTEED ANALYSIS** 

1.3% Nitrate Nitrogen 13.7% Urea Nitrogen Soluble Potash (K<sub>2</sub>O) 7.00%

Derived from: Urea and Potassium Nitrate

### KEEP OUT OF REACH OF CHILDREN

F2737



Hazard Statements: Causes serious eye irritation. Causes skin irritation.

Precautionary Statements: Wash hands thoroughly after handling. Wear eye and face protection. Wear protective gloves.

FIRST AID: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice or attention. If on skin: Wash with plenty of water. If skin irritation occurs, get medical advice or attention. Take off contaminated clothing and wash it before reuse.

#### FOR AGRICULTURAL USE ONLY

GUARANTEED BY: OMEX® AGRIFLUIDS, INC. • PO BOX 815 • SELMA, CA 93662



V:081221

DENSITY: 10.0 LBS/GALLON @ 68° F

LIQUID CONTENT 2.5 US GALLONS (9.5 L) NET WEIGHT: 25 LBS (11.3 kg) LIQUID CONTENT 264 US GALLONS (999.3 L) NET WEIGHT: 2,640 LBS (1,198 kg)



#### GENERAL INFORMATION

CELL POWER SizeN help increase yields and quality. Recommendations to be used with Soft fruit, Top fruit, Tomato, and Pepper, Leafy Vegetables, Brassica, Grapes and Potatoes. It may be used in combination with water soluble plant nutritional products which are formulated for foliar, sidedress or drip irrigation application. May be applied alone or in tank mixes containing fertilizers, fungicides and/or pesticides. CELL POWER SizeN is believed to be compatible with most agricultural water-soluble plant nutritional products. If physical compatibility with another fertilizer product is unknown, use a jar compatibility test.

#### ONCE PRODUCT IS DILUTED. USE WITHIN 24 HOURS

#### **DIRECTIONS FOR USE**

All Permanent Crops: Apply ½ gallon/acre near bloom. Continue ½ gallon/acre applications every two weeks during the fruit sizing period. One application pre-bloom at ½ gallon per acre may be applied. Apply post-harvest applications of up to 2 gallons prior to true dormancy on all permanent crops. All Strawberries, Caneberries & Blueberries: Begin applying as early as bloom at ½ gallon/acre. Continue the applications every two weeks during the flowering/fruit setting cycles of the crop. For Blueberries which are more determinate, begin applications at fruit set and go every two weeks during the fruit sizing period.

All Field Crops and Hops: Begin application of ½ gallon/acre prior to bloom and continue for two weeks during the active growing prior of the crop.

All Vegetable Crops: Begin applications right after thinning/planting and make 2-4 total applications at ½ gallon/acre every two weeks during the most active period of the crops growth.

#### SOIL APPLICATION RECOMMENDATIONS

Shake well before useApplyCELLPOWER\*SizeN\* up to 32 gals/acre/season split into applications of 0.5-8 gal. Minimum 1-10 dilution in water. Suitable for application through all irrigation systems. Foliar Application Rate: 0.5 gal/acre, or 1% spray solution and spray till run-off, avoid spraying during direct sunlight. Tank Mbdng: Compatible with most common pesticides and fertilizers. Always jar test before tank mixing to ensure physical compatibility.

#### STORAGE and DISPOSAL

**Storage:** Store in a cool, dry, well-ventilated place out of direct sunlight. Store in original tightly closed container away from children, animals, foods, feeds, and seeds. Store at ambient temperatures.

Product and Container Disposal: Do not contaminate water, food, or feed by storage or disposal. Empty containers or liners may retain some product residues. Triple rinse (or equivalent), during mixing and loading. Dispose of contents in accordance with local/regional/inational/international regulations.

Manufactured by: Levity Crop Science Ltd., The Rural Business Centre, Myerscough College, Bilsborrow, Preston PR3 0RY, United Kingdom

### CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale-Warranty and Limitations of Liability and Remedies before using this product. The directions should be followed carefully together with good application practice. Failure to do so may cause injury to crops, animals, man, or the environment. Extraordinary or unusual weather conditions may affect product performance and/or crop injury which are beyond the control of Omex® Agrifluids, Inc. (the "Company") or seller. The Company warrants that this product conforms to the chemical description on the label and is reasonably for the purpose referred to in the Directions For Use. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, ONE of the following: 1. Refund of the purchase price paid by buyer or user for product bought. 2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The company/seller offer this product and the buyer/user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability, and remedies.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html



