

**SHAKE WELL BEFORE USE  
DO NOT FREEZE**

**8-32-5**

**CHARGE**

**GUARANTEED ANALYSIS**

Total Nitrogen [N] .....	8.00%
8.0% Ammonial Nitrogen .....	
Available Phosphate [P <sub>2</sub> O <sub>5</sub> ] .....	32.00%
Soluble Potash [K <sub>2</sub> O] .....	5.00%
Zinc [Zn] .....	0.05%
Derived from Ammonium Polyphosphate, Potassium Acetate, Zinc EDTA	
Maximum Chlorine Content 1% F3028	

**GENERAL INFORMATION**

**CHARGE** is designed to be used primarily for foliar application. It may also be used with starter fertilizer or transplant water. **CHARGE** is intended to be a supplement to a regular fertilizer program. Rates on this label are for foliar application. May be applied by ground or air. Utilize a jar test if compatibility is questionable.

Directions for use if compatibility is questionable.

**DIRECTIONS FOR USE + APPLICATION RATE**

**ALFALFA (HAY):** 2-4 qt [64-128 oz] per acre at pre-bloom and several more times at 2-week intervals. **WHEAT, BARLEY, SMALL GRAINS:** 2-3 qt [64-96 oz] per acre when plant is 10" and again prior to heading out. **COTTON:** 2 qt [64 oz] per acre at first true leaf. Repeat at first square and again at 2-week intervals. **RICE:** 2-3 qt [64-96 oz] per acre at boot stage and 1-2 weeks prior to bloom. Repeat again 2 weeks after bloom. **TOBACCO:** 1-2 qt [32-64 oz] per acre in transplant water. 1-3 qt [32-96 oz] after transplant. Repeat at 2-3 week intervals. **ARTICHOQUES, BEANS, PEAS, MELONS, SQUASH, CUCUMBERS, TOMATOES, PEPPERS:** 2-4 qt [64-128 oz] per acre at bud stage, prior to bloom, and an additional application every 2 weeks. **COLE CROPS (TRANSPANT & DIRECT SEED):** 1-2 qt [32-64 oz] per acre at 4-6 true leaf stage, 2-3 qt [64-96 oz] at bud stage, and 2-3 qt [64-96 oz] at 2-week intervals. **CORN:** 2-3 qt [64-96 oz] per acre when plant is at V2-V5 and again prior to tasseling. **LETTUCE, SPINACH, CELERY:** 2-3 qt [64-96 oz] per acre after thinning spinach and lettuce. Apply 2 weeks after celery transplant. Apply at 2-week intervals. **POTATOES, YAMS:** 2-3 qt [64-96 oz] per acre when plants are 6". Apply 2 more times at 3-week intervals. **SWEET POTATOES:** 2-6 qt [64-192 oz] per acre in transplant water. For foliar application, use 1-3 qt [32-96 oz] per acre 10 days after transplanting. **SOYBEANS:** 2-3 qt [64-96 oz] per acre at bud stage and repeat again at pod-fill. **OTHER VEGETABLE CROPS & ROOT CROPS:** 2-3 qt [64-96 oz] per acre every 2 weeks after plants are established. **APRICOTS, CHERRIES, ALMONDS, PLUMS, PEACHES, PRUNES, NECTARINES:** 2-4 qt [64-128 oz] per acre at pre-bloom. Repeat rate after petal fall. A third application may be required. **CITRUS:** 4-6 qt [128-192 oz] per acre at early bud stage, prior to bloom, and again at early fruit set and fruit size. Do not combine with oils. **BOYSENBERRIES, BLACKBERRIES, CRANBERRIES, BLUEBERRIES, RASPBERRIES:** 2-3 qt [64-96 oz] per acre at pre-bloom and at 2-week intervals. **GRAPES:** 1-2 qt [32-64 oz] per acre when canes reach 15" -20". Apply another 2-3 qt [64-96 oz] at pre-bloom budknot stage and at 4-6

weeks prior to harvest. **PECANS, PISTACHIOS, WALNUTS:** 3-4 qt [96-128 oz] per acre at pre-bloom, and again every 4-6 weeks until 30 days prior to harvest. **STRAWBERRIES:** 2-3 qt [64-96 oz] per acre at 2-week intervals beginning at pre-bloom and continuing throughout the season. **APPLES & PEARS:** 2-4 qt [64-128 oz] per acre at pre-bloom, petal fall, and once again 3-4 weeks later. Do not apply to Melrose Apples.

**STORAGE AND DISPOSAL**

Store in a cool, dry place in original container. DO NOT FREEZE. Keep container tightly closed. Do not reuse empty container. Triple rinse then offer for recycling or for disposal in a sanitary landfill, or by other means in accordance with local, state, and federal regulations.

**PRECAUTIONARY STATEMENTS**

Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear eye/face protection and protective gloves. Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Use adequate ventilation. Keep away from open flame. In case of fire, use dry chemical fire extinguisher to extinguish. FOR A SPILL, LEAK, EXPOSURE, OR FIRE INVOLVING THIS PRODUCT, CALL CHEMTREC (800) 424-9300 [24 HRS]

**FIRST AID**

If in eyes: Hold eye open and rinse gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing. If on skin: Take off contaminated clothing immediately. Rinse skin with water for 15-20 minutes. If symptoms persist, contact a poison control center or doctor for treatment advice.

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

Manufacturer warrants that this product conforms to its chemical description and will perform as stated on the label when used according to directions and under normal conditions. Neither this warranty nor any other warranty of merchantability, expressed or implied, extends to the use of this product contrary to label directions. No employee or agent of AgXplore International, LLC, the manufacturer of this product, nor the seller, is authorized to vary the Conditions of Sale and Limitation of Warranty and Liability. Buyer assumes all risk if this product is used in any manner or under any condition other than those specifically set forth on the label. To the extent permitted by law, the Buyer's or User's exclusive remedy for any injury, loss, or damage resulting from handling or use of this product shall be limited to one of the following, at the discretion of AgXplore International, LLC: Direct damages not exceeding the purchase price of the product or replacement of the product. AgXplore International, LLC and the seller of this product shall not be liable for consequential, special, or incidental damages or losses, nor damages in the nature of a penalty.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfc.org/metals.html>

**NOTICE TO PENNSYLVANIA USERS**

1. This product may not be applied within 15 feet of water (i.e., lakes, ponds, wetlands, or flowing bodies of water), storm drains, drainage ditches, or to any impervious surface. 2. The product may not be applied if heavy rain that could reasonably cause significant runoff is expected in the next 48 hours. 3. The product may only be applied to the intended application site. Avoid overspray onto adjacent lands, roads, and other non-target areas.

**MANUFACTURED & GUARANTEED BY**  
AgXplore International, LLC  
7035 State Hwy D / PO Box 638  
Parma, MO 63870  
(573) 357-4506 [www.agxplore.com](http://www.agxplore.com)



**WARNING**  
**KEEP OUT OF REACH**  
**OF CHILDREN**

**DENSITY** 12 lb/gal @ 68 °F  
**NET CONTENTS/NET WEIGHT**  
⊠ 2.5 gal (9.46 L)/30 lb (13.6 kg)  
⊠ 2 x 2.5 gal (2 x 9.46 L)/60 lb (27.3 kg)  
⊠ 275 gal (1041 L)/3300 lb (1500 kg)  
⊠ Bulk \_\_\_\_\_ gal(\_\_\_\_\_) L/\_\_\_\_\_) lb(\_\_\_\_\_) kg



©23125 AgXplore