



# CNI-PHITE 0-0-25 HA

Contains Humic Acids

F1252

## GENERAL INFORMATION

CNI-PHITE 0-0-25 HA is a foliar nutritional spray which is intended to be used as a supplemental fertilizer treatment to a regular fertilizer program.

## COMPATIBILITY

Use caution if combining with highly alkaline materials such as lime, sulfur or dormant spray oils or if spraying concurrently with copper. However, if it is to be tank mixed, a simple jar test should be conducted to test for compatibility. Mixing with certain other compounds could result in an incompatible mix.

## APPLICATION INFORMATION

CNI-PHITE 0-0-25 HA may be applied to crops by all application methods including conventional sprays, drip irrigation, soil application and ariel application. When applied by concentrate or dilute ground sprayers, use with a minimum of 15 gallons of water per acre. When used in aerial applications, use at least 5 gallons of water per acre. Control drift of this or other agricultural sprays. If nitrogen is needed, add ten pounds of low biuret urea to 100 gallons of water.

## RATES AND TIMING OF APPLICATION

Beans, Beets, Broccoli, Carrots, Cauliflower, Cucumbers, other Cucurbits, Garlic, Lettuce, Leafy Vegetables, Melons, Onions, Peas, Peppers, Row Crops, Spinach, Strawberries, Tobacco, Tomatoes.. Apply CNI-PHITE 0-0-25 HA at a rate of 2 to 4 pints per acre per application. Apply the first application after transplanting or thinning. Apply one to two subsequent applications at ten to fifteen day intervals or as needed to meet nutritional needs.

Blueberries, Cranberries, Cane Berries: Apply 1 to 4 pints per acre per application, beginning at pre-bloom. Additional applications may be made every 3 to 4 weeks thereafter or as needed.

## GUARANTEED ANALYSIS

Soluble Potash (K<sub>2</sub>O).....25.0%  
Derived Potassium Phosphite.

## ALSO CONTAINS NON PLANT FOOD INGREDIENTS:

2.5% Humic acids (Derived from Leonardite)  
Humic Acids may increase micronutrient uptake.  
Wt. per gal: 12.3 lb. @ 68°F 1.48 KG/L @ 20°C

## RATES AND TIMING OF APPLICATION

Grapes: Apply 1 to 4 pints per acre per application. Apply first application at pre-bloom with subsequent applications at two to four week intervals or as needed to meet nutritional requirements.

Potatoes, Sweet Potatoes and other tuber crops: Apply 1 to 4 pints per acre per application. Apply every eleven to thirty days as needed to meet nutritional requirements.

Turf and Sod apply at 1-3oz. per 1000 sq. ft Application may be repeated every 10 - 14 days.

Hops, Grains, Wheat, Barley, Alfalfa, Spearmint and Peppermint: Apply 1 to 4 pints per acre per application. First application should be at 3 to 4 inches of new growth. Additional applications may be made every 2 to 4 weeks thereafter or as needed.

Citrus and Avocados, Tree Fruit and Nut Crops including Pistachio and Olives: Apply 2 to 4 pints per acre per application, beginning at pre-bloom and additional applications at two to four week intervals or as needed to meet nutritional requirements.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

Net Cont: 2.5 Gal. Net Wt: 30.75 Lbs. Lot #: 12345

KEEP OUT OF REACH  
OF CHILDREN



## WARNING

**WARNING** Hazardous to humans and animals. Causes eye and skin irritations. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

**FIRST AID** If this product gets into the eyes, immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment. If this product gets on the skin, immediately wash the contaminated area. Seek medical attention if skin irritation persists. If this product has been swallowed and the person is conscious, immediately give large volumes of water. Do not induce vomiting. Seek immediate medical attention.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Follow proper procedures for the disposal of spray solutions. Rinse and dispose of empty containers according to approved local practices.

**CONDITIONS OF SALE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Weather, crop conditions, timing and methods of applications, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given



MANUFACTURED FOR: CNI AgriMinerals, PO BOX 3706, ALBANY, GA 31706 228-883-5538

2-18