

CalciMax[®]

A true calcium solution with PAC^{*} chelation technology

GUARANTEED ANALYSIS:

Boron.....0.5%

Calcium (Ca).....8.0%

Derived from boric acid and calcium hydroxide chelated with PolyAldoCarbosate^{*}

For use as a fertilizer in foliar and fertigation applications to supplement calcium and boron levels on agricultural crops.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>.

PAC^{} refers to NutriAg's "PolyAldoCarbosate^{*}" Technology

DIRECTIONS FOR USE (Use only as Directed):

- Exercise caution with foliar applications in extreme weather conditions such as high temperatures and poor drying conditions.
- Aerial application - minimum of 5 gallons of water/acre; Dilute sprays - minimum of 20 gallons of water/acre. Apply with sufficient water to deliver spray uniformly on leaf surfaces. Higher volumes of water should be used for higher rates of fertilizer.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- CalciMax is compatible with most agricultural chemicals and nutrients. Not compatible with aluminum equipment. Should be applied in conjunction with tissue and/or soil analysis.
- Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions.
- Consult a NutriAg representative for specific crop recommendations, application timings and necessity of its use.

SUGGESTED RATES

FOLIAR RATES: For minor - moderate deficiency apply 1-1.5 qt/ac. For severe deficiency & post-harvest trees and vines apply 2-6 qt/ac. Multiple applications may be required.

FERTIGATION RATES: The number and frequency of applications determine application rates. Apply 1-3 qt/ac/application. Apply no more than 8 gallons/season. Always apply toward the end of an irrigation cycle.

CROPS: Forage Crops: Alfalfa, Clover, Hay Crops; **Field Crops:** Cereals, Corn, Cotton, Sorghum, Sugar cane; **Legumes:** Dry bean, Lentil, Peanut, Pea, Soybean; **Root Vegetables (including, but not limited to):** Beet, Carrot, Garlic, Parsnip, Radish, Rutabaga, Sugar Beet, Sweet Potato, Turnip; **Leafy Vegetables (including but not limited to):** Bok Choy, Celery, Chard, Cilantro, Cole Crops, Lettuce, Parsley, Spinach; **Other Vegetables:** Artichoke, Asparagus, Cucurbits, Eggplant, Okra, Onions (bunching, bulbing), Peppers, Rhubarb, Snap bean, Sweet Corn, Tomato; **Berry Crops:** Blueberry, Caneberry, Cranberry, Elderberry, Gooseberry, Strawberry; **Tree Fruit (including but not limited to):** Apple, Apricot, Avocado, Cherry, Nectarine, Olive, Peach, Pear, Persimmon, Plum, Pomegranate, Prune, Quince; **Other Fruit:** Citrus (all), Fig, Kiwi, Melons; **Nut Trees (including but not limited to):** Almond, Filbert, Hazelnut, Pecan, Pistachio, Walnut; **Grapes:** Currant, Raisin, Table, Wine; **Other Crops:** Herbs, Hops, Mint, Potato, Safflower, Spearmint, Stevia, Sunflower

CAUTION: This fertilizer contains boron (B). This fertilizer may be injurious to certain crops. Contact your local county agent of field consultant for specific information.

KEEP OUT OF REACH OF CHILDREN.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg is not liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.

WARNING

Causes eye irritation. Contains 3-7% of ingredient of ingredient of unknown toxicity (Dermal and Inhalation).

Wash hands and skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Dispose of contents/ container in accordance with local, regional, national and international regulations.

Net Contents:

Net Weight:

Net Weight/
Gallon:

Batch No.:



Rev: 060321US

NutriAg Ltd.

39 Gail Grove, Toronto, ON, Canada, M9M 1M5. Tel: (416) 636-1555 nutriag.com



Innovators
in the field