



Section 2(ee) Recommendation

Date: January 22, 2024

Product: Cannonball® WG
EPA Reg. No. 100-1454

Use: Addition of Botrytis Box Rot (*Botrytis cinerea*) for Strawberry

State: CA

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

For control of Botrytis box rot (*Botrytis cinerea*), apply Cannonball WG as a dip to strawberry roots and crowns after harvest and prior to storage at a rate of 2.5 to 4.0 oz/100 gallons of water. Dip or expose plants for five minutes and then allow plants to drain completely prior to storage. Refer to the Cannonball WG Section 3 label for all other directions for use, restrictions, and precautions.

Cannonball® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2024 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: CA1454221BC0124