

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : CAPTEVATE® 68 WDG Fungicide  
 Other means of identification : EPA Reg. No. 66330-48

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fungicide

#### 1.3. Details of the supplier of the safety data sheet

Arysta LifeScience North America LLC  
 15401 Weston Parkway, Suite 150  
 Cary, NC 27513 - USA

#### 1.4. Emergency telephone number

Emergency number : Exposure Calls (PROSAR): +1-866-303-6952 or +1-651-603-3432 (international)  
 Spill Calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Acute Tox. 3 (Inhalation:dust,mist) H331  
 Eye Dam. 1 H318  
 Skin Sens. 1 H317  
 Carc. 2 H351  
 STOT RE 2 H373

Full text of H-statements: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

GHS06

GHS07

GHS08

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H331 - Toxic if inhaled  
 H351 - Suspected of causing cancer  
 H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P260 - Do not breathe dust  
 P271 - Use only outdoors or in a well-ventilated area  
 P272 - Contaminated work clothing must not be allowed out of the workplace  
 P280 - Wear eye protection, protective gloves  
 P302+P352 - If on skin: Wash with plenty of water  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P308+P313 - If exposed or concerned: Get medical advice/attention  
 P310 - Immediately call a doctor, a POISON CENTER  
 P321 - Specific treatment (see First aid measures on this label)  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
 P362+P364 - Take off contaminated clothing and wash it before reuse  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
 P405 - Store locked up  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Exact concentrations withheld as trade secret.

Name	Product identifier	%	GHS-US classification
Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (Main constituent)	(CAS No) 133-06-2	50 – 60	Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400
fenhexamid (Main constituent)	(CAS No) 126833-17-8	10 – 20	Aquatic Chronic 2, H411
Lignosulfonic acid, sodium salt	(CAS No) 8061-51-6	5 – 15	STOT RE 2, H373
Sodium alkyl naphthalenesulfonate	(CAS No) trade secret	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Do NOT induce vomiting. Drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: May cause damage to organs through prolonged or repeated exposure. Suspected of causing cancer.
Symptoms/injuries after inhalation	: Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Foam. Halons. Dry powder. Water fog.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Burning produces irritating, toxic and noxious fumes.
Reactivity	: No dangerous reactions known.

### 5.3. Advice for firefighters

Firefighting instructions	: Do not allow run-off from fire fighting to enter drains or water courses. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid creating or spreading dust. Avoid contact with skin and eyes.

##### 6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or safety glasses. Dust impervious gloves. Do not breathe dust.

Emergency procedures : Evacuate unnecessary personnel. Stop leak, if possible without risk.

##### 6.1.2. For emergency responders

Protective equipment : Chemical goggles or safety glasses. Dust impervious gloves. Avoid breathing dust.

Emergency procedures : Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Do not discharge into drains or the environment. Prevent dispersion. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Avoid generating dust. Stop the flow of material, if this is without risk.

Methods for cleaning up : Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

#### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not store near food, foodstuffs, drugs, or potable water supplies. Keep container closed when not in use.

Incompatible products : Alkalis and caustic products.

Heat and ignition sources : Keep away from heat, sparks and flame.

Prohibitions on mixed storage : Incompatible materials.

Storage area : Store in dry, cool, well-ventilated area.

#### 7.3. Specific end use(s)

Fungicide.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

CAPTEVATE® 68 WDG Fungicide		
ACGIH	Not applicable	
OSHA	Not applicable	
Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Skin irr; DSEN; A3
OSHA	Not applicable	
fenhexamid (126833-17-8)		
ACGIH	Not applicable	
OSHA	Not applicable	
Lignosulfonic acid, sodium salt (8061-51-6)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Inhalable particulates not otherwise specified); 3 mg/m <sup>3</sup> (Respirable particulates not otherwise specified)

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Lignosulfonic acid, sodium salt (8061-51-6)</b>	
OSHA	Not applicable

<b>Sodium alkylnaphthalenesulfonate (trade secret)</b>	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

Appropriate engineering controls	: Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Use only outdoors or in a well-ventilated area. Eyewash stations.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear dust impervious gloves.
Eye protection	: Chemical goggles or safety glasses. In case of splashing or aerosol production: protective goggles.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask.
Environmental exposure controls	: Prevent leakage or spillage.
Consumer exposure controls	: Keep out of reach of children.
Other information	: Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granules
Colour	: Brown
Odour	: No data available
Odour threshold	: No data available
pH	: 7.9 (1% w/v suspension @ 26.8 °C)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 0.75 - 0.82 g/ml
Relative vapour density at 20 °C	: No data available
Density	: 0.75 - 0.82 g/ml
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Caustic products.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : hydrogen chloride. Carbonyl sulfide. Carbon disulfide. Thiophosgene.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact  
Acute toxicity : Inhalation:dust,mist: Toxic if inhaled.

CAPTEVATE® 68 WDG Fungicide	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 5000 mg/kg
ATE US (dust,mist)	0.504 mg/l/4h

Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	0.27 - 0.67 mg/l/4h
ATE US (vapours)	0.270 mg/l/4h
ATE US (dust,mist)	0.270 mg/l/4h

fenhexamid (126833-17-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5057 mg/m <sup>3</sup> 4h

Lignosulfonic acid, sodium salt (8061-51-6)	
LD50 oral rat	> 12000 mg/kg

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified

In vivo, Captan has been examined in many systems and the overall conclusion is of no significant genotoxic activity. Genotoxicity has been shown in vitro primarily for prokaryotic and non-mammalian eukaryotic cells when cellular protective mechanisms (GSH, etc.) are absent.

Fenhexamid Technical was negative in the following genotoxicity assays:

Salmonella/microsome test  
(Ames test), mouse micronucleus test, V79-HGPRT assay in vitro, rat primary hepatocyte UDS assay.

Fenhexamid Technical does not present a genetic hazard to intact animal systems.

Carcinogenicity : Suspected of causing cancer.

Likely to be carcinogenic to humans following prolonged, high-level exposures causing cytotoxicity and regenerative cell hyperplasia in the proximal region of the small intestine (oral exposure) or the respiratory tract (inhalation exposure), but not likely to be a human carcinogen at dose levels that do not cause cytotoxicity and regenerative cell hyperplasia.

Fenhexamid Technical is not carcinogenic in laboratory animals.

Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)	
IARC group	3 - Not classifiable

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified In a 3-generation rat study, Captan Technical had no effects on fertility, gestation length or litter size. Pup survival was reduced at doses $\geq$ 250 mg/kg/day. A 1-generation study showed decreased pup (rat) weights at 12.5 mg/kg/day. For Fenhexamid Technical no reproduction toxicity was observed in a study with rats exposed to this product for two generations.
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure. Captan Technical is not carcinogenic to rats or dogs following chronic dietary exposure. In mice, chronic dietary exposure to Captan Technical produced increased tumors of the small intestine, but only at high doses. The tumors are a result of chemical irritation of the intestine following repeated high doses, and not a mutagenic effect. The NOEL for tumor formation was 400 ppm Captan technical in diet. Fenhexamid Technical the NOEL in mice is 267mg/kg/d (male) or 454 mg/kg/d (female) in a 14-week feeding study based upon kidney effects; the NOEL in dogs is 25 mg/kg/d in a 52-week study based upon liver effects; and no changes in clinical signs, mortality, clinical pathology, food consumption, pathology, or organ weights.
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye damage.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

<b>Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)</b>	
LC50 fish 1	50 µg/l 96 h Rainbow trout
LC50 other aquatic organisms 1	1.6 mg/l green algae
EC50 Daphnia 1	4.7 mg/l 48 h
LC50 fish 2	240 µg/l 96 h Mirror carp
<b>fenhexamid (126833-17-8)</b>	
LC50 fish 1	1.34 mg/l 96 h Oncorhynchus mykiss
EC50 Daphnia 1	> 18.8 mg/l 48h
<b>Lignosulfonic acid, sodium salt (8061-51-6)</b>	
LC50 fish 1	361 ppm 96h Pimephales promelas

### 12.2. Persistence and degradability

<b>CAPTEVATE® 68 WDG Fungicide</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)</b>	
Biodegradation	DT50 of < 1 day in aerobic and anaerobic soil
<b>Lignosulfonic acid, sodium salt (8061-51-6)</b>	
Persistence and degradability	Biodegrades slowly.
Biochemical oxygen demand (BOD)	0.021 g O <sub>2</sub> /g substance (5 day/day); 0.043 g O <sub>2</sub> /g (30 day/days)

### 12.3. Bioaccumulative potential

<b>Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)</b>	
Bioaccumulative potential	Not expected to bioaccumulate.
<b>fenhexamid (126833-17-8)</b>	
Log Pow	2.23 - 3.62 20 °C; pH 9-4 respectively

### 12.4. Mobility in soil

<b>Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)</b>	
Ecology - soil	Non-mobile.

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Do not dispose in household garbage.  
Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.  
Ecology - waste materials : Hazardous waste due to toxicity.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

RQ = 18.66 lbs

In accordance with DOT

Transport document description : UN3077 Environmentally hazardous substances, solid, n.o.s. (captan), 9, III  
UN-No. (DOT) : UN3077  
Proper Shipping Name (DOT) : Environmentally hazardous substances, solid, n.o.s. (captan)  
Transport hazard class(es) (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140  
Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Packing group (DOT) : III - Minor Danger


### Additional information

Other information : No supplementary information available.

### ADR

Transport document description : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (captan), 9, III, (E)  
Packing group (ADR) : III  
Class (ADR) : 9 - Miscellaneous dangerous substances and articles  
Hazard identification number (Kemler No.) : 90  
Classification code (ADR) : M7  
Danger labels (ADR) : 9 - Miscellaneous dangerous substances and articles



Orange plates : 

Tunnel restriction code (ADR) : E  
Limited quantities (ADR) : 5kg  
Excepted quantities (ADR) : E1

### Transport by sea

UN-No. (IMDG) : 3077  
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (captan)  
Class (IMDG) : 9 - Miscellaneous dangerous substances and articles  
Packing group (IMDG) : III - substances presenting low danger

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant : Yes



### Air transport

UN-No. (IATA) : 3077  
Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s. (captan)  
Class (IATA) : 9 - Miscellaneous Dangerous Goods  
Packing group (IATA) : III - Minor Danger  
Marine pollutant : Yes



## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 10 lb

#### fenhexamid (126833-17-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag Exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

#### Lignosulfonic acid, sodium salt (8061-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).

#### Sodium alkylnaphthalenesulfonate (trade secret)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### fenhexamid (126833-17-8)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

#### Lignosulfonic acid, sodium salt (8061-51-6)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Sodium alkylnaphthalenesulfonate (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### EU-Regulations

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### fenhexamid (126833-17-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Lignosulfonic acid, sodium salt (8061-51-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium alkylnaphthalenesulfonate (trade secret)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 3 (Inhalation:dust,mist) H331  
Eye Dam. 1 H318  
Skin Sens. 1 H317  
Carc. 2 H351  
STOT RE 2 H373  
Aquatic Acute 1 H400  
Aquatic Chronic 3 H412  
Full text of H-statements: see section 16

### National regulations

#### fenhexamid (126833-17-8)

Not listed on the Canadian Non-Domestic Substances List (NDSL).  
Not listed on the Inventory of Existing Chemical Substances of China (IECSC).  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Not listed on the KECI (Chemical Inventory of Korea).  
Not listed on Taiwan National Chemical Inventory.  
Not listed on Philippines Inventory of Chemicals and Chemical Substances (PICCS)  
Not listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)

#### Lignosulfonic acid, sodium salt (8061-51-6)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Not listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

### 15.3. US State regulations

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	300

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### 15.4. US EPA – FIFRA Regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word (FIFRA)	: DANGER.
Hazard statements (FIFRA)	: Causes irreversible eye damage. Do not get in eyes. Harmful if swallowed or inhaled. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.
Environmental hazards	: This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### SECTION 16: Other information

Indication of changes : Original Document.

# CAPTEVATE® 68 WDG Fungicide

## Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: ACGIH (American Conference of Government Industrial Hygienists). National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. NIOSH Occupational Health Guide for chemical Substances - Vol. II, September, 1978. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <a href="http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html">http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html</a> .
Abbreviations and acronyms	: ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. LD50: Lethal Dose for 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). NOEC: No Observable Effect Concentration. OSHA: Occupational Safety & Health Administration. TSCA: Toxic Substances Control Act.
Other information	: None.

### Full text of H-statements:

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



SDS US (GHS HazCom 2012)

**SDS Prepared by:** The Redstone Group, LLC.  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*