

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, **Suterra® LLC** warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use. To the extent consistent with applicable law, **Suterra LLC** neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable law, **Suterra LLC's** maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, the buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material contrary to label instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For emergency information on product, uses, and treatment, etc., call the National Pesticides Information Center at 1-800-858-7378, 6:30 am – 4:30 pm Pacific Time (PT), 7 days a week. Otherwise, call the Poison Control Center at 1-800-222-1222.

ENVIRONMENTAL HAZARDS

FOR TERRESTRIAL USES: Do not apply to water, or to areas where surface water is present or to intertidal areas below the high water mark.

Celada™

CM 300

A BIOCHEMICAL PHEROMONE FOR MATING DISRUPTION OF CODLING MOTH (*Cydia pomonella*)



FOR ORGANIC PRODUCTION

ACTIVE INGREDIENT:

(E, E)-8,10-Dodecadien-1-ol. 14.25%

Other Ingredients: 86.75%

Total: 100.00%

NET WEIGHT: 300 mg active ingredients per dispenser.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for Precautionary Statements and First Aid.

Suterra®

MANUFACTURED BY:
Holopack Verpackungstechnik GmbH
Bahnhofstraße 18
74429 Sulzbach-Laufen
Germany

**REGISTERED AND
DISTRIBUTED BY:**
Suterra LLC
20950 NE Talus Place
Bend, Oregon, USA 97701
1-866-326-6737
FAX (541) 388-3705

EPA Registration No. 56336-79

EPA Establishment No. 85243-DEU-1

© 2021 Suterra LLC. All Rights Reserved. SUTERRA and CELADA are trademarks Suterra LLC.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Celada CM 300 is a vapor releasing product (VP) for the control of Codling Moth (*Cydia pomonella*) in apple, quince, pear and walnut orchards, and any other crop where codling moth is a pest.

METHOD OF APPLICATION

For use on apples, pears, quinces, and other pome fruits; walnuts, pecans, and other tree nuts. Do not apply more than 150 grams a.i. per acre per year (500 dispensers/acre/year). Apply by hand. The application rate of **Celada CM 300** is 120 dispensers per acre. One application per year is sufficient.

Authorized uses:

Crop	Target Pest	Number of applications	Rate of Application
Pome fruit	Codling moth (<i>Cydia pomonella</i>)	1 per year	120 disp./acre
Walnut	Codling moth (<i>Cydia pomonella</i>)	1 per year	120 disp./acre

The application of **Celada CM 300** should be conducted before or at the time of biofix (initiation of sustained flight of the overwintering generation). Hang the dispensers from finger-thick branches in top third of the tree canopy. Distribute the dispensers throughout the orchard to achieve the application rate. Suterra can provide pattern recommendations.

This product is a mating disruption product that interferes with the ability of males of Codling Moth to find females and mate. It does not directly affect eggs, larvae or mated females. Pre-application egg laying and immigration of females from adjacent external sources of infestation is not affected by the product and may reduce the level of control.

The use of **Celada CM 300** should always take place in the context of an Integrated Pest Management strategy. The use of other pest control measures may be necessary and should be based on proper pest monitoring, field scouting and phenologic models.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store container in cool place until used. Reseal containers immediately after use. Store unused product in a refrigerator or freezer not used for food storage.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved disposal facility.

CONTAINER DISPOSAL: Bag/Cardboard Box: Nonrefillable container. Do not reuse or refill this container. Dispose of empty bag/cardboard box in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.