

Cell Power®

# Sulf Max 6

with 52%S

GUARANTEED ANALYSIS

Sulfur (S) .....52%

52.0% Free Sulfur (S)

Derived from: Elemental Sulfur

## KEEP OUT OF REACH OF CHILDREN

F2737

**Precautionary Statements:** Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Do not take internally. Wash hands thoroughly after handling. Wear protective gloves. Wear eye and face protection.

**FIRST AID:** **If on skin:** Wash with plenty of water. If skin irritation occurs, get medical advice or attention. Take off contaminated clothing and wash it before reuse. **If in eyes:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a Physician. **If swallowed,** induce vomiting immediately by giving two glasses of water and sticking finger down the throat. Call a Physician. Never give anything by mouth to an unconscious person.

FOR AGRICULTURAL USE ONLY

GUARANTEED BY:

OMEX® AGRIFLUIDS, INC.  
PO BOX 815 • SELMA, CA 93662

V:090721



MADE IN AMERICA

**DENSITY: 11.55 LBS/GALLON @ 68° F**

**LIQUID CONTENT 2.5 US GALLONS (9.5 L) NET WEIGHT: 28.88 LBS (13.1 kg)**

**LIQUID CONTENT 265 US GALLONS (1,003 L) NET WEIGHT: 3,060 LBS (1388 kg)**



## GENERAL INFORMATION

**Cell Power® SulfMax6** can be used in combination with water soluble plant nutritional products which are formulated for foliar application. May be applied alone or in tank mixes containing fertilizers, fungicides and/or pesticides. **Cell Power® Sulf Max 6** is believed to be compatible with most agricultural water-soluble plant nutritional products. If physical compatibility with another fertilizer product is unknown, use a jar compatibility test.

**ONCE PRODUCT IS DILUTED, USE WITHIN 24 HOURS DIRECTIONS FOR USE**  
Add approximately 1/2 water to tank before adding **Cell Power® Sulf Max 6**. Agitate thoroughly while adding remaining water. Do not allow mixture to stand. Failure to maintain agitation will cause **Cell Power® Sulf Max 6** to settle and may necessitate manual stirring to re-disperse. If used in combination with pesticides, add pesticides last.

## COMPATABILITY

**Cell Power® Sulf Max 6** is compatible with most pesticides and can be applied in existing spray programs. When using a chemical mixture that has not been used before, always try a small sample rate before application, or check compatibility by doing a jar test. Due to its acidic nature, adding **Cell Power® Sulf Max 6** to the spray solution can lower the pH of the finished spray solution. Adhere to pesticide manufacturer's recommendation regarding appropriate pH.

## CHEMIGATION INSTRUCTIONS

Apply this product through one or more of the following types systems: sprinkler including center pivot, lateral move, and tow, side (wheel) roll, traveler, big gun, solid set or hand move irrigation system(s). Do not apply this product through any other type of irrigation system. Crop injury, lack of effective-ness or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

## USE INFORMATION

**Cell Power® Sulf Max 6** is a flowable sulfur formulation that may be applied by ground or aerial spray application equipment. Consult you State Agricultural Extension specialist for advice in selecting treatments from this label to best fit local conditions. Do not combine with emulsifiable liquids except on dormant sprays or delayed dormant spray applications. Use only on crops listed and only as specified on this label, except on Cotton; do not apply when temperatures exceed or are likely to exceed 90° F. Do not use sulfur with oil or within 14 days of an oil spray (for Citrus-21 days). Note: Sulfur will cause severe fruit and leaf injury to sulfur-sensitive crops. Do not apply or allow to drift to Apricots, D'anjou or other sensitive plants. Sulfur may burn foliage and fruit during periods of temperatures and under certain climatic conditions. This product can be mixed and applied with liquid fertilizers or water.

## CROPS RATE/ACRENUMBER & TIMING OF APPLICATIONS

**Alfalfa:** 4-16 qts/acre; Apply as soon as soil temperature reaches 55o at 6" and repeat after cutting as required.

**Almonds, Pistachios:** 4-16 qts/acre; 2-3 applications as required from post bloom to half split.

**Apricots, Nectarines, Peaches:** 2-3 applications starting at blossom drop to early color, including post harvest. Use lower rates when fruit begin to color.

**Apples:** 4-16 qts/acre; 2-3 applications starting at immediate post bloom through early sizing, including 14-21 days post harvest.

**Avocados:** 4-16 qts/acre; Multiple applications as required.

**Carrots:** 2-8 qts/acre at 7-10 day intervals.

**Blueberries & Cranberries:** 2-8 qts/acre at 7-10 day intervals.

**Cherries, Plums, Prunes:** 2-3 applications during the season.

**Citrus:** 4-16 qts/acre; Multiple applications as required.

**Cotton:** 4-16 qts/acre; 2-3 applications from squaring to full boll development.

**Cucurbit Vegetables such as:** Cucumber, Cantaloupe, Watermelon, Summer and Winter Squash and Pumpkin: 1-4 qts/acre; at 7-10 days after bloom.

**Dry Beans including:** Kidney, Pinto, Lima: 1-4 qts/acre at 7-10 day intervals.

**Grapes:** 4-16 qts/acre; 2-3 applications from post shatter through early ripening.

**Hops:** 4-16 qts/acre; 3-6 applications from pre-bloom to full sizing.

**Kiwi:** 4-16 qts/acre; 2-3 applications from pre-bloom to full sizing.

**Leafy Vegetables and Bras- sica (Cole) Leafy Vegetables such as:** Broccoli, Cabbage, Cauliflower, Celery, Lettuce and Spinach: 1-4 qts/acre at 7-10 day intervals.

**Mint:** 4-16 qts/acre; Multiple applications as required.

**Mustard Green:** 4-16 qts/acre; Multiple applications as required.

**Pears:** 4-16 qts/acre; 3 applications, one each at post bloom, 30-45 days pre-harvest, and 14-21 days post harvest.

**Peppers, Tomatoes:** 1-4 qts/acre at 7-10 day intervals.

**Strawberries:** 4-16 qts/acre; 2 applications, one each at bloom and 21-3 days later.

**Root and Tuber Vegetables such as:** Carrot, Potato, Onion, Garlic, Radish, Rutabaga, Sugar Beet, Sweet Potato, Turnip and Yams: 2-8 qts/acre at 7-10 days intervals.

**Walnuts:** 4-16 qts/acre; 2-3 applications as required from catkin elongation until June 15th.

## SOIL TREATMENT

This product may be applied using ground equipment, aircraft or sprinkle irrigation. When leaf and soil test are not available, use general rates. Most crops need 1 pound of sulfur for every 10 pounds of nitrogen. Adjust these rates below accordingly if other of sulfur are used. When applied to the soil, this product can be mixed with fertilizer or water. For aerial application use a maximum of 4 pints of Sulf Max 6 per 10 gallons of water

NOTE: Rates suggested are for standard spray volumes 20-150 gal/acre. For higher volume sprays, rate should be adjusted.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry, well-ventilated place out of direct sunlight.

Store in original tightly closed container away from children, animals, foods, feeds, and seeds. Store at ambient temperatures.

**Product and Container Disposal:** Do not contaminate water, food, or feed by storage or disposal. Empty containers or liners may retain some product residues. Triple rinse (or equivalent), during mixing and loading. Dispose of contents in accordance with local/regional/national/international regulations.

## CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale-Warranty and Limitations of Liability and Remedies before using this product. The directions should be followed carefully together with good application practice. Failure to do so may cause injury to crops, animals, man, or the environment. Extraordinary or unusual weather conditions may affect product performance and/or crop injury which are beyond the control of Omex® Agrifluids, Inc. (the "Company") or seller. The Company warrants that this product conforms to the chemical description on the label and is reasonably for the purpose referred to in the Directions For Use. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, ONE of the following: 1. Refund of the purchase price paid by buyer or user for product bought. 2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The company/seller offer this product and the buyer/user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability, and remedies.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals/html>