

# Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Closer<sup>®</sup>

EPA Reg. No. 62719-623

**Special 2(ee) Recommendation<sup>†</sup>**  
(For Distribution and Use in the State of Texas Only)

**For Control of Mullein Plant Bugs (*Campylomma*) in Pome Fruits (Crop Group 11)**

**This label expires and must not be distributed or used in accordance with this product bulletin after December 31, 2020.**

Refer to product label for Closer for general use precautions, mixing directions, application directions, and restrictions.

### ATTENTION

**†This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Closer insecticide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Closer according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Closer insecticide.

### Directions for Use

Pests	Closer SC (fl oz/acre)
Mullein plant bugs ( <i>Campylomma</i> )	2.75 – 5.75 (0.043 – 0.09 lb ai/acre)

Apply 2.75 – 5.75 fl oz of Closer SC per acre to provide control of mullein plant bugs in pome fruits. For heavier infestations, use a higher rate in the rate range. Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

<sup>®</sup>Trademark of The Dow Chemical Company (“Dow”) or an affiliated company of Dow

R391-028  
Issued: 9/12/17  
Initial printing