

RESTRICTED USE PESTICIDE**Due to eye and skin effects.**

For retail sale to and use by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL
FOR DISTRIBUTION AND USE ONLY WITHIN STATE OF WASHINGTON****Comite®****FOR CONTROL OF TWOSPOTTED SPIDER MITE ON ALFALFA, BEET,
CARROT, CLOVER AND SPINACH GROWN FOR SEED****EPA REG. NO. 400-104 / EPA SLN NO. WA-040019****KEEP OUT OF REACH OF CHILDREN****ANGER • PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

This label for Comite expires and must not be distributed or used in accordance with this SLN registration after December 31, 2025.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

ALFALFA, BEET, CARROT, CLOVER AND SPINACH GROWN FOR SEED

Comite is a liquid emulsifiable concentrate for preparing sprays to control twospotted spider mites. It is not systemic in action; therefore, complete coverage of both upper and lower leaf surfaces is necessary for effective control. Apply high rate to areas with high mite infestation and to areas which historically have had high mite infestations.

Add recommended dosage (from table) of the product to the spray tank. Refer to the EPA-registered label for mixing and application instructions.

Crop	Mites Controlled	Amount per Acre	Gallons Spray Solution Per Acre (Ground App.)	Gallons Spray Solution Per Acre (Aerial App.)
Alfalfa grown for seed	Twospotted spider mite	1½ - 2½ pts.	25 to 40	minimum of 10
Beet grown for seed	Twospotted spider mite	2-3 pts.	25 to 40	minimum of 10

Carrot grown for seed	Twospotted spider mite	2-3 pts.	Not applicable	minimum of 10
Clover grown for seed	Twospotted spider mite	2-3 pts.	25 to 40	minimum of 10
Spinach grown for seed	Twospotted spider mite	2-3 pts.	25 to 40	minimum of 10

Restrictions / Precautions:

- Do not enter or allow worker entry during the restricted entry interval (REI) of 9 days for alfalfa, clover and spinach grown for seed; and 2 days for beet and carrot grown for seed.
- Allow at least 14 days between applications.
- Do not apply more than 2 applications per year.
- For use under this SLN label do not apply this product through any type of irrigation system.
- Comite is relatively non-toxic to bees when used alone. However, the risk to bees may be increased if Comite is combined with insecticides. Follow all applicable restrictions and precautions to protect bees when tank-mixing Comite with insecticides.
- For resistance management, Comite contains a Group 12C acaricide. Any mite population may contain individuals naturally resistant to Comite and other Group 12C acaricide. The resistant individuals may dominate the mite population if this group of acaricides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.
- This pesticide is toxic to fish and aquatic invertebrates and may cause reproductive effects in wildlife. Comite should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Natural Resources Assessment Section web site (agr.wa.gov/departments/land-and-water/natural-resources/endangered-species-program) for additional information related to pesticide use and endangered species protection. Information from the EPA about no-spray buffer zones is available at agr.wa.gov/departments/land-and-water/natural-resources/endangered-species-program/buffers. Pesticide applicators may use the Washington Department of Fish and Wildlife's SalmonScape mapping tool at apps.wdfw.wa.gov/salmonscape/ to determine if listed salmonid species occur in or near a proposed application site.
- Do not apply by ground within 50 feet or by air within 75 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds; estuaries and commercial fish farm ponds. The above excludes irrigation canals and wasteways as well as man-made irrigation conveyance structures and impoundments, unless an exclusion contains water year-round.
- All alfalfa, beet, carrot, clover and spinach seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the WSDA immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dump site, incinerator, composter, or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
- No portion of the alfalfa, beet, carrot, clover and spinach seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- Alfalfa, beet, carrot, clover and spinach seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
- Alfalfa, beet, carrot, clover and spinach seed may not be distributed for human consumption or animal feed.
- **WSDA Container Disposal Guidance:** Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of

container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at agr.wa.gov/departments/pesticides-and-fertilizers/pesticides/waste-pesticide. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

Section 24(c) SLN REGISTRANT:
MacDermid Agricultural Solutions, Inc.
c/o ArystaLifeScience North America LLC
15401 Weston Parkway Suite 150
Cary NC 27513

Comite® is a Registered Trademark of Arysta LifeScience and the Arysta LifeScience logo are registered Trademarks of Arysta LifeScience Corporation. COMITE is a registered trademark of an Arysta LifeScience Group Company.