

Command® 3ME

Herbicide

For Agricultural or Commercial Use Only

EPA REG. No. 279-3158

EPA SLN NO.
AR01-0009



FOR DISTRIBUTION
AND USE ONLY IN
ARKANSAS

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING.

CROP	PESTS	RATE OF APPLICATION			
		Soil Texture	Broadcast Rates Per Acre*	Pounds active ingredient per acre	Acres per Gallon
Rice	Annual grasses and Broadleaf weeds	Coarse (light) Soils: (sand, loamy sand, sandy loam)	Do not use		
		Medium Soils: (loam, silt, silt loam, sandy clay, sandy clay loam)	1.1 pts (17.1 fl oz)	0.4	7.5
		Fine (heavy) Soils: (silty clay, clay loam, silty clay loam, clay)	1.33 - 1.6 pts (21.3 - 25.6 fl oz)	0.5 - 0.6	6 - 5
		* Select lower to higher rates based on lighter to heavier soil types.			

DIRECTIONS FOR USE:

Apply from 14 days prior to planting to 7 days after planting, but prior to weed emergence. Apply with ground sprayers using 10 to 40 gallons of spray solution per acre. Use the lowest possible boom height while maintaining a uniform spray pattern. Use nozzle types, nozzle sizes, operating pressures and spray volumes that produce spray droplets of the size classification of coarse or greater. Observe all buffer restrictions noted in the Application Precautions section.

Partial weed control may result if levees are pulled after Command 3ME has been applied. Additional use of labeled post-emerge herbicide applications may be required.

CROP SAFETY PRECAUTIONS:

Application of Command 3ME herbicide to fields which have been precision leveled within 12 months may result in rice crop injury including stand loss. Consult with rice specialists for soil amending practices which can reduce potential for herbicide injury in precision leveled fields.

APPLICATION PRECAUTIONS:

Caution must be taken to minimize spray drift as off-site movement of Command can cause foliar whitening or yellowing of some plants.

Do not apply Command 3ME herbicide within 1,200 feet of the areas listed below:

Towns and Housing Developments

Commercial Vegetable Production (except peppers, pumpkins, succulent peas, sweet corn, sweet potato and winter squash)

Commercial Fruit / Nut Production

Commercial Nurseries

Commercial Greenhouses

Avoid making applications when spray particles may be carried by air currents to areas where sensitive crops and plants are growing, or when temperature inversions exist. Prior to application, adjacent properties must be checked, and spraying within 300 feet of desirable plants must be avoided.

RESTRICTIONS:

Do not apply more than once per season.

Do not use this treatment in water-seeded rice.

Do not use Command 3ME for weed control in rice planted in sand, loamy sand, or sandy loam soils.

Do not apply Command 3ME on rice fields in which concurrent crayfish or catfish farming are included in the cultural practices.

Do not use water containing Command 3ME residues from rice cultivation to irrigate food or feed crops which are not registered for use with Command 3ME.

REPLANTING INSTRUCTIONS

If initial planting of rice fails to produce a uniform stand, rice may be replanted in fields treated with Command 3ME. Do not retreat fields with a second application of Command 3ME. When tank mixing with a labeled product, refer to the replant instructions for that product. Do not replant treated fields with any crop at intervals that are inconsistent with the ROTATIONAL CROP GUIDELINES on this labelling. When a tank mix is used, refer to the product's label for any additional rotational crop guidelines.

ROTATIONAL CROP GUIDELINES

Rotate to crops as listed below, otherwise crop injury may occur.

Note: When using Command 3ME with other registered herbicides always refer to rotational restrictions and precautions on the other product's label.

ANYTIME - Cotton*, Peas, Peppers, Pumpkins (processing varieties), Rice, Soybeans, Squash, Sweet Potatoes, Tobacco, Tuberos and Corm Vegetables

4 MONTHS - Wheat (permitted following the use of Command 3ME on rice at 0.6 lbs ai/a or less)

9 MONTHS - Cotton, Corn (Field, Pop, Seed, Sweet), Cucurbits, Dry Beans, Peanuts, Potatoes, Snap Beans, Sorghum, Sugar Beets, Tomatoes (Transplanted) plus all crops listed above under "Anytime."

12 MONTHS - All crops

* Refer to "REQUIREMENTS FOR PLANTING TIME APPLICATIONS" and "REPLANTING INSTRUCTIONS" in the Command 3ME federal label.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

DO NOT USE THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103



Command and **FMC** - FMC Trademarks
©2001 FMC Corporation

