

AgrisOLUTIONS™
CONCUR®
Seed Treatment

For the protection of Seeds and Seedlings of Field Corn, Sweet Corn and Popcorn against Damping-Off, Seed Decay caused by *Pythium*; also for protection of seed against Seed Corn Beetle, Seed Corn Maggot, Wireworm, White Grub, Flea Beetle (up to first true leaf), and Imported Fire Ants.


For the protection of Seeds and Seedlings of Sorghum against Damping-Off, Seed Decay caused by *Pythium*, also for suppression against Wireworm, Seed Corn Maggot, true White Grub, and protection of seed against Imported Fire Ants.

ACTIVE INGREDIENTS:
Imidacloprid (1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine) 25.00%
Metalaxyl (N-2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester 1.00%
INERT INGREDIENTS: 74.00%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Distributed by: **Winfield Solutions, LLC** EPA Reg. No. 264-1044-1381
P.O. Box 64589 EPA Est. No. 7874-IL-1
St. Paul, MN 55164-0589 7501-197-1381 (1.5ozB)-308021
0/10017

NET CONTENTS:
1.5 oz.



(01) 0 07 84742 01044 6

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING

PF-31230

PROOF

THIS PROOF IS TO BE CHECKED FOR ACCURACY

Please review and approve **Text, Spelling, Copy Placement, Size, Shape, Colors, Unwind, and Deline.**

Authorized signature accepts responsibility for accuracy of all copy, color break and artwork. Cimarron Label is not liable for any discrepancies subsequently identified.

PLEASE NOTE: Due to color variance between printers/monitors, the colors represented by this proof cannot be deemed accurate. Please refer to a color matching system such as the Pantone Matching System for a truer representation of spot colors. **THIS PROOF IS NOT ACCURATE FOR COLOR-MATCH.**

WE CANNOT PROCESS THIS ORDER WITHOUT AN AUTHORIZED SIGNATURE

ARTWORK IS APPROVED

REVISED PROOF NEEDED

Signed _____

Date _____


Please Return To: _____



4201 North Westport Avenue, Sioux Falls, South Dakota 57107
Phone: (605) 978-0451 • Fax: (605) 978-0463

Please indicate the correct unwind position

Unwind Positions



PROOF DATE: November 26, 2007

CUSTOMER: WINFIELD SOLUTIONS

JOB NUMBER: 31230

LABEL SIZE: 3.75" x 3.25"

LABEL COLORS: BLACK

PATTERN VARNISH

LEAFLET "IN" COLORS: BLACK

LEAFLET "OUT" COLORS: BLACK PMS 377

PMS YELLOW

deline does not print

CONCUR® Seed Treatment

For the protection of Seeds and Seedlings of Field Corn, Sweet Corn and Popcorn against Damping-Off, Seed Decay caused by *Pythium*; also for protection of seed against Seed Corn Beetle, Seed Corn Maggot, Wireworm, White Grub, Flea Beetle (up to first true leaf), and Imported Fire Ants.

For the protection of Seeds and Seedlings of Sorghum against Damping-Off, Seed Decay caused by *Pythium*, also for suppression against Wireworm, Seed Corn Maggot, true White Grub, and protection of seed against Imported Fire Ants.

ACTIVE INGREDIENTS:

Imidacloprid (1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine)	25.00%
Metalaxyl (N-2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester	1.00%
INERT INGREDIENTS	74.00%
TOTAL	100.00%

EPA Reg. No. 264-1044-1381

EPA Est. 7874-IL-1

NET CONTENTS: 1.5 oz.

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

- | | |
|---------------------|--|
| If swallowed | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If in eyes | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL: CHEMTREC: (800) 424-9300 (Toll free - US) CHEMTREC: (703) 527-3387 (Domestic and International)

Distributed by:
Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164-0589

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds and aquatic invertebrates and toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Do not contaminate water when disposing of equipment washwaters or rinsate.

PRODUCT INFORMATION

Concur® may be used on seed previously treated with a full dosage of protective fungicide to give added protection against *Pythium* damping-off or seed decay. **Note:** Adjust the seed drill or planter to give the required rate of seed delivery with treated seed. Regularly inspect planter plates and clean as required. At the end of each day, clean the electric-eye monitors as directed by the manufacturer. **Important:** Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seed beyond planting time.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, protective eyewear.

Field Corn, Sweet Corn, Popcorn: Use at a rate of 1.5 ounces per 42 pounds of seed.

Sorghum: Use at a rate of 5.0 ounces per 100 pounds of seed.

Mixing Instructions: (1.5 oz. canister) Use as a dry mixture in the planter box as a seed treatment prior to planting. Apply Concur® to seed at planting time with the canister applicator tube system, using one 1.5 oz. canister per 42 Lbs. of seed for field corn, sweet corn and popcorn. For sorghum, apply one 1.5 oz. canister per 30 pounds of seed. For best results, fill planter box with seed, add Concur® through applicator tube and mix so that all seeds are covered. **DO NOT MIX WITH BARE HANDS.** Use only at the recommended rate. Lower amounts may not give desired control.

ROTATIONAL CROPS: Treated areas may be replanted with any crop specified on the Concur® label, or for any crop for which a tolerance exists for imidacloprid, as soon as practical following the last application. The following plant-back intervals should be observed for listed crops:

ROTATIONAL PLANT-BACK INTERVALS*		
IMMEDIATE PLANT-BACK		
Artichoke	Ground cherry	Potato
Barley	Leafy Petiole Veg.	Rapeseed
Brassica (cole)	Leafy Veg.	Sorghum
leafy veg.	Legume Veg.	Strawberry
Canola	(succulent or	Sugar beet
Cilantro	dried, except	Tomatillo
Corn, Field	soybean)	Tomato
Corn, Sweet	Mustard seed	Triticale
Cotton	Okra	Veg. Root
Cranberry	Pepinos	and Tuber
Cucurbits	Pepper	Watercress
Eggplant	Popcorn	
30-DAY PLANT-BACK		
Cereals (Including buckwheat, millet, oats, popcorn, rice, and rye)		
Safflower		
Soybeans		
* Cover crops for soil building or erosion control may be planted any time, but do not graze or harvest for food or feed.		
* All other crops not listed on an Imidacloprid label, or for crops for which no tolerance for the active ingredient have been established, a 12-month plant-back interval should be observed.		

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool dry location. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty canister into application equipment. Then dispose of empty canister in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE – READ CAREFULLY
CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT
 Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Winfield Solutions, LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Winfield Solutions, LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, WINFIELD SOLUTIONS, LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, WINFIELD SOLUTIONS, LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Winfield Solutions LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Concur® is a trademark of Winfield Solutions, LLC.

AgrisOLUTIONS[™]

CONCUR[®]

Seed Treatment

For the protection of Seeds and Seedlings of Field Corn, Sweet Corn and Popcorn against Damping-Off, Seed Decay caused by *Pythium*; also for protection of seed against Seed Corn Beetle, Seed Corn Maggot, Wireworm, White Grub, Flea Beetle (up to first true leaf), and Imported Fire Ants.

For the protection of Seeds and Seedlings of Sorghum against Damping-Off, Seed Decay caused by *Pythium*, also for suppression against Wireworm, Seed Corn Maggot, true White Grub, and protection of seed against Imported Fire Ants.

ACTIVE INGREDIENTS:

Imidacloprid (1-[(6-chloro-3-pyridinyl)methyl]-
N-nitro-2-imidazolidinimine) 25.00%
 Metalaxyl (N-2,6-dimethylphenyl)-N-
(methoxyacetyl)alanine methyl ester 1.00%

INERT INGREDIENTS: 74.00%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Distributed by: **Winfield Solutions, LLC** EPA Reg. No. 264-1044-1381
 EPA Est. No. 7874-IL-1
 P.O. Box 64589 7501-197-1381(1.5ozB)-308021
 St. Paul, MN 55164-0589 0/1001/7

NET
CONTENTS:
1.5 oz.

