

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Delegate™ WG

EPA Reg. No. 62719-541

Foliar Insect Control in Tree Nuts and Pistachios

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Delegate™ WG insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Delegate WG according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Delegate WG.

Directions for Use

Refer to product label for Delegate WG for General Use Precautions, Mixing, and Application information.

Delegate WG may be used on tree nuts (crop group 14) and pistachios, including almonds, cashew, chestnut, filbert (hazelnut), macadamia nut, pecan, pistachios, walnuts

Pests and Application Rates:

Pests	Delegate WG (oz/acre)
peach twig borer (dormant spray)	1.5 – 7
light brown apple moth oblique-banded leafroller peach twig borer (in-season spray) red-humped caterpillar walnut caterpillar walnut husk fly	3 – 7
codling moth fall webworm filbertworm hickory shuckworm pecan nut casebearer	4.5 – 7
navel orangeworm	6 – 7

Application Timing: Apply Delegate WG as either a dormant treatment or as a foliar spray when pests first appear or in accordance with local conditions. Applications should closely follow regional spray recommendations based on biofix dates, egg hatch, and/or pheromone trap catches. Lepidopterous larvae must be controlled before they penetrate the nuts or shoots. Delegate WG is a larvicide, begin applications shortly before egg hatch. Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional use recommendations for your area.

Use of Crop Oils: Crop oils labeled for agricultural use may be added to the dormant spray solution for suppression of overwintering mites and scale insects. Consult specific oil labels and University or Extension recommendations for precautions and restrictions regarding the use of oils in nut and fruit trees.

Application Rate: The amount of Delegate WG per acre will depend upon tree size, volume of foliage present and pest pressure. Choose a higher rate in the specified rate range for larger trees or heavy infestations.

Resistance Management: Do not make more than 3 consecutive applications of Group 5 insecticides (spinetoram and spinosad) within a crop season. If additional treatments are required after 3 consecutive applications of Group 5 insecticides, rotate to another class of effective insecticides for at least one application. Consult your Dow AgroSciences representative, extension specialist, certified crop advisor, or state agricultural experiment station for information on alternative effective products to use in your area.

Restrictions:

- Do not apply more than a total of 28 oz of Delegate WG (0.438 lb ai of spinetoram) per acre per crop.
- **Maximum Number of Applications:** Do not make more than 4 applications per calendar year.
- **Minimum Re-Treatment Interval:** Do not apply treatments less than 7 days apart.
- **Preharvest Interval (PHI):** Do not apply within 1 day of harvest.
- **Note:** The 1 day PHI for tree nuts and pistachios supersedes the previous PHI of 7 days.

™Trademark of Dow AgroSciences LLC

R359-006

EPA accepted: 08/13/09

Initial printing.