

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DELTA GOLD

Unity # 10063575

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-424-9300 (CHEMTREC)
1-877-424-7452 (MEDICAL EMERGENCY)

Product Information

Telephone Number Non-Emergency Business Inquiries: 1-855-494-6343
Mon – Fri 8am – 5pm (CST)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard: Category 1

Eye irritation: Category 1

Acute toxicity (Oral): Category 2

Skin irritation: Category 2

Acute toxicity (Inhalation): Category 3

Flammable liquids: Category 4



Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Causes serious eye damage.

Fatal if swallowed.

SAFETY DATA SHEET

DELTA GOLD

2/14

Revision Date: 05/06/2016

Replaces : 09/07/2007

Causes skin irritation.
Toxic if inhaled.
Combustible liquid

Precautionary statements

Wear eye protection/face protection.
Wash face, hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves.
Avoid breathing mist and spray.
Use only outdoors or in a well-ventilated area.
Keep away from open flames/hot surfaces. - No smoking.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
Do NOT induce vomiting.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor/physician.
Specific treatment (see supplemental first aid instructions on this label).
Rinse mouth.
IF ON SKIN: Wash with plenty of water/soap.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Keep cool.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Deltamethrin	52918-63-5	16.6
2-Methylpropan-1-ol	78-83-1	1.75
N-Methyl-2-pyrrolidone	872-50-4	10.0
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	53.1
Naphthalene	91-20-3	7.43

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms	Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy
-----------------	--

Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Must NOT be confused with organophosphorus compounds! Risk of solvent pneumopathy.
Treatment	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote.

Recovery is spontaneous and without sequelae.

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Dry chemical, Carbon dioxide (CO₂), Water spray, Foam

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Avoid contact with spilled product or contaminated surfaces. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.

Flash point 172 °F

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Do not breathe vapour.

Methods and materials for containment and cleaning up

Methods for cleaning up Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m ³ (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	02 2012	ACGIH
2-Methylpropan-1-ol	78-83-1	150 mg/m ³ /50 ppm (REL)	2010	NIOSH
2-Methylpropan-1-ol	78-83-1	300 mg/m ³ /100 ppm (PEL)	02 2006	OSHA Z1
2-Methylpropan-1-ol	78-83-1	150 mg/m ³ /50 ppm (TWA)	1989	OSHA Z1A
2-Methylpropan-1-ol	78-83-1	150 mg/m ³ /50 ppm (TWA)	06 2008	TN OEL
2-Methylpropan-1-ol	78-83-1	1520ug/m ³ (ST ESL)	07 2011	TX ESL

SAFETY DATA SHEET

DELTA GOLD

6/14

Revision Date: 05/06/2016

Replaces : 09/07/2007

2-Methylpropan-1-ol	78-83-1	152ug/m3 (AN ESL)	07 2011	TX ESL
2-Methylpropan-1-ol	78-83-1	500ppb (ST ESL)	07 2011	TX ESL
2-Methylpropan-1-ol	78-83-1	50ppb (AN ESL)	07 2011	TX ESL
2-Methylpropan-1-ol	78-83-1	150 mg/m3/50 ppm (TWA PEL)	08 2010	US CA OEL
N-Methyl-2-pyrrolidone	872-50-4	100ppb (ST ESL)	07 2011	TX ESL
N-Methyl-2-pyrrolidone	872-50-4	10ppb (AN ESL)	07 2011	TX ESL
N-Methyl-2-pyrrolidone	872-50-4	40ug/m3 (AN ESL)	07 2011	TX ESL
N-Methyl-2-pyrrolidone	872-50-4	400ug/m3 (ST ESL)	07 2011	TX ESL
N-Methyl-2-pyrrolidone	872-50-4	875 mg/m3/250 ppm (STEL)	10 2014	US CA OEL
N-Methyl-2-pyrrolidone	872-50-4	4 mg/m3/1 ppm (TWA PEL)	10 2014	US CA OEL
N-Methyl-2-pyrrolidone	872-50-4	40 mg/m3/10 ppm (TWA)	2010	WEEL
N-Methyl-2-pyrrolidone	872-50-4	19 ppm (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	2560ug/m3 (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	460ppb (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	256ug/m3 (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	46ppb (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	1989	OSHA Z1A
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	1989	OSHA Z1A
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL

Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50ug/m ³ (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	200ug/m ³ (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	38ppb (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	10ppb (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	0.5 mg/m ³ /0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.
Chemical resistant headgear for overhead exposure
Chemical resistant apron when cleaning equipment, mixing or loading.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to yellow
Physical State	Liquid clear
Odor	characteristic of organic solvents
Odour Threshold	no data available

pH	3.7 - 5.7 at 1 % (23 °C) (deionized water)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Specific Gravity	1.08
Density	1.09 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	no data available
Flash point	172 °F
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Eye contact, Skin Absorption, Skin contact

Immediate Effects

Eye Corrosive - causes irreversible eye damage.

Skin Harmful if absorbed through skin. Causes burns. Can cause irritation to the skin resulting in effects such as burning and/or tingling sensation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Ingestion Fatal if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined rat) 42.9 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) > 0.57 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
(actual)

LC50 (male/female combined rat) > 2.28 mg/l
Exposure time: 1 h
Determined in the form of a respirable aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Acute dermal toxicity LD50 (male/female combined rabbit) > 2,000 mg/kg

Skin irritation Severe skin irritation. (rabbit)

Eye irritation Corrosive - causes irreversible eye damage. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene 91-20-3 Group A3

NTP

Naphthalene 91-20-3

IARC

Deltamethrin 52918-63-5 Overall evaluation: 3

Naphthalene

91-20-3

Overall evaluation: 2B

OSHA

None.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 µg/l Exposure time: 96 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.0131 µg/l Exposure time: 48 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to aquatic plants	EC50 (Algae) > 9.1 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient deltamethrin.
Biodegradability	Deltamethrin: not rapidly biodegradable
Koc	Deltamethrin: Koc: 10240000
Bioaccumulation	Deltamethrin: Bioconcentration factor (BCF) 1,400 Does not bioaccumulate.
Mobility in soil	Deltamethrin: Immobile in soil
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not allow to get into surface water, drains and ground water. Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.
Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Do not contaminate water, food, or feed by disposal.
Dispose in accordance with all local, state/provincial and federal regulations.
Follow advice on product label and/or leaflet.

Contaminated packaging

Do not re-use empty containers.
Triple rinse containers.
Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.
If burned, stay out of smoke.
Follow advice on product label and/or leaflet.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	2902
Class	6.1
Packaging group	II
Proper shipping name	PESTICIDES, LIQUID, TOXIC, N.O.S. (DELTAMETHRIN, NAPHTHALENE)
RQ	Reportable Quantity is reached with 1,345 lb of product.

IMDG

UN number	2902
Class	6.1
Packaging group	II
Marine pollutant	YES
Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (DELTAMETHRIN SOLUTION)

IATA

UN number	2902
Class	6.1
Packaging group	II
Environm. Hazardous Mark	NO
Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (DELTAMETHRIN SOLUTION)

SAFETY DATA SHEET

DELTA GOLD

12/14

Revision Date: 05/06/2016

Replaces : 09/07/2007

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

This product contains material(s) which are Trade Secret and are on various Regulatory Lists. These material(s) are not listed below. If more information is required, call the product information number listed in Section 1.

US Federal Regulations

TSCA list

2-Methylpropan-1-ol	78-83-1
N-Methyl-2-pyrrolidone	872-50-4
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Naphthalene	91-20-3

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

N-Methyl-2-pyrrolidone	872-50-4
Naphthalene	91-20-3

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene	91-20-3
-------------	---------

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

N-Methyl-2-pyrrolidone	872-50-4	Developmental toxin.
------------------------	----------	----------------------

US State Right-To-Know Ingredients

2-Methylpropan-1-ol	78-83-1	CA, CT, IL, MN, NJ, RI
N-Methyl-2-pyrrolidone	872-50-4	MN, NJ, RI
Naphthalene	91-20-3	CA, CT, IL, MN, NJ, RI

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

2-Methylpropan-1-ol	78-83-1	5,000 lbs
Naphthalene	91-20-3	100 lbs

Clean Water Section 307 Priority Pollutants

Naphthalene	91-20-3
-------------	---------

SAFETY DATA SHEET

DELTA GOLD

13/14

Revision Date: 05/06/2016

Replaces : 09/07/2007

Safe Drinking Water Act Maximum Contaminant Levels

N-Methyl-2-pyrrolidone 872-50-4

Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Danger!

Hazard statements: Poison.
Fatal if swallowed.
Corrosive
Causes irreversible eye damage.
Causes skin burns.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Do not get in eyes, on skin, or on clothing.
Harmful if inhaled or absorbed through skin.
Avoid breathing spray mist.
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate (ATE)
CAS-Nr.	Chemical Abstracts Service number
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	US. IARC Monographs on Occupational Exposures to Chemical Agents
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

WINFIELD™

SAFETY DATA SHEET

DELTA GOLD

14/14

Revision Date: 05/06/2016

Replaces : 09/07/2007

NFPA 704 (National Fire Protection Association):

Health - 3 Flammability - 2 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 3 Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 05/06/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions.