

DELTA® TECHNICAL

Version 5.0 / USA 102000001388

1/12Revision Date: 10/25/2022
Print Date: 10/26/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DELTA® TECHNICAL

Product code (UVP) 05937361

SDS Number 102000001388

EPA Registration No. 432-762

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 3
Acute toxicity(Inhalation): Category 4

Combustible dust

Labelling in accordance with regulation HCS 29CFR §1910.1200





DELTA® TECHNICAL

Version 5.0 / USA Revision Date: 10/25/2022 102000001388 Print Date: 10/26/2022

Signal word: Danger

Hazard statements

Toxic if swallowed. Harmful if inhaled.

May form combustible dust concentrations in air.

Conduct Dust Hazard Assessment (DHA).

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Specific treatment (see supplemental first aid instructions on this label).

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Deltamethrin 52918-63-5 99.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.



DELTA® TECHNICAL

Version 5.0 / USA 102000001388

Revision Date: 10/25/2022 Print Date: 10/26/2022

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Local:, Skin and eye paraesthesia which may be severe, Usually

transient with resolution within 24 hours, Skin, eye and mucous

membrane irritation, Cough, sneezing

Systemic:, discomfort in the chest, tachycardia, hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular

fasciculation, Apathy, Dizziness

Indication of any immediate medical attention and special treatment needed

Risks This product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning. Risk of

pulmonary oedema.

Treatment Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory

and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or

artificial respiration if needed. In case of convulsions, a

benzodiazepine (e.g. diazepam) should be given according to standard

regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without

sequelae.

In case of skin irritation, application of oils or lotions containing vitamin

E may be considered.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



DELTA® TECHNICAL

Version 5.0 / USA 102000001388

Revision Date: 10/25/2022 Print Date: 10/26/2022

Special hazards arising from the substance or

mixture

Accumulation of fine dust may entail the risk of a dust explosion in the presence of air., In the event of fire the following may be released:, Carbon dioxide (CO2), Carbon monoxide (CO), Hydrogen bromide

(HBr), Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

No data available

No data available

No data available

Dust explosion class St1 (weak to moderately explosible)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Remove all sources of ignition. Keep

unauthorized people away. Isolate hazard area. Avoid contact with

spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upAvoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling



DELTA® TECHNICAL

 Version 5.0 / USA
 Revision Date: 10/25/2022

 102000001388
 Print Date: 10/26/2022

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate

exhaust ventilation.

Advice on protection against fire and explosion

Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of

electrostatic charge.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|--------------|------------|--------------------|--------|----------|
| Deltamethrin | 52918-63-5 | 0.01 mg/m3 | | OES BCS* |
| | | (TWA) | | |

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Eye wash facility and safety shower should be available.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



DELTA® TECHNICAL

Version 5.0 / USA 102000001388

Revision Date: 10/25/2022 Print Date: 10/26/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Crystalline powder
Colour white to beige
Odour odourless

Odour Threshold No data available

pH 5.3 (10 g/l)

Melting point/range98 °C / 208.4 °FBoiling PointNo data availableFlash pointNo data availableFlammabilityNo data availableAuto-ignition temperatureNo data availableThermal decompositionNo data available

Minimum ignition energy $> 10 - < 30 \text{ mJ} (23 \degree \text{C})$

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limitNo data availableLower explosion limitNo data available

Dust explosion class St1 (weak to moderately explosible)

Vapour pressure2.3 μPa (25 °C)Evaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data availableDensityNo data available

Bulk density ca. 550 kg/m3

Solubility/qualitative soluble in most organic solvents

Water solubility 0.27 μ g/l (20 °C)

Partition coefficient: n-octanol/water

Deltamethrin: log Pow: 6.4 (25 °C)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableOxidizing propertiesNo data available



DELTA® TECHNICAL

Version 5.0 / USA Revision Date: 10/25/2022 102000001388 Print Date: 10/26/2022

Explosivity No data available

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Skin Absorption, Eye contact

Immediate Effects

Eye May cause temporary eye irritation.

Skin Not expected to produce significant adverse effects when

recommended use instructions are followed.

IngestionInhalationVery toxic if swallowed.Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 87 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) 2.2 mg/l

Exposure time: 4 h

Determined in the form of dust.

Acute dermal toxicity LD50 (male/female combined Rabbit) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye Mild eye irritation. (Rabbit)

irritation

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test



DELTA® TECHNICAL

 Version 5.0 / USA
 Revision Date: 10/25/2022

 102000001388
 Print Date: 10/26/2022

Assessment STOT Specific target organ toxicity - single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

Deltamethrin 52918-63-5 Overall evaluation: 3

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 μg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.0131 μg/l

invertebrates Exposure time: 48 h

Toxicity to aquatic plants EC50 (algae) > 9.1 mg/l

Exposure time: 96 h

Biodegradability Deltamethrin:

Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000



DELTA® TECHNICAL

Version 5.0 / USA Revision Date: 10/25/2022 102000001388 Print Date: 10/26/2022

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Mobility in soil Deltamethrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3349
Class 6.1
Packaging group III

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(DELTAMETHRIN)

IMDG

UN number 3349
Class 6.1
Packaging group III
Marine pollutant YES

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(DELTAMETHRIN)



10/12

DELTA® TECHNICAL

Version 5.0 / USA Revision Date: 10/25/2022 102000001388 Print Date: 10/26/2022

IATA

UN number 3349
Class 6.1
Packaging group III
Environm. Hazardous Mark NO

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(DELTAMETHRIN)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., POISON, OTHER

THAN GASES THAT ARE POISONOUS BY INHALATION

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-762

US Federal Regulations

TSCA list

Not applicable.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None

Safe Drinking Water Act Maximum Contaminant Levels

None.



DELTA® TECHNICAL

Version 5.0 / USA Revision Date: 10/25/2022 102000001388 Print Date: 10/26/2022

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: May be fatal if swallowed.

Harmful if inhaled or absorbed through skin. Causes substantial but temporary eye injury.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 10/25/2022



DELTA® TECHNICAL

Version 5.0 / USA 102000001388

12/12Revision Date: 10/25/2022
Print Date: 10/26/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.